



Bright HealthCare™

## 2022 年处方集 (承保药品目录)

**Bright Advantage Dual Access (HMO D-SNP)**

请认真阅读：本文件载有  
关于本计划承保药品的信息

HPMS 批准的处方集文件 Submission ID 22098、版本号 16.

本简式处方集的更新日期为 12/01/2022。

如需更多最新信息，或者有任何其他问题，请联系 Bright HealthCare 会员服务部，电话 1-833-726-0667，或者TTY 用户可拨打 711，7\*24 全天候开放，或者请访问[www.BrightHealthCare.com/Medicare](http://www.BrightHealthCare.com/Medicare)。

**现有会员附注：**本处方集自去年以来有所调整。请认真审阅本文件，以确保其仍包含您服用的药品。

本药品目录（处方集）中提到的“我们”或“我们的”是指 Bright HealthCare。本药品目录（处方集）中提到的“计划”或“我们的计划”是指 Bright HealthCare。

本文件包含我们截至 **12/01/2022** 的最新计划的药品目录（处方集）。若需更新的处方集，请联系我们。封面页和封底页载有我们的联系信息，以及我们上次更新处方集的日期。通常，只有从网络药房购买承保药品，才能享受处方药福利。福利、处方集、药房网络及/或共同付费/共同保险可能会在 2023 年1 月1 日变更，以及当年内不时变更。

## 何为 Bright HealthCare 处方集？

处方集是指 Bright HealthCare 与医疗保健提供者团队协商选择的承保药品目录，表示这些处方药疗法是优质治疗计划的必要组成部分。Bright HealthCare 通常会承保我们处方集中列出的药品，前提是该药品是医疗所需的；处方药须从 Bright HealthCare 网络药房配药，并且遵守其他计划规则。有关如何配处方药的更多信息，请审阅承保证书。

## 该处方集（药品目录）会调整吗？

大多数药物承保变更都发生在 1 月1 日，而且 Bright HealthCare 在当年的药物清单上会增加或移除一些药物，将其移动到不同的费用分摊级别或增加一些新的限制。我们在做这些决定时必须遵守 Medicare 规定。

**今年可能会影响到您的变更：**在下面这些情况中，今年对承保进行的变更可能会影响到您：

- **新仿制药。**如果使用一种费用分摊等级相同或更低，且限制条件相同或更少的新仿制药取代某种原研药，我们可以立即将该原研药从药品目录中删除。此外，添加新仿制药时，我们可以决定将该原研药保留在药品目录中，但是立即更改该药品的费用分摊等级，或添加新的限制条件。如果您当前正在服用该原研药，我们可能不会在调整药品目录之前提前告知您，但是我们稍后会向您提供关于我们已作出的特定调整的信息。
  - 如果我们作出了此类调整，您或您的开药者可以要求我们破例处理，并继续为您承保 该原研药。我们提供给您通知还将包括关于您申请破例处理所需采取的措施的信息，并且您可以在“如何申请 Bright HealthCare 处方集破例处理？”章节中找到相关信息。
- **药品已退市。**如果美国食品和药物管理局认为我们处方集中的某种药品不安全，或药品制造商将该药品退市，我们会立即将该药品从我们处方集中删除，并通知服用该药品的会员。
- **其他调整。**我们可能会作出其他调整，并影响到当前服用相关药品的会员。例如，我们可能会添加一种早已上市流通的仿制药，取代处方集中现有的某种原研药，或对该原研药施加新的限制条件，或更改该药品的费用分摊等级。或者我们可能会根据新的临床指南作出调整。如果从处方集中删除某些药品，或对某种药品添加预先核准、数量限制及/或分步骤治疗限制，

或提高某种药品的费用分摊等级，那么我们必须在此类调整正式生效之前，至少提前 30 天通知受影响的会员，或在会员要求重新配药时，通知受影响的会员，此时会员将配取 30 天药量的药品。

- 如果我们作出了此类变更，您或您的开药者可以要求我们破例处理，并继续为您承保 该原研药。我们提供给您通知还将包括关于您申请破例处理所需采取的措施的信息，并且您也可以找到“如何申请 Bright HealthCare 处方集破例处理？”章节中找到相关信息。

**如果您目前正在服用药物，这些变更不会影响到您。**一般而言，如果您所服用的药物在 2022 年药物集中，并在该年度伊始受承保，我们不会停止或者减少 22 年保险年度的药物承保范围，除上述规定外，这意味着在保险年度尚行的剩余时间内，服用该药品的会员仍可以相同的费用分摊方式买此药。此变更会对您产生影响，因此一定要查看新一年的药物清单，以了解药物的任何变更。

随附的处方集截至 12/01/2022 是最新版本。如要了解关于 Bright HealthCare 承保的药物的最新消息，请联系我们。封面页和封底页载有我们的联系方式。如果作出了 CMS 核准的年中非维护性处方集调整，该处方集将会更新并在我们的网站上公布。

## 如何使用处方集？

可以使用两种方法在处方集中找到所需的药品：

### 医疗状况

处方集始于第 1 页。本处方集中的药品依据其用于治疗医疗状况类型进行分类。例如，用于治疗

心脏疾病的药物列 “心血管” 类别下 如果知道所需药品用于何种医疗状况，请在以下药品目录中查找相应的类别名称 然后再该类别名称下查找所需药品

### 按字母顺序排列

如果您不确定在哪个类别下查找，则应在从第 1-1 页开始的索引中查找您的药物。该索引提供本文件包含的所有药品按字母顺序排列的药品目录。原研药和仿制药均列示在该索引中。浏览该索引，查找所需药品。药品旁边会显示页码，您可以在该页中找到承保信息。转至该索引中列出的页面，在药品目录的第一列中查找所需药品的名称。

## 何为仿制药？

Bright HealthCare 承保原研药和仿制药。仿制药是指由美国食品和药物管理局批准的活性成分与原研药相同的药品。通常，仿制药的费用通常低于原研药。

## 我的承保范围是否有限制？

一些承保的药品可能有额外的承保范围要求或限制。这些要求和限制可能包括：

- **预先核准：** Bright HealthCare 要求您 [或您的医师] 必须获得某些药品的预先核准。这意味着在配处方药之前，您需要获得 Bright HealthCare 的核准。如果未获得核准，Bright HealthCare 可能不会承保该药品。
- **数量限制：** 对于某些药品，Bright HealthCare 会限制药品承保数量。例如，Bright HealthCare 仅承保 30 粒 Lansoprazole 胶囊/处方。这可以是额外的一个月或三个月标准药量。
- **分步治疗：** 在一些情况下，Bright HealthCare 会要求您先尝试使用某些药品来治疗您的医疗状况，如果药效不佳，才会承保用于治疗该医疗状况的其他药品。例如，如果药品 A 和药品 B 均可用于治疗您的医疗状况，Bright HealthCare 可能会要求您先尝试使用药品 A，如果药效不佳，才会承保药品 B。如果药品 A 的药效不佳，Bright HealthCare 则会承保药品 B。

您可以浏览始于第 1 页。您还可以访问我们的网站，了解关于特定承保药品适用的限制的更多信息。我们在网上发布了一份文件，说明我们的预先核准和分步治疗限制。您也可以要求我们发送一份副本给您。封面页和封底页载有我们的联系信息，以及我们上次更新处方集的日期。

您可以要求 Bright HealthCare 对这些限制条件或数量限制进行破例处理，或向 Bright HealthCare 索取一份可用于治疗您的健康状况的其他类似药品目录。请参阅第 v 页上的“如何请求 Bright HealthCare 处方集的破例？”部分，了解如何请求破例的信息。

## 如果处方集未列出我的药品，该怎么办？

如果本处方集（承保药品目录）未列出所需药品，您应首先联系会员服务部，并询问所需药品是否被承保。

如果了解到 Bright HealthCare 不承保所需药品，您有两种选择：

- 您可以向会员服务部索取一份 Bright HealthCare 承保的类似药品目录。收到该药品目录后，将其出示给医生看，并要求医生开处 Bright HealthCare 承保的类似药品。
- 您可以要求 Bright HealthCare 破例承保所需药品。有关如何申请破例处理的信息，请参阅下文。

## 如何申请 Bright HealthCare 处方集破例处理？

您可以要求 Bright HealthCare 对我们的承保范围规则进行破例处理。您可以申请几种类型的破例处理。

- 即使未列在我们处方集中，您也可以要求我们承保某种药品。如果获得批准，该药品将按预

先确定的费用分摊等级进行承保，但您不能要求我们以更低费用分摊等级提供该药品。

- 您可以要求我们承保某种费用分摊等级较低的处方集药品，前提是该药品的费用分摊等级不是特殊等级。如果获得批准，您必须支付的药品费用将会降低。
- 您可以要求我们放弃对所需药品施加的承保范围限制条件或数量限制。例如，对于某些药品，Bright HealthCare 会限制药品承保数量。如果所需药品有数量限制，您可以要求我们放弃数量限制，并承保更大金额的药品费用。

一般而言，仅若本计划的处方集列有替代药品，费用分摊等级较低的药品或额外使用限制的疗效不佳，及/或导致不良医疗反应，Bright HealthCare 才会批准您的破例处理申请。

您应联系并要求我们对处方集或使用限制破例处理申请做出初始承保范围决定。**申请处方集或使用限制破例处理时，您须提交一份由支持您申请的开药者或医师出具的声明。**一般而言，我们必须在收到开药者的支持声明之后的 72 小时以内做出决定。如果您或医生认为您的健康可能会因等待长达 72 小时做出决定而受到严重损害，您可以申请加急（快速）破例处理。如果您的加急申请获得批准，我们必须在收到医生或其他开药者的支持声明之后的 24 小时或以内做出决定，并通知您。

## 在与医生谈论更改药品或申请破例处理之前，我该怎么做？

作为我们计划的新老会员，您可能正在服用未列入我们处方集的药品。或者，您可能正在服用我们处方集列出的某种药品，但您购买药品的能力有限。例如，在配处方药之前，您可能需要获得我们的预先核准。您应咨询医生，以决定您是否应改用我们承保的某种适当药品，或申请处方集破例处理，以便我们承保您服用的药品。虽然您可以咨询医生，以确定正确的行动方案，但是在某些情况下，我们可能会在您加入我们计划的前 90 天内，承保您服用的药品。

对于您所服用的未列入我们处方集，或您购买药品的能力有限的每种药品，我们将承保 30 天药量的药品费用。如果药方开出了较少天数的药量，我们将允许您重新配药，以提供最多 30 天药量的药物。在首次配取 30 天药量之后，我们不会支付这些药品的费用，即使您加入本计划的天数不低于 90 天。

如果您是长期护理设施的居民，并且需要某种未列入我们处方集的药品，或如果您购买药品的能力有限，但您加入我们计划的天数超过 90 天，在您申请处方药破例处理期间，我们将承保该药品的 31 天紧急药量费用。

对于护理等级变更的会员（正在办理 LTC 机构入院或出院手续），早期重新配药编辑不会用于限制适当且必要的 D 部分福利使用权，并且此类入会者将被允许在入院或出院时使用重新配药福利。

## 了解更多信息

有关 Bright HealthCare 处方药承保范围的更详细信息，请审阅承保证书和其他计划材料。

如果您对 Bright HealthCare 有疑问，请联系我们。封面页和封底页载有我们的联系信息，以及我们

上次更新处方集 的日期。

如果您对 Medicare 处方药承保范围有疑问，请致电 Medicare，电话：1-800-MEDICARE(1-800-633-4227)，每周 7 天每天 24 小时服务。TTY 用户应致电 1-877-486-2048。或者访问 <http://www.medicare.gov>。

## **Bright HealthCare 处方集**

以下处方集载有关于 Bright HealthCare 承保药品的承保范围信息。如果您在列表中找不到药物，请转到从第1 页开始的索引 I-1。

图表的第一列列出了药品名称。原研药以大写字体列出（例如 TRADJENTA），仿制药以小写斜体字列出（例如 *celecoxib*）

要求/限制列中的信息将会指明 Bright HealthCare 对您服用药品的承保范围是否有任何特殊要求。

Bright HealthCare 计划是签订了 Medicare 合同的 HMO 和 PPO。Bright HealthCare 的纽约 D-SNP 计划是一项签订 Medicare 合同的 HMO，并与纽约州卫生部签订了《福利协调协议》。我们的计划通过 Bright HealthCare 保险公司或其附属公司之一发行。Bright HealthCare 保险公司是一家发行赔偿产品的科罗拉多州生命和健康公司，赔偿产品包括通过 Medicare Advantage 提供的 EPO。EPO 是一项独家提供者组织计划，在某些州可以使用 HMO 许可证，在某些州（包括科罗拉多州）可以使用生命和健康许可证。是否加

如下內容可在處方集的「層級」或「要求/限制」欄中找到：

縮寫	描述	解釋
<b>藥物層級</b>		
1	第 1 層級	首選副廠藥
2	第 2 層級	副廠藥
3	第 3 層級	首選原廠藥
4	第 4 層級	非首選藥（原廠和副廠）
5	第 5 層級	專科領域
6	第 6 層級	精選治療用藥
<b>利用管理限制</b>		
PA	預先授權限制	您（或您的提供者）需要得到 Bright HealthCare 的授權才能按您的處方配這種藥物。如果未獲得授權，Bright HealthCare 可能不承保該藥物。
PA BvD	僅 D 部分或 B 部分	此藥可能有資格獲得 Medicare B 部分或 D 部分下的付款。您（或您的提供者）需要得到 Bright HealthCare 的預先授權，以確定該藥物受到 Medicare D 部分的承保，然後才能按您的處方配該這種藥。如果未獲得授權，Bright HealthCare 可能不承保該藥物。
PA NSO	僅適用於新參保人的預先授權限制	如果您為新會員或您從未服用過該藥物，您（或您的提供者）需要得到 Bright HealthCare 的預先授權才能去按您的處方配該這種藥。如果未獲得授權，Bright HealthCare 可能不承保該藥物。
QL	數量限制	Bright HealthCare 對該承保藥物在每個處方中或特定時間範圍的數量有限制。
ST	循序用藥限制	在 Bright HealthCare 承保該藥物前，您必須先嘗試其它藥物治療您的疾病。該藥物僅在其他藥物對您無效時獲得承保。
<b>承保的其他特殊要求</b>		
EX	不承保的 D 部分藥物	Medicare 處方藥計劃通常不承保此處方藥。您按照處方配這種藥物時支付的金額不計入您的總藥費（即您支付的金額無助於您獲得重大傷病承保的資格）。此外，如果您正在接受額外協助支付您的處方藥費用，您將不會獲得任何額外協助支付這種藥物的費用。
LA	受限獲取藥物	這種藥物僅在特定藥房提供。如需更多資訊，請諮詢您的藥房目錄或致電會員服務部 833-726-0667，TTY/TDD 撥打 711。
GC	承保缺口	我們在承保缺口期承保這種藥物。請查閱我們的承保說明書，瞭解有關此承保的更多資訊。
NM	非郵購藥物	您可以透過郵購以較低的費用分攤獲得處方集上藥物的超過 1 個月的藥量。 <u>無法</u> 透過郵購獲得的藥物在處方集的「要求/限制」欄中標有「NM」。

縮寫	描述	解釋
NDS	非延長日藥量	Bright HealthCare 限制在特定時間範圍內承保的這種藥物。 (30 天藥量零售和 31 天藥量長期護理)。
CB	有上限福利	這種藥物是有上限福利的一部分
SI	精選胰島素	這種胰島素是老年人省錢模型計劃的一部分，該計劃最高可將某些胰島素的費用降至承保缺口，並在承保缺口期降低某些胰島素的費用。



入我们的计划取决于是否续签合同。

## 目录

<b>Analgesics</b> .....	3
<b>Anesthetics</b> .....	5
<b>Anti-Addiction/Substance Abuse Treatment Agents</b> .....	6
<b>Antianxiety Agents</b> .....	7
<b>Antibacterials</b> .....	7
<b>Anticancer Agents</b> .....	12
<b>Anticonvulsants</b> .....	24
<b>Antidementia Agents</b> .....	27
<b>Antidepressants</b> .....	28
<b>Antidiabetic Agents</b> .....	30
<b>Antifungals</b> .....	33
<b>Antigout Agents</b> .....	34
<b>Antihistamines</b> .....	34
<b>Anti-Infectives (Skin And Mucous Membrane)</b> .....	35
<b>Antimigraine Agents</b> .....	35
<b>Antimycobacterials</b> .....	36
<b>Antinausea Agents</b> .....	36
<b>Antiparasite Agents</b> .....	37
<b>Antiparkinsonian Agents</b> .....	38
<b>Antipsychotic Agents</b> .....	39
<b>Antivirals (Systemic)</b> .....	42
<b>Blood Products/Modifiers/Volume Expanders</b> .....	47
<b>Caloric Agents</b> .....	50
<b>Cardiovascular Agents</b> .....	52
<b>Central Nervous System Agents</b> .....	58
<b>Contraceptives</b> .....	61
<b>Dental And Oral Agents</b> .....	67

<b>Dermatological Agents</b> .....	67
<b>Devices</b> .....	71
<b>Enzyme Replacement/Modifiers</b> .....	100
<b>Eye, Ear, Nose, Throat Agents</b> .....	101
<b>Gastrointestinal Agents</b> .....	104
<b>Genitourinary Agents</b> .....	107
<b>Heavy Metal Antagonists</b> .....	108
<b>Hormonal Agents, Stimulant/Replacement/Modifying</b> .....	108
<b>Immunological Agents</b> .....	113
<b>Inflammatory Bowel Disease Agents</b> .....	119
<b>Metabolic Bone Disease Agents</b> .....	120
<b>Miscellaneous Therapeutic Agents</b> .....	121
<b>Ophthalmic Agents</b> .....	122
<b>Replacement Preparations</b> .....	123
<b>Respiratory Tract Agents</b> .....	125
<b>Skeletal Muscle Relaxants</b> .....	128
<b>Sleep Disorder Agents</b> .....	128
<b>Vasodilating Agents</b> .....	129
<b>Vitamins And Minerals</b> .....	129

药名	药类	要求/限制
<b>Analgesics</b>		
<b>Analgesics, Miscellaneous</b>		
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	1	GC; QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>	2	QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 mg</i>	2	QL (180 per 30 days)
<i>buprenorphine hcl injection solution 0.3 mg/ml</i>	2	
<i>buprenorphine hcl injection syringe 0.3 mg/ml</i>	2	
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>	2	QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>	4	QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral tablet 50-325-40 mg</i>	2	QL (180 per 30 days)
<i>codeine sulfate oral tablet 30 mg, 60 mg</i>	2	QL (180 per 30 days)
<i>endocet oral tablet 10-325 mg</i>	2	QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i>	2	QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i>	2	QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i>	5	PA; NM; NDS; QL (120 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 200 mcg</i>	3	PA; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr</i>	3	QL (10 per 30 days)
<i>fentanyl transdermal patch 72 hour 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>	2	QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	4	QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg</i>	2	QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>	2	QL (240 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>	2	QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	2	
<i>hydromorphone oral liquid 1 mg/ml</i>	2	QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i>	2	QL (180 per 30 days)
LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	5	PA; NM; NDS; QL (30 per 30 days)
<i>methadone injection solution 10 mg/ml</i>	2	QL (120 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>	2	QL (600 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>methadone oral solution 5 mg/5 ml</i>	2	QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>	2	QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>	2	QL (180 per 30 days)
<i>methadose oral tablet,soluble 40 mg</i>	2	QL (30 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	PA; QL (180 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	2	QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i>	2	QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i>	2	QL (90 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	4	QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg, 5 mg</i>	2	QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 20 mg, 30 mg</i>	2	QL (120 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i>	3	QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i>	2	QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>	2	QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i>	2	QL (240 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>	2	QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	3	QL (60 per 30 days)
<i>tramadol oral tablet 50 mg</i>	1	GC; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	2	QL (300 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG	3	QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG	3	QL (120 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG	3	QL (240 per 30 days)
<b>Nonsteroidal Anti-Inflammatory Agents</b>		
<i>celecoxib oral capsule 100 mg, 200 mg, 50 mg</i>	2	QL (60 per 30 days)
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i>	4	PA; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>diclofenac potassium oral tablet 50 mg</i>	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	2	QL (60 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i>	2	QL (150 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i>	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i>	2	QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	2	QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i>	2	QL (1000 per 30 days)
<i>diclofenac sodium topical gel 3 %</i>	4	PA; QL (100 per 28 days)
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %)</i>	5	PA; NM; NDS; QL (224 per 28 days)
<i>etodolac oral capsule 200 mg, 300 mg</i>	4	
<i>etodolac oral tablet 400 mg, 500 mg</i>	4	
<i>flurbiprofen oral tablet 100 mg</i>	2	
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>	1	GC
<i>ibuprofen oral suspension 100 mg/5 ml</i>	2	
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>	1	GC
<i>indomethacin oral capsule 25 mg</i>	1	GC; QL (240 per 30 days)
<i>indomethacin oral capsule 50 mg</i>	1	GC; QL (120 per 30 days)
<i>ketorolac oral tablet 10 mg</i>	2	QL (20 per 30 days)
<i>mefenamic acid oral capsule 250 mg</i>	4	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	GC
<i>nabumetone oral tablet 500 mg, 750 mg</i>	2	
<i>naproxen oral tablet 250 mg, 375 mg, 500 mg</i>	1	GC
<i>naproxen oral tablet, delayed release (dr/ec) 375 mg, 500 mg</i>	2	
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	
<b>Anesthetics</b>		
<b>Local Anesthetics</b>		
<i>glydo mucous membrane jelly in applicator 2 %</i>	2	QL (30 per 30 days)
<i>lidocaine (pf) injection solution 15 mg/ml (1.5 %), 20 mg/ml (2 %), 40 mg/ml (4 %), 5 mg/ml (0.5 %)</i>	1	GC
<i>lidocaine hcl 1% 20 mg/2 ml vl sdv, p/f 10 mg/ml (1 %)</i>	1	GC
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i>	1	GC
<i>lidocaine hcl mucous membrane jelly 2 %</i>	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	PA
<i>lidocaine topical adhesive patch,medicated 5 %</i>	2	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	4	PA; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>	2	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	4	PA; QL (30 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %	3	PA; QL (90 per 30 days)
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<i>acamprosate oral tablet,delayed release (dr/ec) 333 mg</i>	3	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg</i>	4	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i>	4	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	2	
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG	3	QL (336 per 365 days)
<i>disulfiram oral tablet 250 mg, 500 mg</i>	2	
KLOXXADO NASAL SPRAY,NON-AEROSOL 8 MG/ACTUATION	3	QL (4 per 30 days)
LUCEMYRA ORAL TABLET 0.18 MG	5	NM; NDS; QL (228 per 14 days)
<i>naloxone injection solution 0.4 mg/ml</i>	1	GC
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	2	
<i>naloxone nasal spray,non-aerosol 4 mg/actuation</i>	2	QL (4 per 30 days)
<i>naltrexone oral tablet 50 mg</i>	2	
NARCAN NASAL SPRAY,NON-AEROSOL 4 MG/ACTUATION	3	QL (4 per 30 days)
NICOTROL INHALATION CARTRIDGE 10 MG	4	QL (1008 per 90 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML	5	NM; NDS; QL (0.5 per 30 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML	5	NM; NDS; QL (1.5 per 30 days)
<i>varenicline oral tablet 0.5 mg, 1 mg</i>	2	QL (336 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>varenicline oral tablets,dose pack 0.5 mg (11)- 1 mg (42)</i>	2	
<b>Antianxiety Agents</b>		
<b>Benzodiazepines</b>		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i>	1	GC; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i>	1	GC; QL (150 per 30 days)
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	GC; QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i>	1	GC; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i>	1	GC; QL (300 per 30 days)
<i>clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	4	QL (90 per 30 days)
<i>clonazepam oral tablet,disintegrating 2 mg</i>	4	QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>	2	QL (180 per 30 days)
<i>diazepam 25 mg/5 ml oral conc 5 mg/ml</i>	4	QL (1200 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	3	QL (10 per 28 days)
<i>diazepam intensol oral concentrate 5 mg/ml</i>	4	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	4	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i>	1	GC; QL (120 per 30 days)
<i>lorazepam injection solution 2 mg/ml, 4 mg/ml</i>	1	GC; QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	1	GC; QL (2 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i>	1	GC; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i>	1	GC; QL (150 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i>	1	GC; QL (30 per 30 days)
<b>Antibacterials</b>		
<b>Aminoglycosides</b>		
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	2	
<i>neomycin oral tablet 500 mg</i>	2	
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NM; NDS
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NM; NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i>	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i>	5	PA BvD; NM; NDS
<i>tobramycin sulfate injection solution 40 mg/ml</i>	4	
<b>Antibacterials, Miscellaneous</b>		
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	2	
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i>	1	GC
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml</i>	2	
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml), 150 mg/ml</i>	2	
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2	
<i>colistin (colistimethate na) injection recon soln 150 mg</i>	5	NM; NDS
<i>daptomycin intravenous recon soln 500 mg</i>	5	NM; NDS
FIRVANQ ORAL RECON SOLN 25 MG/ML	4	
<i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>	3	
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i>	3	
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i>	5	NM; NDS
<i>linezolid oral tablet 600 mg</i>	2	
<i>methenamine hippurate oral tablet 1 gram</i>	2	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i>	2	
<i>metronidazole oral tablet 250 mg, 500 mg</i>	1	GC
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i>	2	QL (120 per 30 days)
<i>nitrofurantoin macrocrystal oral capsule 25 mg</i>	4	QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i>	2	QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	2	
SYNERCID INTRAVENOUS RECON SOLN 500 MG	5	NM; NDS
<i>trimethoprim oral tablet 100 mg</i>	1	GC
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	
<i>vancomycin oral capsule 125 mg</i>	4	QL (56 per 14 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>vancomycin oral capsule 250 mg</i>	4	QL (112 per 14 days)
XIFAXAN ORAL TABLET 200 MG	5	PA; NM; NDS; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NM; NDS; QL (90 per 30 days)
<b>Cephalosporins</b>		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	4	
<i>cefadroxil oral capsule 500 mg</i>	2	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	
<i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml</i>	2	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	
<i>cefdinir oral capsule 300 mg</i>	2	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	4	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	3	
<i>cefixime oral capsule 400 mg</i>	4	
<i>cefotaxime injection recon soln 1 gram</i>	2	
<i>cefoxitin 1 gm piggyback bag 1 gram/50 ml</i>	4	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	4	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	4	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i>	2	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	GC
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<b>Macrolides</b>		
<i>azithromycin intravenous recon soln 500 mg</i>	2	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	4	
<i>azithromycin oral tablet 250 mg, 250 mg (6 pack), 500 mg, 500 mg (3 pack)</i>	1	GC
<i>azithromycin oral tablet 600 mg</i>	2	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	4	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	5	NM; NDS; QL (136 per 10 days)
DIFICID ORAL TABLET 200 MG	5	NM; NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml, 400 mg/5 ml</i>	4	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	4	
<b>Miscellaneous B-Lactam Antibiotics</b>		
<i>aztreonam injection recon soln 1 gram, 2 gram</i>	3	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; NM; LA; NDS
<i>ertapenem injection recon soln 1 gram</i>	4	
<i>imipenem-cilastatin intravenous recon soln 250 mg, 500 mg</i>	3	
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>	4	
<i>meropenem-0.9% nacl 500 mg/50 500 mg/50 ml</i>	4	
<b>Penicillins</b>		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	GC
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	GC
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml</i>	4	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i>	1	GC
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	4	
<i>ampicillin oral capsule 250 mg, 500 mg</i>	2	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i>	3	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	
<i>nafcillin 1 gm/ 50 ml inj 1 gram/50 ml</i>	2	
<i>nafcillin 2 gm/ 100 ml inj 2 gram/100 ml</i>	2	
<i>nafcillin injection recon soln 1 gram, 2 gram</i>	2	
<i>nafcillin injection recon soln 10 gram</i>	5	NM; NDS
<i>penicillin g potassium injection recon soln 20 million unit</i>	4	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	GC
<i>pfizerpen-g injection recon soln 20 million unit</i>	4	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram</i>	3	
<i>piperacillin-tazobactam intravenous recon soln 40.5 gram</i>	4	
<b>Quinolones</b>		
BAXDELA ORAL TABLET 450 MG	5	PA; NM; NDS; QL (28 per 14 days)
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg, 750 mg</i>	1	GC
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i>	4	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	
<i>levofloxacin intravenous solution 25 mg/ml</i>	4	
<i>levofloxacin oral solution 250 mg/10 ml</i>	4	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	GC
<i>moxifloxacin oral tablet 400 mg</i>	4	
<b>Sulfonamides</b>		
<i>sulfadiazine oral tablet 500 mg</i>	3	
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	4	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg, 800-160 mg</i>	1	GC
<b>Tetracyclines</b>		
<i>doxy-100 intravenous recon soln 100 mg</i>	3	
<i>doxycycline hyclate intravenous recon soln 100 mg</i>	2	
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i>	2	
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	2	
<i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i>	2	QL (60 per 30 days)
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>	2	
<i>doxycycline monohydrate oral tablet 100 mg, 50 mg</i>	2	QL (60 per 30 days)
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	
<i>mondoxyne nl oral capsule 100 mg</i>	2	QL (60 per 30 days)
<i>tetracycline oral capsule 250 mg, 500 mg</i>	4	
<i>tigecycline intravenous recon soln 50 mg</i>	5	NM; NDS
<b>Anticancer Agents</b>		
<b>Anticancer Agents</b>		
<i>abiraterone oral tablet 250 mg, 500 mg</i>	5	PA NSO; NM; NDS; QL (120 per 30 days)
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	PA BvD; NM; NDS
ADCETRIS INTRAVENOUS RECON SOLN 50 MG	5	PA NSO; NM; NDS
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD
<i>adrucil intravenous solution 2.5 gram/50 ml</i>	2	PA BvD
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	5	NM; NDS
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	5	PA NSO; NM; NDS
<i>alymys intravenous solution 25 mg/ml</i>	5	PA NSO; NM; NDS
<i>anastrozole oral tablet 1 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>arsenic trioxide intravenous solution 1 mg/ml, 2 mg/ml</i>	5	NM; NDS
ASPARLAS INTRAVENOUS SOLUTION 750 UNIT/ML	5	PA NSO; NM; NDS
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i>	5	NM; NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	5	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
BESPOUSA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	5	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i>	5	PA NSO; NM; NDS
<i>bexarotene topical gel 1 %</i>	5	PA NSO; NM; NDS
<i>bicalutamide oral tablet 50 mg</i>	2	
BLNREP INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	
BLINCYTO INTRAVENOUS KIT 35 MCG	5	PA NSO; NM; NDS
<i>bortezomib injection recon soln 1 mg</i>	4	PA NSO
<i>bortezomib injection recon soln 2.5 mg</i>	5	PA NSO; NM; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
CAPRELSA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>clofarabine intravenous solution 1 mg/ml</i>	5	NM; NDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NM; NDS
<i>cyclophosphamide intravenous solution 200 mg/ml</i>	5	PA BvD; NM; NDS
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	4	PA BvD; ST
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	3	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NM; NDS; QL (120 per 28 days)
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	5	PA NSO; NM; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; LA; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i>	5	NM; NDS
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i>	5	PA BvD; NM; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	
EMCYT ORAL CAPSULE 140 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	5	PA NSO; NM; NDS
ENHERTU INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i>	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i>	5	PA NSO; NM; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i>	2	
<i>everolimus (antineoplastic) oral tablet 10 mg</i>	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i>	5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i>	5	PA NSO; NM; NDS; QL (112 per 28 days)
<i>exemestane oral tablet 25 mg</i>	4	
EXKIVITY ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; NM; NDS
<i>floxuridine injection recon soln 0.5 gram</i>	2	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD
<i>flutamide oral capsule 125 mg</i>	3	
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i>	5	NM; NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	5	PA NSO; NM; NDS
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NM; NDS; QL (5 per 21 days)
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG	5	PA NSO; NM; NDS
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>hydroxyurea oral capsule 500 mg</i>	2	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i>	2	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	
<i>imatinib oral tablet 100 mg</i>	3	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i>	3	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMBRUVICA ORAL SUSPENSION 70 MG/ML	5	PA NSO; NM; NDS; QL (240 per 30 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	4	PA NSO; QL (4 per 365 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	5	PA NSO; NM; NDS; QL (8 per 28 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NM; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	5	NM; NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (8 per 21 days)
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NM; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	5	PA NSO; NM; NDS
<i>lapatinib oral tablet 250 mg</i>	5	PA NSO; NM; NDS
<i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i>	5	PA NSO; NM; NDS; QL (28 per 28 days)
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS
<i>letrozole oral tablet 2.5 mg</i>	1	GC
LEUKERAN ORAL TABLET 2 MG	5	NM; NDS
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	5	NM; NDS
LIBTAYO INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS; QL (7 per 21 days)
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NM; NDS; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
LUMOXITI INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	NM; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NM; NDS
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>mercaptopurine oral tablet 50 mg</i>	2	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	
MONJUVI INTRAVENOUS RECON SOLN 200 MG	5	PA NSO; NM; NDS
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	5	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>nilutamide oral tablet 150 mg</i>	5	NM; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; LA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	5	PA NSO; NM; NDS
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	5	NM; NDS
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NM; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	5	PA NSO; NM; NDS
<i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i>	5	PA BvD; NM; NDS
PADCEV INTRAVENOUS RECON SOLN 20 MG, 30 MG	5	PA NSO; NM; NDS
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>pemetrexed disodium intravenous recon soln 750 mg</i>	5	NM; NDS
<i>pemetrexed disodium intravenous solution 25 mg/ml</i>	5	NM; NDS
<i>pemetrexed intravenous recon soln 1 gram, 100 mg, 500 mg</i>	5	NM; NDS
PEPAXTO INTRAVENOUS RECON SOLN 20 MG	5	PA NSO; NM; NDS; QL (2 per 28 days)
PHESGO SUBCUTANEOUS SOLUTION 1,200 MG-600MG- 30000 UNIT/15ML	5	PA NSO; NM; NDS; QL (15 per 21 days)
PHESGO SUBCUTANEOUS SOLUTION 600 MG-600 MG- 20000 UNIT/10ML	5	PA NSO; NM; NDS; QL (10 per 21 days)
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NM; NDS; QL (56 per 28 days)
POLIVY INTRAVENOUS RECON SOLN 140 MG, 30 MG	5	PA NSO; NM; NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	5	PA NSO; NM; NDS; QL (100 per 21 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	5	NM; NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NM; NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REVLIMID ORAL CAPSULE 2.5 MG, 20 MG	5	PA NSO; NM; LA; NDS; QL (28 per 28 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NM; NDS
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	5	PA NSO; NM; NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
SARCLISA INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
SCSEMBLIX ORAL TABLET 20 MG, 40 MG	5	PA NSO; NM; NDS
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NM; NDS
<i>sorafenib oral tablet 200 mg</i>	5	PA NSO; NM; NDS; QL (120 per 30 days)
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
<i>sunitinib oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i>	5	PA NSO; NM; NDS; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
TABLOID ORAL TABLET 40 MG	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAGRISSE ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 0.5 MG, 0.75 MG, 1 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	5	PA NSO; NM; NDS
TEMODAR INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>thiotepa injection recon soln 100 mg, 15 mg</i>	5	NM; NDS
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	PA NSO; NM; NDS; QL (5 per 21 days)
<i>toposar intravenous solution 20 mg/ml</i>	2	
<i>toremifene oral tablet 60 mg</i>	5	NM; NDS
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	5	PA NSO; NM; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	5	NM; NDS; QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NM; NDS; QL (1 per 168 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	4	QL (1 per 28 days)
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NM; NDS
TRODELVY INTRAVENOUS RECON SOLN 180 MG	5	PA NSO; NM; NDS
TRUSELTIQ ORAL CAPSULE 100 MG/DAY (100 MG X 1), 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2), 75 MG/DAY (25 MG X 3)	5	PA NSO; NM; NDS
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	5	PA NSO; NM; NDS
<i>valrubicin intravesical solution 40 mg/ml</i>	5	NM; NDS
VELCADE INJECTION RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	3	PA NSO; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; NM; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>	2	
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NM; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
VOTRIENT ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	5	PA BvD; NM; NDS
WELIREG ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5)	5	PA NSO; NM; NDS; QL (20 per 28 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (20 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NM; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NM; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 40MG TWICE WEEK (80 MG/WEEK), 80 MG/WEEK (20 MG X 4)	5	PA NSO; NM; NDS; QL (16 per 28 days)
XPOVIO ORAL TABLET 60 MG/WEEK (20 MG X 3)	5	PA NSO; NM; NDS; QL (12 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NM; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NM; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NM; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ZEPZELCA INTRAVENOUS RECON SOLN 4 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	4	QL (1 per 84 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	4	QL (1 per 28 days)
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NM; NDS
<b>Anticonvulsants</b>		
<b>Anticonvulsants</b>		
APTIOM ORAL TABLET 200 MG, 400 MG	5	ST; NM; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	5	ST; NM; NDS; QL (60 per 30 days)
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	3	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i>	4	
<i>carbamazepine oral suspension 100 mg/5 ml</i>	4	
<i>carbamazepine oral tablet 200 mg</i>	2	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i>	4	
<i>carbamazepine oral tablet, chewable 100 mg</i>	2	
CELONTIN ORAL CAPSULE 300 MG	4	
<i>clobazam oral suspension 2.5 mg/ml</i>	4	QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i>	4	QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>	4	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i>	2	
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i>	2	
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NM; NDS
<i>epitol oral tablet 200 mg</i>	2	
EPRONTIA ORAL SOLUTION 25 MG/ML	4	QL (480 per 30 days)
<i>ethosuximide oral capsule 250 mg</i>	3	
<i>ethosuximide oral solution 250 mg/5 ml</i>	2	
<i>felbamate oral suspension 600 mg/5 ml</i>	4	
<i>felbamate oral tablet 400 mg, 600 mg</i>	4	
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NM; NDS
<i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i>	2	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	ST; NM; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	ST; NM; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	ST; NM; NDS; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i>	1	GC; QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i>	1	GC; QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i>	4	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i>	2	QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i>	2	QL (120 per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml</i>	2	QL (200 per 5 days)
<i>lacosamide oral solution 10 mg/ml</i>	2	QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	2	QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	1	GC
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i>	2	
<i>levetiracetam intravenous solution 500 mg/5 ml</i>	2	
<i>levetiracetam oral solution 100 mg/ml</i>	2	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i>	2	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i>	2	
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i>	2	
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG	4	ST
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 600 MG	5	ST; NM; NDS
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	4	
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	
<i>phenytoin oral suspension 125 mg/5 ml</i>	2	
<i>phenytoin oral tablet, chewable 50 mg</i>	2	
<i>phenytoin sodium extended oral capsule 100 mg, 200 mg, 300 mg</i>	2	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i>	2	QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i>	2	QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i>	4	QL (900 per 30 days)
<i>primidone oral tablet 250 mg, 50 mg</i>	2	
<i>rufinamide oral suspension 40 mg/ml</i>	5	ST; NM; NDS
<i>rufinamide oral tablet 200 mg, 400 mg</i>	5	ST; NM; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	4	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	4	ST; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	1	GC
SYMPAZAN ORAL FILM 10 MG, 20 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG	4	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>	4	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i>	2	
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	1	GC
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	
<i>valproic acid oral capsule 250 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	4	
<i>vigabatrin oral powder in packet 500 mg</i>	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg</i>	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigadrone oral powder in packet 500 mg</i>	5	PA NSO; NM; NDS; QL (180 per 30 days)
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML	3	QL (200 per 5 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	4	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	4	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	4	ST; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	ST
ZONISADE ORAL SUSPENSION 100 MG/5 ML	4	
<i>zonisamide oral capsule 100 mg, 25 mg, 50 mg</i>	2	
ZTALMY ORAL SUSPENSION 50 MG/ML	5	PA NSO; NM; NDS; QL (1080 per 30 days)
<b>Antidementia Agents</b>		
<b>Antidementia Agents</b>		
<i>donepezil oral tablet 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	4	
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>	2	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	4	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	QL (60 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i>	4	ST; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	4	QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i>	2	QL (60 per 30 days)
NAMZARIC ORAL CAP, SPRINKLE, ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	3	ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	3	ST; QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i>	4	QL (30 per 30 days)
<b>Antidepressants</b>		
<b>Antidepressants</b>		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	4	
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG	5	ST; NM; NDS
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	2	
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i>	2	
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i>	2	
<i>citalopram oral solution 10 mg/5 ml</i>	4	QL (600 per 30 days)
<i>citalopram oral tablet 10 mg</i>	1	GC; QL (120 per 30 days)
<i>citalopram oral tablet 20 mg, 40 mg</i>	1	GC; QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i>	4	
<i>desipramine oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	4	
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i>	4	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>doxepin oral concentrate 10 mg/ml</i>	1	GC
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i>	2	QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NM; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i>	1	GC
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i>	1	GC
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	4	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	2	
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg, 45 mg, 7.5 mg</i>	2	
<i>mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg</i>	2	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	4	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i>	1	GC
<i>nortriptyline oral solution 10 mg/5 ml</i>	4	
<i>paroxetine hcl oral suspension 10 mg/5 ml</i>	4	
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i>	1	GC
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	
<i>phenelzine oral tablet 15 mg</i>	2	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	4	
<i>sertraline oral concentrate 20 mg/ml</i>	2	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
SPRAVATO NASAL SPRAY,NON-AEROSOL 28 MG	4	PA NSO
SPRAVATO NASAL SPRAY,NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NM; NDS
<i>tranylcypromine oral tablet 10 mg</i>	4	
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>	1	GC
<i>trazodone oral tablet 300 mg</i>	4	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	4	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>venlafaxine besylate oral tablet extended release 24hr 112.5 mg</i>	4	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i>	2	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i>	2	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	
VIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)	3	
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i>	2	QL (30 per 30 days)
ZULRESSO INTRAVENOUS SOLUTION 5 MG/ML	5	NM; NDS
<b>Antidiabetic Agents</b>		
<b>Antidiabetic Agents, Miscellaneous</b>		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i>	2	QL (90 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG	3	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>metformin oral tablet 1,000 mg</i>	6	GC; QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	6	GC; QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	6	GC; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	6	GC; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	6	GC; QL (60 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	3	QL (1.5 per 28 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 1 MG/DOSE (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i>	6	GC; QL (30 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	6	GC; QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	6	GC; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NM; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NM; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	3	QL (9 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
<b>Insulins</b>		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	SI; QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	SI; QL (24 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	3	SI; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	SI; QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
NOVOLIN R REGULAR U-100 INSULIN INJECTION SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	SI; QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	2	SI; QL (40 per 28 days)
NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	SI; QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	2	SI; QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	SI; QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	3	SI; QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	3	SI; QL (13.5 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	QL (15 per 28 days)
<b>Sulfonylureas</b>		
<i>glimepiride oral tablet 1 mg, 2 mg</i>	6	GC; QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i>	6	GC; QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i>	6	GC; QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i>	6	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i>	6	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i>	6	GC; QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	6	GC; QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	6	GC; QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>	6	GC
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	6	GC
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	6	GC
<b>Antifungals</b>		
<b>Antifungals</b>		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG	5	PA BvD; NM; NDS
<i>amphotericin b injection recon soln 50 mg</i>	2	PA BvD
<i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i>	5	PA BvD; NM; NDS
<i>caspofungin intravenous recon soln 50 mg</i>	5	NM; NDS
<i>caspofungin intravenous recon soln 70 mg</i>	3	
<i>ciclopirox topical cream 0.77 %</i>	2	QL (180 per 30 days)
<i>ciclopirox topical solution 8 %</i>	2	QL (19.8 per 30 days)
<i>clotrimazole mucous membrane troche 10 mg</i>	2	
<i>clotrimazole topical cream 1 %</i>	2	
<i>clotrimazole topical solution 1 %</i>	2	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	2	QL (90 per 30 days)
<i>econazole topical cream 1 %</i>	4	QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	2	
<i>flucytosine oral capsule 250 mg, 500 mg</i>	5	NM; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	4	
<i>griseofulvin microsize oral tablet 500 mg</i>	4	
<i>itraconazole oral capsule 100 mg</i>	2	
<i>ketoconazole oral tablet 200 mg</i>	2	
<i>ketoconazole topical cream 2 %</i>	2	QL (180 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>	2	QL (360 per 30 days)
<i>miconazole-3 vaginal suppository 200 mg</i>	2	
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)	5	PA; NM; NDS
<i>nyamyc topical powder 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>	2	QL (900 per 30 days)
<i>nystatin oral tablet 500,000 unit</i>	2	
<i>nystatin topical cream 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystop topical powder 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i>	5	PA; NM; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	GC
<i>voriconazole intravenous recon soln 200 mg</i>	5	PA BvD; NM; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i>	5	PA; NM; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i>	3	
<b>Antigout Agents</b>		
<b>Antigout Agents, Other</b>		
<i>allopurinol oral tablet 100 mg, 300 mg</i>	1	GC
<i>colchicine oral tablet 0.6 mg</i>	4	PA; QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i>	4	ST; QL (30 per 30 days)
MITIGARE ORAL CAPSULE 0.6 MG	2	QL (60 per 30 days)
<i>probenecid oral tablet 500 mg</i>	2	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	
<b>Antihistamines</b>		
<b>Antihistamines</b>		
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	2	
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	4	
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>	2	
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	GC
<i>levocetirizine oral tablet 5 mg</i>	1	GC
<i>promethazine oral syrup 6.25 mg/5 ml</i>	2	
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<i>clindamycin phosphate vaginal cream 2 %</i>	2	
<i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i>	2	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	
<i>terconazole vaginal suppository 80 mg</i>	4	
<b>Antimigraine Agents</b>		
<b>Antimigraine Agents</b>		
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML	3	PA; QL (1 per 30 days)
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine injection solution 1 mg/ml</i>	3	QL (24 per 28 days)
<i>dihydroergotamine nasal spray,non-aerosol 0.5 mg/pump act. (4 mg/ml)</i>	5	NM; NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG	3	PA; QL (30 per 30 days)
<i>rizatriptan oral tablet 10 mg, 5 mg</i>	2	QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating 10 mg, 5 mg</i>	2	QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation</i>	4	QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 5 mg/actuation</i>	4	QL (18 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>sumatriptan succinate oral tablet 100 mg</i>	2	QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i>	2	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml</i>	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i>	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i>	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	4	QL (4 per 28 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)
<b>Antimycobacterials</b>		
<b>Antimycobacterials</b>		
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	
<i>ethambutol oral tablet 100 mg, 400 mg</i>	2	
<i>isoniazid oral solution 50 mg/5 ml</i>	2	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	GC
PRETOMANID ORAL TABLET 200 MG	4	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	3	
<i>rifabutin oral capsule 150 mg</i>	4	
<i>rifampin intravenous recon soln 600 mg</i>	4	
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NM; NDS
TRECTOR ORAL TABLET 250 MG	4	
<b>Antinausea Agents</b>		
<b>Antinausea Agents</b>		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	4	
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML	4	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	4	PA BvD
<i>aprepitant oral capsule 125 mg</i>	4	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	4	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i>	4	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i>	4	PA BvD; QL (6 per 28 days)
<i>compro rectal suppository 25 mg</i>	4	
<i>dimenhydrinate injection solution 50 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i>	4	PA; QL (60 per 30 days)
<i>droperidol injection solution 2.5 mg/ml</i>	2	
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	4	PA BvD; QL (6 per 28 days)
<i>fosaprepitant intravenous recon soln 150 mg</i>	4	QL (2 per 28 days)
<i>granisetron (pf) intravenous solution 1 mg/ml (1 ml), 100 mcg/ml</i>	2	
<i>granisetron hcl intravenous solution 1 mg/ml</i>	2	
<i>granisetron hcl oral tablet 1 mg</i>	4	PA BvD
<i>meclizine oral tablet 12.5 mg, 25 mg</i>	2	
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	2	
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	PA BvD
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	2	PA BvD
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	2	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i>	2	
<i>prochlorperazine rectal suppository 25 mg</i>	4	
<i>promethazine injection solution 25 mg/ml, 50 mg/ml</i>	4	
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>promethazine rectal suppository 50 mg</i>	4	
<i>promethegan rectal suppository 12.5 mg, 25 mg</i>	4	
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i>	2	QL (10 per 30 days)
<b>Antiparasite Agents</b>		
<b>Antiparasite Agents</b>		
<i>albendazole oral tablet 200 mg</i>	5	NM; NDS
<i>atovaquone oral suspension 750 mg/5 ml</i>	3	
<i>atovaquone-proguanil oral tablet 250-100 mg, 62.5-25 mg</i>	2	
<i>chloroquine phosphate oral tablet 250 mg</i>	4	QL (50 per 30 days)
<i>chloroquine phosphate oral tablet 500 mg</i>	4	QL (25 per 30 days)
COARTEM ORAL TABLET 20-120 MG	4	
<i>hydroxychloroquine oral tablet 200 mg</i>	2	QL (90 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; NM; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i>	2	
KRINTAFEL ORAL TABLET 150 MG	4	
<i>mefloquine oral tablet 250 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>nitazoxanide oral tablet 500 mg</i>	5	NM; NDS
<i>paromomycin oral capsule 250 mg</i>	4	
<i>pentamidine inhalation recon soln 300 mg</i>	3	PA BvD
<i>pentamidine injection recon soln 300 mg</i>	4	
PRIMAQUINE ORAL TABLET 26.3 MG	4	
<i>pyrimethamine oral tablet 25 mg</i>	5	PA; NM; NDS
<i>quinine sulfate oral capsule 324 mg</i>	4	PA; QL (42 per 7 days)
<b>Antiparkinsonian Agents</b>		
<b>Antiparkinsonian Agents</b>		
<i>amantadine hcl oral capsule 100 mg</i>	2	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	GC
<i>apomorphine subcutaneous cartridge 10 mg/ml</i>	5	PA; NM; NDS; QL (60 per 30 days)
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>bromocriptine oral capsule 5 mg</i>	4	
<i>bromocriptine oral tablet 2.5 mg</i>	2	
<i>cabergoline oral tablet 0.5 mg</i>	2	
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i>	2	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i>	4	
<i>entacapone oral tablet 200 mg</i>	3	
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NM; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NM; NDS
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	3	QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	4	ST; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	4	ST; QL (60 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>rasagiline oral tablet 0.5 mg, 1 mg</i>	4	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	
<i>selegiline hcl oral capsule 5 mg</i>	2	
<i>selegiline hcl oral tablet 5 mg</i>	2	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	GC
XADAGO ORAL TABLET 100 MG	4	PA; QL (30 per 30 days)
XADAGO ORAL TABLET 50 MG	5	PA; NM; NDS; QL (30 per 30 days)
<b>Antipsychotic Agents</b>		
<b>Antipsychotic Agents</b>		
<i>aripiprazole oral solution 1 mg/ml</i>	4	QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i>	4	QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg</i>	4	QL (60 per 30 days)
<i>aripiprazole oral tablet, disintegrating 10 mg</i>	4	ST; QL (90 per 30 days)
<i>aripiprazole oral tablet, disintegrating 15 mg</i>	5	ST; NM; NDS; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 675 MG/2.4 ML	5	NM; NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NM; NDS; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 441 MG/1.6 ML	5	NM; NDS; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 662 MG/2.4 ML	5	NM; NDS; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 882 MG/3.2 ML	5	NM; NDS; QL (3.2 per 28 days)
<i>asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg</i>	2	QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	5	ST; NM; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	2	
<i>chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml</i>	4	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	4	
<i>clozapine oral tablet 100 mg</i>	2	QL (270 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>clozapine oral tablet 200 mg</i>	3	QL (135 per 30 days)
<i>clozapine oral tablet 25 mg</i>	3	QL (90 per 30 days)
<i>clozapine oral tablet 50 mg</i>	2	QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i>	4	ST; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 150 mg</i>	4	ST; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating 200 mg</i>	5	ST; NM; NDS; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NM; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	4	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	3	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	4	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	4	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	4	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml</i>	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml(1ml)</i>	3	
<i>haloperidol lactate injection solution 5 mg/ml</i>	2	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NM; NDS; QL (3.5 per 180 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NM; NDS; QL (5 per 180 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NM; NDS; QL (0.88 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NM; NDS; QL (1.32 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NM; NDS; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NM; NDS; QL (2.63 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	3	QL (30 per 30 days)
LATUDA ORAL TABLET 80 MG	3	QL (60 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 50 mg, 50 mg</i>	2	
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>molindone oral tablet 10 mg</i>	2	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	2	QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg</i>	3	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i>	2	QL (30 per 30 days)
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i>	4	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i>	4	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i>	4	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	4	
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG	5	NM; NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	3	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	2	QL (90 per 30 days)
<i>quetiapine oral tablet 150 mg</i>	2	QL (30 per 30 days)
<i>quetiapine oral tablet 300 mg, 400 mg</i>	2	QL (60 per 30 days)
REXULTI ORAL TABLET 0.25 MG	5	ST; NM; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; NM; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML	4	QL (2 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML	5	NM; NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i>	2	QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i>	2	QL (60 per 30 days)
<i>risperidone oral tablet 4 mg</i>	2	QL (120 per 30 days)
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	4	QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 3 mg, 4 mg</i>	4	QL (120 per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NM; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	4	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NM; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i>	2	QL (60 per 30 days)
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i>	3	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NM; NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NM; NDS; QL (1 per 28 days)
<b>Antivirals (Systemic)</b>		
<b>Antiretrovirals</b>		
<i>abacavir oral solution 20 mg/ml</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>abacavir oral tablet 300 mg</i>	2	
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	2	
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i>	5	NM; NDS
APRETUDE INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 600 MG/3 ML (200 MG/ML)	5	NM; NDS; QL (24 per 365 days)
APTIVUS (WITH VITAMIN E) ORAL SOLUTION 100 MG/ML	5	NM; NDS
APTIVUS ORAL CAPSULE 250 MG	5	NM; NDS
<i>atazanavir oral capsule 150 mg, 200 mg, 300 mg</i>	3	
BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG	5	NM; NDS
CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	5	NM; NDS
<i>cabotegravir intramuscular suspension,extended release 400 mg/2 ml (200 mg/ml), 600 mg/3 ml (200 mg/ml)</i>	5	NM; NDS; QL (24 per 365 days)
CIMDUO ORAL TABLET 300-300 MG	5	NM; NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NM; NDS
CRIXIVAN ORAL CAPSULE 200 MG	4	
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NM; NDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG	5	NM; NDS
<i>didanosine oral capsule,delayed release(dr/ec) 250 mg, 400 mg</i>	3	
DOVATO ORAL TABLET 50-300 MG	5	NM; NDS
EDURANT ORAL TABLET 25 MG	5	NM; NDS
<i>efavirenz oral capsule 200 mg</i>	3	
<i>efavirenz oral capsule 50 mg</i>	2	
<i>efavirenz oral tablet 600 mg</i>	3	
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i>	5	NM; NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg, 600-300-300 mg</i>	5	NM; NDS
<i>emtricitabine oral capsule 200 mg</i>	3	
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg</i>	5	NM; NDS
EMTRIVA ORAL SOLUTION 10 MG/ML	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
<i>etravirine oral tablet 100 mg, 200 mg</i>	5	NM; NDS
EVOTAZ ORAL TABLET 300-150 MG	5	NM; NDS
<i>fosamprenavir oral tablet 700 mg</i>	3	
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NM; NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NM; NDS
INTELENCE ORAL TABLET 25 MG	4	
INVIRASE ORAL TABLET 500 MG	5	NM; NDS
ISENTRESS HD ORAL TABLET 600 MG	5	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	4	
ISENTRESS ORAL TABLET 400 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG	4	
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS
<i>lamivudine oral solution 10 mg/ml</i>	4	
<i>lamivudine oral tablet 100 mg</i>	4	
<i>lamivudine oral tablet 150 mg, 300 mg</i>	2	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	2	
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i>	2	QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg</i>	3	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg</i>	5	NM; NDS; QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg</i>	5	NM; NDS
<i>nevirapine oral suspension 50 mg/5 ml</i>	4	
<i>nevirapine oral tablet 200 mg</i>	2	
<i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i>	4	
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS
PIFELTRO ORAL TABLET 100 MG	5	NM; NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NM; NDS
PREZISTA ORAL TABLET 150 MG, 600 MG, 800 MG	5	NM; NDS
PREZISTA ORAL TABLET 75 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NM; NDS
<i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i>	5	NM; NDS
<i>ritonavir oral tablet 100 mg</i>	2	
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NM; NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	4	
SELZENTRY ORAL TABLET 25 MG	3	
SELZENTRY ORAL TABLET 75 MG	5	NM; NDS
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NM; NDS
SYMITUZA ORAL TABLET 800-150-200-10 MG	5	NM; NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i>	2	
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	4	
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NM; NDS
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	5	NM; NDS
TRIZIVIR ORAL TABLET 300-150-300 MG	5	NM; NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NM; NDS
VEMLIDY ORAL TABLET 25 MG	5	NM; NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NM; NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NM; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NM; NDS
VOCABRIA ORAL TABLET 30 MG	4	
<i>zidovudine oral capsule 100 mg</i>	2	
<i>zidovudine oral syrup 10 mg/ml</i>	2	
<i>zidovudine oral tablet 300 mg</i>	2	
<b>Antivirals, Miscellaneous</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>foscarnet intravenous solution 24 mg/ml</i>	4	PA BvD
<i>oseltamivir oral capsule 30 mg</i>	2	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i>	2	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i>	2	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i>	2	QL (540 per 180 days)
PAXLOVID (EUA) ORAL TABLETS,DOSE PACK 150-100 MG	4	QL (20 per 5 days)
PAXLOVID (EUA) ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG	4	QL (30 per 5 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	5	PA; NM; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	5	PA; NM; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NM; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i>	3	
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
XOFLUZA ORAL TABLET 20 MG, 40 MG	4	QL (4 per 180 days)
XOFLUZA ORAL TABLET 80 MG	4	QL (2 per 180 days)
<b>Hcv Antivirals</b>		
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG	5	PA; NM; NDS; QL (56 per 28 days)
EPCLUSA ORAL TABLET 200-50 MG, 400-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NM; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG, 90-400 MG	5	PA; NM; NDS; QL (28 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
<b>Interferons</b>		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	PA NSO; NM; NDS
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	NM; NDS
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	5	NM; NDS
<b>Nucleosides And Nucleotides</b>		
<i>acyclovir oral capsule 200 mg</i>	2	
<i>acyclovir oral suspension 200 mg/5 ml</i>	4	
<i>acyclovir oral tablet 400 mg, 800 mg</i>	2	
<i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i>	2	PA BvD
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	3	PA BvD
<i>adefovir oral tablet 10 mg</i>	3	
<i>entecavir oral tablet 0.5 mg, 1 mg</i>	2	
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	
<i>ganciclovir sodium intravenous recon soln 500 mg</i>	5	PA BvD; NM; NDS
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	5	PA BvD; NM; NDS
<i>lagevrio (eua) oral capsule 200 mg</i>	4	QL (40 per 5 days)
<i>ribavirin inhalation recon soln 6 gram</i>	5	PA BvD; NM; NDS
<i>ribavirin oral capsule 200 mg</i>	2	
<i>ribavirin oral tablet 200 mg</i>	2	
<i>valacyclovir oral tablet 1 gram, 500 mg</i>	4	
<i>valganciclovir oral tablet 450 mg</i>	2	
VEKLURY INTRAVENOUS RECON SOLN 100 MG	5	PA BvD; NM; NDS
<b>Blood Products/Modifiers/Volume Expanders</b>		
<b>Anticoagulants</b>		
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG	3	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	3	QL (74 per 30 days)
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i>	2	QL (30 per 30 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i>	3	QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i>	3	QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i>	3	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i>	3	QL (24 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i>	3	QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i>	5	NM; NDS; QL (24 per 30 days)
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i>	3	QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i>	5	NM; NDS; QL (12 per 30 days)
<i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i>	5	NM; NDS; QL (18 per 30 days)
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	2	
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	2	
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	2	
<i>heparin, porcine (pf) injection solution 1,000 unit/ml</i>	2	
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	2	
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	GC
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	GC
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML	3	QL (600 per 30 days)
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	3	QL (60 per 30 days)
<b>Blood Formation Modifiers</b>		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NM; NDS; QL (20 per 30 days)
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NM; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NM; NDS; QL (20 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
LEUKINE INJECTION RECON SOLN 250 MCG	5	NM; NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	5	NM; NDS
MULPLETA ORAL TABLET 3 MG	5	PA; NM; NDS; QL (7 per 7 days)
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NM; NDS
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
ORLADEYO ORAL CAPSULE 110 MG, 150 MG	5	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NM; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NM; NDS; QL (60 per 30 days)
RELEUKO INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
RELEUKO SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
<b>Hematologic Agents, Miscellaneous</b>		
ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>anagrelide oral capsule 0.5 mg, 1 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
CABLIVI INJECTION KIT 11 MG	5	PA; NM; NDS; QL (30 per 30 days)
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML	5	PA; NM; NDS
<i>protamine intravenous solution 10 mg/ml</i>	2	
SIKLOS ORAL TABLET 1,000 MG, 100 MG	4	PA
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i>	2	
<i>tranexamic acid oral tablet 650 mg</i>	2	
<b>Platelet-Aggregation Inhibitors</b>		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	4	QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	
<i>clopidogrel oral tablet 75 mg</i>	1	GC
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	
<i>prasugrel oral tablet 10 mg, 5 mg</i>	4	QL (30 per 30 days)
<b>Caloric Agents</b>		
<b>Caloric Agents</b>		
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA BvD
AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	2	PA BvD
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	2	
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	4	PA BvD
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	4	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
<b>Cardiovascular Agents</b>		
<b>Alpha-Adrenergic Agents</b>		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	GC
<i>clonidine transdermal patch weekly 0.1 mg/24 hr, 0.2 mg/24 hr</i>	4	QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i>	4	QL (8 per 28 days)
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i>	2	
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i>	5	PA; NM; NDS; QL (180 per 30 days)
<i>guanfacine oral tablet 1 mg, 2 mg</i>	2	
<i>methyldopa oral tablet 250 mg, 500 mg</i>	4	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>phenylephrine hcl injection solution 10 mg/ml</i>	2	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>	4	
<b>Angiotensin II Receptor Antagonists</b>		
EDARBI ORAL TABLET 40 MG, 80 MG	3	
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	3	
ENTRESTO ORAL TABLET 24-26 MG	3	QL (180 per 30 days)
ENTRESTO ORAL TABLET 49-51 MG, 97-103 MG	3	QL (60 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i>	6	GC
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i>	6	GC
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i>	6	GC
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i>	6	GC
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i>	6	GC
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i>	6	GC
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i>	6	GC
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i>	6	GC
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i>	6	GC
<b>Angiotensin-Converting Enzyme Inhibitors</b>		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg</i>	6	GC
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>	6	GC
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	2	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg, 5-12.5 mg</i>	6	GC
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	6	GC
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i>	6	GC
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	6	GC
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	6	GC
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	6	GC
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	6	GC
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i>	6	GC
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	6	GC
<b>Antiarrhythmic Agents</b>		
<i>amiodarone oral tablet 200 mg</i>	1	GC
<i>amiodarone oral tablet 400 mg</i>	4	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i>	3	
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i>	4	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	
<i>lidocaine (pf) injection solution 10 mg/ml (1 %)</i>	1	GC
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2 %), 50 mg/5 ml (1 %)</i>	1	GC
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	
MULTAQ ORAL TABLET 400 MG	3	
<i>pacerone oral tablet 200 mg</i>	1	GC
<i>pacerone oral tablet 400 mg</i>	4	
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	2	
<i>procainamide intravenous syringe 100 mg/ml</i>	2	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	
<i>quinidine sulfate oral tablet 200 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>quinidine sulfate oral tablet 300 mg</i>	2	
<b>Beta-Adrenergic Blocking Agents</b>		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
<i>atenolol-chlorthalidone oral tablet 100-25 mg, 50-25 mg</i>	2	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	2	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i>	1	GC
<i>labetalol intravenous solution 5 mg/ml</i>	2	
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i>	1	GC
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	2	
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	2	
<i>metoprolol tartrate oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
<i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>	2	
<i>propranolol intravenous solution 1 mg/ml</i>	2	
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i>	4	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	2	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	2	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	2	
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	2	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	4	
<b>Calcium-Channel Blocking Agents</b>		
<i>cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	2	
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	4	
<i>diltiazem hcl oral capsule,extended release 24 hr 420 mg</i>	2	
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	2	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg, 90 mg</i>	2	
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i>	2	
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	2	
<i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	2	
<i>verapamil intravenous syringe 2.5 mg/ml</i>	2	
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i>	4	
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>	2	
<i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i>	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	GC
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>	2	
<b>Cardiovascular Agents, Miscellaneous</b>		
<i>CORLANOR ORAL SOLUTION 5 MG/5 ML</i>	3	QL (600 per 30 days)
<i>CORLANOR ORAL TABLET 5 MG, 7.5 MG</i>	3	QL (60 per 30 days)
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	
<i>digoxin 250 mcg tablet 250 mcg (0.25 mg)</i>	2	
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	2	
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml, 0.3 mg/0.3 ml</i>	2	QL (4 per 30 days)
<i>epinephrine injection solution 1 mg/ml</i>	1	GC
<i>hydralazine injection solution 20 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i>	5	PA; NM; NDS; QL (18 per 30 days)
<i>metyrosine oral capsule 250 mg</i>	5	NM; NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>	4	QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i>	4	QL (120 per 30 days)
<i>sajazir subcutaneous syringe 30 mg/3 ml</i>	5	PA; NM; NDS; QL (18 per 30 days)
VYNDAMAX ORAL CAPSULE 61 MG	5	PA; NM; NDS; QL (30 per 30 days)
VYNDAQEL ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (120 per 30 days)
<b>Dihydropyridines</b>		
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	GC
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 2.5-10 mg, 5-10 mg, 5-20 mg, 5-40 mg</i>	6	GC
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i>	6	GC
<i>nicardipine oral capsule 20 mg, 30 mg</i>	4	
<i>nifedipine oral capsule 10 mg, 20 mg</i>	4	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i>	2	
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	2	
<b>Diuretics</b>		
<i>amiloride oral tablet 5 mg</i>	2	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	
<i>bumetanide injection solution 0.25 mg/ml</i>	4	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>chlorothiazide sodium intravenous recon soln 500 mg</i>	2	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	
<i>furosemide injection solution 10 mg/ml</i>	2	
<i>furosemide injection syringe 10 mg/ml</i>	1	GC
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i>	1	GC
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	GC
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	GC
JYNARQUE ORAL TABLET 15 MG, 30 MG	5	PA; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	5	PA; NM; NDS; QL (56 per 28 days)
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
<i>toremide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	2	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg</i>	1	GC
<b>Dyslipidemics</b>		
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	6	GC; QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i>	2	
<i>cholestyramine light oral powder in packet 4 gram</i>	2	
<i>colesevelam oral powder in packet 3.75 gram</i>	3	
<i>colesevelam oral tablet 625 mg</i>	2	
<i>colestipol oral packet 5 gram</i>	3	
<i>colestipol oral tablet 1 gram</i>	2	
<i>ezetimibe oral tablet 10 mg</i>	2	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i>	4	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 160 mg, 48 mg</i>	2	
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	2	
<i>gemfibrozil oral tablet 600 mg</i>	1	GC
JUXTAPID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG	5	PA; NM; NDS; QL (30 per 30 days)
JUXTAPID ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (90 per 30 days)
JUXTAPID ORAL CAPSULE 5 MG	5	PA; NM; NDS; QL (45 per 30 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	3	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	6	GC
NEXLETOL ORAL TABLET 180 MG	3	QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	3	QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i>	4	
<i>niacin oral tablet extended release 24 hr 1,000 mg, 750 mg</i>	4	
<i>niacin oral tablet extended release 24 hr 500 mg</i>	2	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i>	2	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	3	QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	6	GC
<i>pravastatin oral tablet 20 mg, 40 mg</i>	6	GC; QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i>	2	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	3	QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	6	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg, 80 mg</i>	6	GC; QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM	2	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM	2	QL (120 per 30 days)
<b>Renin-Angiotensin-Aldosterone System Inhibitors</b>		
<i>aliskiren oral tablet 150 mg, 300 mg</i>	4	
<i>epplerenone oral tablet 25 mg, 50 mg</i>	4	
KERENDIA ORAL TABLET 10 MG, 20 MG	3	PA; QL (30 per 30 days)
<b>Vasodilators</b>		
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg</i>	2	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	GC
<i>isosorbide-hydralazine oral tablet 20-37.5 mg</i>	2	
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	2	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	2	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i>	2	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	2	
<b>Central Nervous System Agents</b>		
<b>Central Nervous System Agents</b>		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i>	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i>	3	QL (30 per 30 days)
AUBAGIO ORAL TABLET 14 MG, 7 MG	5	PA; NM; NDS; QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NM; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS; QL (15 per 30 days)
<i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i>	2	PA BvD
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	2	
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML	5	PA; NM; NDS; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML	5	PA; NM; NDS; QL (12 per 28 days)
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i>	2	PA; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	QL (60 per 30 days)
<i>dextroamphetamine sulfate oral tablet 10 mg</i>	4	QL (180 per 30 days)
<i>dextroamphetamine sulfate oral tablet 15 mg, 5 mg</i>	4	QL (90 per 30 days)
<i>dextroamphetamine sulfate oral tablet 20 mg, 30 mg</i>	4	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i>	4	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i>	4	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	2	QL (60 per 30 days)
<i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg</i>	5	PA; NM; NDS; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i>	5	PA; NM; NDS
<i>dimethyl fumarate oral capsule, delayed release(dr/ec) 240 mg</i>	5	PA; NM; NDS; QL (60 per 30 days)
<i>flumazenil intravenous solution 0.1 mg/ml</i>	2	
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>glatiramer subcutaneous syringe 20 mg/ml</i>	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	5	PA; NM; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>	5	PA; NM; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i>	2	QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NM; NDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	GC
<i>lithium carbonate oral tablet 300 mg</i>	2	
<i>lithium carbonate oral tablet extended release 300 mg, 450 mg</i>	2	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NM; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	4	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NM; NDS
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	4	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	4	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg, 60 mg</i>	4	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i>	4	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i>	2	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i>	2	QL (90 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NM; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
RADICAVA INTRAVENOUS SOLUTION 30 MG/100 ML	5	PA; NM; NDS; QL (2800 per 28 days)
<i>riluzole oral tablet 50 mg</i>	2	QL (60 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
TASCENSO ODT ORAL TABLET,DISINTEGRATING 0.25 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i>	5	PA; NM; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NM; NDS; QL (120 per 30 days)
<b>Contraceptives</b>		
<b>Contraceptives</b>		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i>	2	
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	2	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i>	2	
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>	2	
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>aubra eq oral tablet 0.1-20 mg-mcg</i>	2	
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>aviane oral tablet 0.1-20 mg-mcg</i>	2	
<i>ayuna oral tablet 0.15-0.03 mg</i>	2	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>	2	
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	2	
<i>camila oral tablet 0.35 mg</i>	1	GC
<i>caziant (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	2	
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	2	
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	2	
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>cyred eq oral tablet 0.15-0.03 mg</i>	2	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	1	GC
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg, 3-0.03 mg</i>	2	
<i>elinest oral tablet 0.3-30 mg-mcg</i>	2	
<b>ELLA ORAL TABLET 30 MG</b>	4	QL (6 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	4	QL (1 per 28 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	2	
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>enskyce oral tablet 0.15-0.03 mg</i>	2	
<i>errin oral tablet 0.35 mg</i>	1	GC
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg, 1-50 mg-mcg</i>	2	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	4	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	2	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	1	GC
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>hailey oral tablet 1.5-30 mg-mcg</i>	2	
<i>heather oral tablet 0.35 mg</i>	1	GC
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	1	GC
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i>	2	
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	2	
<i>jencycla oral tablet 0.35 mg</i>	1	GC
<i>juleber oral tablet 0.15-0.03 mg</i>	2	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>kalliga oral tablet 0.15-0.03 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>kariva</i> (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	2	
<i>kelnor</i> 1/35 (28) oral tablet 1-35 mg-mcg	2	
<i>kelnor</i> 1-50 (28) oral tablet 1-50 mg-mcg	2	
<i>kurvelo</i> (28) oral tablet 0.15-0.03 mg	2	
<i>l norgest/e.estradiol-e.estradiol</i> oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7), 0.15 mg-30 mcg (84)/10 mcg (7)	2	QL (91 per 84 days)
<i>larin</i> 1.5/30 (21) oral tablet 1.5-30 mg-mcg	2	
<i>larin</i> 1/20 (21) oral tablet 1-20 mg-mcg	2	
<i>larin</i> 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	2	
<i>larin</i> fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	2	
<i>larin</i> fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	1	GC
<i>larissia</i> oral tablet 0.1-20 mg-mcg	2	
<i>lessina</i> oral tablet 0.1-20 mg-mcg	2	
<i>levonest</i> (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)	2	
<i>levonorgestrel-ethinyl estradiol</i> oral tablet 0.1-20 mg-mcg, 0.15-0.03 mg	2	
<i>levonorgestrel-ethinyl estradiol</i> oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	2	QL (91 per 84 days)
<i>levonorg-eth estradiol triphasic</i> oral tablet 50-30 (6)/75-40 (5)/125-30(10)	2	
<i>levora</i> -28 oral tablet 0.15-0.03 mg	2	
<i>lillow</i> (28) oral tablet 0.15-0.03 mg	2	
<i>lojaimiess</i> oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)	2	QL (91 per 84 days)
<i>loryna</i> (28) oral tablet 3-0.02 mg	2	
<i>low-ogestrel</i> (28) oral tablet 0.3-30 mg-mcg	2	
<i>lo-zumandimine</i> (28) oral tablet 3-0.02 mg	2	
<i>lutra</i> (28) oral tablet 0.1-20 mg-mcg	2	
<i>lyleq</i> oral tablet 0.35 mg	1	GC
<i>lyza</i> oral tablet 0.35 mg	1	GC
<i>marlissa</i> (28) oral tablet 0.15-0.03 mg	2	
<i>merzee</i> oral capsule 1 mg-20 mcg (24)/75 mg (4)	2	
<i>microgestin</i> fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	1	GC
<i>mili</i> oral tablet 0.25-35 mg-mcg	1	GC
<i>mono-linyah</i> oral tablet 0.25-35 mg-mcg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>nikki (28) oral tablet 3-0.02 mg</i>	2	
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	1	GC
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i>	2	
<i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9), 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg, 0.18/0.215/0.25 mg-35 mcg (28), 0.25-35 mg-mcg</i>	2	
<i>norlyda oral tablet 0.35 mg</i>	1	GC
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	2	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>nymyo oral tablet 0.25-35 mg-mcg</i>	2	
<i>orsythia oral tablet 0.1-20 mg-mcg</i>	2	
<i>philith oral tablet 0.4-35 mg-mcg</i>	2	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>pirmella oral tablet 0.5/0.75/1 mg- 35 mcg, 1-35 mg-mcg</i>	2	
<i>portia 28 oral tablet 0.15-0.03 mg</i>	2	
<i>previfem oral tablet 0.25-35 mg-mcg</i>	1	GC
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	2	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	1	GC
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	2	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>syeda oral tablet 3-0.03 mg</i>	2	
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	GC
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	2	
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	GC
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tulana oral tablet 0.35 mg</i>	1	GC
<i>tyblume oral tablet, chewable 0.1 mg- 20 mcg</i>	2	
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	2	
<i>vestura (28) oral tablet 3-0.02 mg</i>	2	
<i>vienva oral tablet 0.1-20 mg-mcg</i>	2	
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>	2	
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	2	
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	4	QL (3 per 28 days)
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>	4	QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	2	
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	2	

## Dental And Oral Agents

### Dental And Oral Agents

<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	1	GC
<i>denta 5000 plus dental cream 1.1 %</i>	1	GC
<i>dentagel dental gel 1.1 %</i>	1	GC
<i>fluoride (sodium) dental solution 0.2 %</i>	1	GC
<i>oralone dental paste 0.1 %</i>	2	
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>	1	GC
<i>periogard mucous membrane mouthwash 0.12 %</i>	1	GC
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	2	
<i>sf 5000 plus dental cream 1.1 %</i>	1	GC
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i>	1	GC
<i>triamcinolone acetone dental paste 0.1 %</i>	2	

## Dermatological Agents

### Dermatological Agents, Other

<i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	2	
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>	2	
<i>acyclovir topical ointment 5 %</i>	4	QL (30 per 30 days)
ALCOHOL 70% SWABS	1	GC
ALCOHOL PADS TOPICAL PADS, MEDICATED	1	GC
ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED	1	GC
<i>ammonium lactate topical cream 12 %</i>	2	
<i>ammonium lactate topical lotion 12 %</i>	2	
BD SINGLE USE SWAB	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>calcipotriene scalp solution 0.005 %</i>	4	QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i>	4	QL (120 per 30 days)
CARETOUCH ALCOHOL 70% PREP PAD	1	GC
CURITY ALCOHOL PREPS 2 PLY,MEDIUM	1	GC
DROPSAFE ALCOHOL 70% PREP PADS	1	GC
EASY COMFORT ALCOHOL 70% PAD	1	GC
EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED	1	GC
<i>fluorouracil topical cream 0.5 %</i>	5	NM; NDS
<i>fluorouracil topical cream 5 %</i>	2	
<i>fluorouracil topical solution 2 %, 5 %</i>	2	
HEB INCONTROL ALCOHOL 70% PADS	1	GC
<i>imiquimod topical cream in packet 5 %</i>	2	QL (24 per 30 days)
IV ANTISEPTIC WIPES	1	GC
KENDALL ALCOHOL 70% PREP PAD	1	GC
KLISYRI TOPICAL OINTMENT IN PACKET 1 %	3	QL (5 per 5 days)
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>	5	NM; NDS
PANRETIN TOPICAL GEL 0.1 %	5	NM; NDS; QL (180 per 30 days)
<i>podofilox topical solution 0.5 %</i>	2	
PRO COMFORT ALCOHOL 70% PADS	1	GC
PURE COMFORT ALCOHOL 70% PADS	1	GC
RA ISOPROPYL ALCOHOL 70% WIPES	1	GC
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
SURE COMFORT ALCOHOL PREP PADS	1	GC
SURE-PREP ALCOHOL PREP PADS	1	GC
TRUE COMFORT ALCOHOL 70% PADS	1	GC
TRUE COMFORT PRO ALCOHOL PADS	1	GC
ULTILET ALCOHOL STERL SWAB	1	GC
VALCHLOR TOPICAL GEL 0.016 %	5	NM; NDS
WEBCOL ALCOHOL PREPS 20'S,LARGE	1	GC
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	2	
<b>Dermatological Antibacterials</b>		
<i>clindamycin phosphate topical solution 1 %</i>	2	QL (180 per 30 days)
<i>clindamycin phosphate topical swab 1 %</i>	2	
<i>ery pads topical swab 2 %</i>	2	
<i>erythromycin with ethanol topical gel 2 %</i>	4	QL (180 per 30 days)
<i>erythromycin with ethanol topical solution 2 %</i>	2	QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>gentamicin topical cream 0.1 %</i>	2	QL (120 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	2	QL (120 per 30 days)
<i>metronidazole topical cream 0.75 %</i>	4	
<i>metronidazole topical gel 0.75 %</i>	2	
<i>metronidazole topical gel 1 %</i>	4	
<i>metronidazole topical lotion 0.75 %</i>	4	
<i>mupirocin topical ointment 2 %</i>	1	GC; QL (220 per 30 days)
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	2	
<i>rosadan topical cream 0.75 %</i>	4	
<i>selenium sulfide topical lotion 2.5 %</i>	2	
<i>silver sulfadiazine topical cream 1 %</i>	2	
<i>ssd topical cream 1 %</i>	4	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i>	4	
<b>Dermatological Anti-Inflammatory Agents</b>		
<i>ala-cort topical cream 1 %</i>	1	GC
<i>alclometasone topical cream 0.05 %</i>	2	
<i>alclometasone topical ointment 0.05 %</i>	2	
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	
<i>betamethasone valerate topical cream 0.1 %</i>	2	
<i>betamethasone valerate topical lotion 0.1 %</i>	2	
<i>betamethasone valerate topical ointment 0.1 %</i>	2	
<i>betamethasone, augmented topical cream 0.05 %</i>	2	
<i>betamethasone, augmented topical gel 0.05 %</i>	2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	3	
<i>betamethasone, augmented topical ointment 0.05 %</i>	2	
<i>clobetasol scalp solution 0.05 %</i>	2	
<i>clobetasol topical cream 0.05 %</i>	2	
<i>clobetasol-emollient topical cream 0.05 %</i>	2	
<i>desoximetasone topical cream 0.25 %</i>	2	QL (120 per 30 days)
<b>EUCRISA TOPICAL OINTMENT 2 %</b>	3	
<i>fluocinolone topical cream 0.01 %, 0.025 %</i>	2	
<i>fluocinolone topical ointment 0.025 %</i>	2	
<i>fluocinonide topical cream 0.05 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>fluocinonide topical solution 0.05 %</i>	2	
<i>fluocinonide-e topical cream 0.05 %</i>	4	
<i>fluticasone propionate topical cream 0.05 %</i>	2	
<i>fluticasone propionate topical ointment 0.005 %</i>	2	
<i>halobetasol propionate topical cream 0.05 %</i>	2	
<i>halobetasol propionate topical ointment 0.05 %</i>	2	
<i>hydrocortisone 2.5% cream 2.5 %</i>	1	GC
<i>hydrocortisone topical cream 1 %</i>	1	GC
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i>	1	GC
<i>hydrocortisone topical lotion 2.5 %</i>	2	
<i>hydrocortisone topical ointment 1 %, 2.5 %</i>	1	GC
<i>mometasone topical cream 0.1 %</i>	2	
<i>mometasone topical ointment 0.1 %</i>	2	
<i>mometasone topical solution 0.1 %</i>	2	
<i>pimecrolimus topical cream 1 %</i>	4	QL (100 per 30 days)
<i>prednicarbate topical ointment 0.1 %</i>	2	
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	2	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	2	
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>	2	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i>	4	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %, 0.1 %, 0.5 %</i>	1	GC
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.025 %</i>	1	GC
<i>triamcinolone acetonide topical ointment 0.1 %, 0.5 %</i>	2	
<b>Dermatological Retinoids</b>		
<i>adapalene topical cream 0.1 %</i>	4	
<i>adapalene topical gel 0.1 %</i>	2	
ALTRENO TOPICAL LOTION 0.05 %	4	PA
<i>tazarotene topical cream 0.1 %</i>	4	
TAZORAC TOPICAL CREAM 0.05 %	4	
<i>tretinoin topical cream 0.025 %, 0.05 %, 0.1 %</i>	4	PA
<i>tretinoin topical gel 0.01 %, 0.025 %, 0.05 %</i>	4	PA
<b>Scabicides And Pediculicides</b>		
<i>malathion topical lotion 0.5 %</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>permethrin topical cream 5 %</i>	2	
<b>Devices</b>		
<b>Devices</b>		
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16"	2	
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32"	2	
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4"	2	
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16"	2	
1ST TIER UNIFINE PNTTP 29GX1/2" 29 GAUGE X 1/2"	2	
1ST TIER UNIFINE PNTTP 31GX3/16 31 GAUGE X 3/16"	2	
1ST TIER UNIFINE PNTTP 32GX5/32 32 GAUGE X 5/32"	2	
ABOUTTIME PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16"	2	
ABOUTTIME PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	2	
ABOUTTIME PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	2	
ABOUTTIME PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	2	
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	2	
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	2	
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	2	
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	2	
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	2	
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2"	2	
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2"	2	
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16	2	
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2"	2	
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	2	
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16"	2	
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	2	
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"	2	
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"	2	
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"	2	
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	2	
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	2	
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"	2	
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"	2	
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	2	
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"	2	
BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2"	2	
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"	2	
BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64"	2	
BD INS SYRN UF 1 ML 12.7MMX30G NOT FOR RETAIL SALE 1 ML 30 GAUGE X 1/2"	2	
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"	2	
BD INSULIN SYR 1 ML 25GX5/8" 1 ML 25 GAUGE X 5/8"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"	2	
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"	2	
BD INSULIN SYR 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	2	
BD INSULIN SYRINGE 1 ML W/O NEEDLE 1 ML	2	
BD LUER-LOK SYRINGE 1 ML 1 ML	2	
BD NANO 2 GEN PEN NDL 32GX4MM 32 GAUGE X 5/32"	2	
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"	2	
BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2"	2	
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	2	
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"	2	
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"	2	
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	
BD SAFETYGLIDE NEEDLE NEEDLE 27 X 5/8 "	2	
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"	2	
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	2	
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"	2	
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"	2	
BD UF MICRO PEN NEEDLE 6MMX32G 32 GAUGE X 1/4"	2	
BD UF MINI PEN NEEDLE 5MMX31G 31 GAUGE X 3/16"	2	
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	2	
BD UF ORIG PEN NDL 12.7MMX29G 29 GAUGE X 1/2"	2	
BD UF SHORT PEN NEEDLE 8MMX31G 31 GAUGE X 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	
BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	2	
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	2	
BORDERED GAUZE 2"X2" 2 X 2 "	1	GC
CAREFINE PEN NEEDLE 12.7MM 29G 29 GAUGE X 1/2"	2	
CAREFINE PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	2	
CAREFINE PEN NEEDLE 5MM 32G 32 GAUGE X 3/16"	2	
CAREFINE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	2	
CAREFINE PEN NEEDLE 8MM 30G 30 GAUGE X 5/16"	2	
CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	2	
CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	2	
CAREONE SYR 0.3 ML 31GX5/16" SHORT, HRI 0.3 ML 31 GAUGE X 5/16"	2	
CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	2	
CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	
CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	2	
CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	2	
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	2	
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	2	
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	2	
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"	2	
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16	2	
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	2	
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	2	
CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16"	2	
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	2	
CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"	2	
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	2	
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	2	
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	2	
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"	2	
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	2	
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	2	
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	2	
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"	2	
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"	2	
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	2	
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"	2	
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"	2	
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	2	
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"	2	
COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16"	2	
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"	2	
COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	2	
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	2	
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	2	
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	2	
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	2	
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	2	
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"	2	
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"	2	
COMFORT TOUCH PEN NDL 31G 4MM 31 GAUGE X 5/32"	2	
COMFORT TOUCH PEN NDL 31G 5MM 31 GAUGE X 3/16"	2	
COMFORT TOUCH PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	
COMFORT TOUCH PEN NDL 31G 8MM 31 GAUGE X 5/16"	2	
COMFORT TOUCH PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	
COMFORT TOUCH PEN NDL 32G 5MM 32 GAUGE X 3/16"	2	
COMFORT TOUCH PEN NDL 32G 6MM 32 GAUGE X 1/4"	2	
COMFORT TOUCH PEN NDL 32G 8MM 32 GAUGE X 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
COMFORT TOUCH PEN NDL 33G 6MM 33 GAUGE X 1/4"	2	
COMFORT TOUCH PEN NDL 33GX4MM 33 GAUGE X 5/32"	2	
COMFORT TOUCH PEN NDL 33GX5MM 33 GAUGE X 3/16"	2	
CURAD GAUZE PADS 2" X 2" 2 X 2 "	1	GC
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "	1	GC
CURITY GUAZE PADS 1'S(12 PLY) 2 X 2 "	1	GC
DERMACEA 2"X2" GAUZE 12 PLY, USP TYPE VII 2 X 2 "	1	GC
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "	1	GC
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	GC
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"	2	
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"	2	
DROPLET INS 0.3 ML 29GX12.5MM 0.3 ML 29 GAUGE X 1/2"	2	
DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2"	2	
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"	2	
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"	2	
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"	2	
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"	2	
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"	2	
DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X 5/16"	2	
DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	2	
DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X 5/16"	2	
DROPLET INS SYR 1 ML 29GX12.5MM 1 ML 29 GAUGE X 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2"	2	
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"	2	
DROPLET INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	2	
DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	2	
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	2	
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"	2	
DROPLET PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	2	
DROPLET PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"	2	
DROPLET PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	2	
DROPLET PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	
DROPLET PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	2	
DROPLET PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	
DROPLET PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	2	
DROPLET PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	2	
DROPLET PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	2	
DROPLET PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	2	
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	
DROPSAFE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	2	
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	
DRUG MART ULTRA COMFORT SYR 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	2	
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	2	
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	2	
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"	2	
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"	2	
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	2	
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"	2	
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16"	2	
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4"	2	
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	2	
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	2	
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	2	
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	2	
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	2	
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	2	
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	2	
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	2	
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	2	
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	2	
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	2	
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	2	
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	2	
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"	2	
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2"	2	
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	
EASY TOUCH FLIPIK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"	2	
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"	2	
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"	2	
EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	2	
EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	2	
EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	
EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2"	2	
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	
EASY TOUCH LUER LOK INSUL 1 ML 1 ML	2	
EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16"	2	
EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16"	2	
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16"	2	
EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	2	
EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16"	2	
EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32"	2	
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"	2	
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"	2	
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"	2	
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"	2	
EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2"	2	
EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2"	2	
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"	2	
EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2"	2	
EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2"	2	
EASY TOUCH UNI-SLIP SYR 1 ML 1 ML	2	
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"	2	
EQL INSULIN 0.3 ML SYRINGE SHORT NEEDLE 0.3 ML 30	2	
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE	2	
EQL INSULIN 1 ML SYRINGE SHORT NEEDLE 1 ML 30 GAUGE X 7/16"	2	
EXEL INSULIN SYRINGE 27G-1 ML 1 ML 27 GAUGE X 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
FIFTY50 INS 0.5 ML 31GX5/16" SHORT NEEDLE 0.5 ML 31 GAUGE X 5/16"	2	
FIFTY50 INS SYR 1 ML 31GX5/16" SHORT NEEDLE 1 ML 31 GAUGE X 5/16	2	
FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16"	2	
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE	2	
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16"	2	
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16"	2	
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	2	
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	2	
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	1	GC
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"	2	
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE	2	
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 29 GAUGE, 1 ML 30 GAUGE X 7/16"	2	
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30	2	
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	2	
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	2	
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	2	
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	2	
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	2	
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	2	
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	2	
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	2	
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32"	2	
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16"	2	
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4"	2	
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16"	2	
HEALTHY ACCENTS PENTIP 12MM 29G 29 GAUGE X 1/2"	2	
INCONTROL PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	2	
INCONTROL PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	2	
INCONTROL PEN NEEDLE 5MM 31G 31 GAUGE X 3/16"	2	
INCONTROL PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	2	
INCONTROL PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	2	
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN	3	
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN	3	
INSULIN SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	2	
INSULIN SYR 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	2	
INSULIN SYRIN 0.3 ML 30GX1/2" SHORT NEEDLE 0.3 ML 30 GAUGE X 1/2"	2	
INSULIN SYRIN 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	2	
INSULIN SYRIN 0.5 ML 29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	2	
INSULIN SYRIN 0.5 ML 30GX1/2" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 1/2"	2	
INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16"	2	
INSULIN SYRING 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	2	
INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE	2	
INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
INSULIN SYRINGE 0.5 ML 1/2 ML 29	2	
INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	2	
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE	2	
INSULIN SYRINGE 1 ML 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2"	2	
INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16	2	
INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	2	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE, 1 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE	2	
INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16"	2	
INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"	2	
INSUPEN 32G 6MM PEN NEEDLE 32 GAUGE X 1/4"	2	
INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16"	2	
INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2"	2	
INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	2	
INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	2	
INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	2	
LISCO SPONGES 100/BAG 2 X 2 "	1	GC
LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4"	2	
LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE	2	
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 29 GAUGE, 1 ML 30 GAUGE X 7/16"	2	
LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16	2	
LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2"	2	
LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
LITETOUCH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	2	
LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	2	
LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	2	
LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	2	
LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	2	
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	2	
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	2	
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	2	
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	2	
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"	2	
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"	2	
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 X 1/2"	2	
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"	2	
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"	2	
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4"	2	
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	2	
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2"	2	
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2"	2	
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	2	
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"	2	
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4"	2	
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	2	
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	2	
MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	2	
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	2	
MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	2	
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	2	
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	2	
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"	2	
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"	2	
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	2	
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	2	
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	2	
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	2	
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	2	
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	2	
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	2	
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	2	
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	2	
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC) 1 ML	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"	2	
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"	2	
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"	2	
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"	2	
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16"	2	
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2", 29 GAUGE X 1/2"	2	
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"	2	
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"	2	
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16"	2	
NOVOFINE 30 NEEDLE	2	
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"	2	
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"	2	
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"	2	
OMNIPOD 5 G6 INTRO KIT (GEN 5) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD 5 G6 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	3	
OMNIPOD CLASSIC PDM KIT(GEN 3)	3	QL (1 per 365 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE	3	
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD DASH PDM KIT (GEN 4)	3	QL (1 per 365 days)
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	3	
PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16"	2	
PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16"	2	
PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16"	2	
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
PEN NEEDLES 12MM 29G 29GX12MM,STRL 29 GAUGE X 1/2"	2	
PEN NEEDLES 4MM 32G 32 GAUGE X 5/32"	2	
PEN NEEDLES 6MM 31G 31GX6MM, STRL 31 GAUGE X 1/4"	2	
PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16"	2	
PENTIPS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	2	
PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16"	2	
PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16"	2	
PENTIPS PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	2	
PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32"	2	
PENTIPS PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	2	
PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	2	
PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	2	
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	
PRO COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	2	
PRO COMFORT 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	2	
PRO COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	2	
PRO COMFORT 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	
PRO COMFORT 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	2	
PRO COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	2	
PRO COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4"	2	
PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32"	2	
PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16"	2	
PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	2	
PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	2	
PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	2	
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	2	
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	2	
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16"	2	
RELI ON 31G X 1/4" NEEDLES 31 GAUGE X 1/4"	2	
RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	2	
RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	2	
RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	2	
RELI-ON INSULIN 0.5 ML SYR 1/2 ML 29	2	
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"	2	
RELION MINI PEN 31G X 1/4" NDL 31 GAUGE X 1/4"	2	
RELION PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"	2	
RELION PEN NEEDLES 32GX5/32" 32 GAUGE X 5/32"	2	
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"	2	
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"	2	
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"	2	
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"	2	
SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	2	
SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16"	2	
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"	2	
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	2	
SM STERILE PADS 2" X 2" 2"X2", STERILE 2 X 2 "	1	GC
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"	2	
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	
NEEDLES, INSULIN DISP., SAFETY	2	
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	2	
SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	2	
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"	2	
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16"	2	
SURE COMFORT 31G PEN NEEDLE 31 GAUGE X 5/16"	2	
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	2	
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	2	
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"	2	
SURE COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	2	
SURE COMFORT PEN NDL 32GX1/4" 32 GAUGE X 1/4"	2	
SURE COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	2	
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"	2	
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"	2	
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16"	2	
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	2	
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	2	
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"	2	
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"	2	
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16"	2	
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"	2	
TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2"	2	
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"	2	
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"	2	
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"	2	
TECHLITE 0.5 ML 29GX12MM (1/2) 0.5 ML 29 GAUGE X 1/2"	2	
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"	2	
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"	2	
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"	2	
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2"	2	
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2"	2	
TECHLITE INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16"	2	
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	2	
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16"	2	
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	2	
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"	2	
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	2	
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	2	
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	2	
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	2	
TERUMO INS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	2	
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	2	
TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8"	2	
TERUMO INS SYRINGE U100-1/2 ML 1/2 ML 30 X 3/8"	2	
TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	2	
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8", 0.3 ML 31 X 3/8"	2	
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 31 X 3/8", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	2	
THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8", 1 ML 31 X 3/8"	2	
TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4"	2	
TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16"	2	
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	
TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	2	
TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	2	
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"	2	
TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	2	
TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	2	
TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	2	
TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16"	2	
TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4"	2	
TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	2	
TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32"	2	
TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	2	
TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	2	
TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	2	
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"	2	
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16"	2	
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"	2	
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"	2	
TRUE COMFORT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	2	
TRUEPLUS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	2	
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4"	2	
TRUEPLUS PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	2	
TRUEPLUS PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	2	
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	2	
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	2	
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	2	
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	2	
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	2	
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	2	
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	2	
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	2	
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	2	
ULT CFT 0.3 ML 30GX5/16" (1/2) 1/2 UNIT 0.3 ML 30 GAUGE X 5/16"	2	
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	2	
ULTICARE INS 0.3 ML 31GX1/4" 0.3 ML 31 GAUGE X 1/4"	2	
ULTICARE INS 0.5 ML 31GX1/4" 1/2 ML 31 GAUGE X 1/4"	2	
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	2	
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	2	
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	2	
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	2	
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	2	
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32"	2	
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	2	
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"	2	
ULTICARE SAFE PEN NDL 8MM 30G 30 GAUGE X 5/16"	2	
ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	2	
ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16"	2	
ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16"	2	
ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	2	
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"	2	
ULTIGUARD SAFE PACK 29G 12.7MM 29 GAUGE X 1/2"	2	
ULTIGUARD SAFE PACK 32G 4MM 32 GAUGE X 5/32"	2	
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"	2	
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"	2	
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"	2	
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"	2	
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"	2	
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"	2	
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"	2	
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"	2	
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	2	
ULTILET INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	2	
ULTILET INSULIN SYRINGE 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	2	
ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	
ULTILET PEN NEEDLE 29 GAUGE	2	
ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	2	
ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2"	2	
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	2	
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE	2	
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	2	
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2"	2	
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"	2	
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"	2	
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"	2	
ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	2	
ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	2	
ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	2	
ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	2	
ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	2	
ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	2	
ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16"	2	
ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	2	
ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	2	
ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32"	2	
ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	2	
ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	2	
ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	2	
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	2	
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16"	2	
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16"	2	
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	2	
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	2	
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	2	
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	2	
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	2	
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	2	
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	2	
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	2	
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	2	
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	2	
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	2	
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	2	
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16"	2	
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"	2	
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	2	
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	2	
UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	2	
UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4"	2	
UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32"	2	
UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32"	2	
UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4"	2	
UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16"	2	
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE	2	
UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2"	2	
UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16"	2	
UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	2	
UNIFINE PENTIPS PLUS 31GX3/16" MINI 31 GAUGE X 3/16"	2	
UNIFINE PENTIPS PLUS 31GX5/16" SHORT 31 GAUGE X 5/16"	2	
UNIFINE PENTIPS PLUS 32GX5/32" 32 GAUGE X 5/32"	2	
UNIFINE PENTIPS PLUS 33GX5/32" 33 GAUGE X 5/32"	2	
UNIFINE SAFECONTROL 30GX3/16" 30 GAUGE X 3/16"	2	
UNIFINE SAFECONTROL 30GX5/16" 30 GAUGE X 5/16"	2	
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"	2	
UNIFINE ULTRA PEN NDL 31G 5MM 31 GAUGE X 3/16"	2	
UNIFINE ULTRA PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
UNIFINE ULTRA PEN NDL 31G 8MM 31 GAUGE X 5/16"	2	
UNIFINE ULTRA PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	
VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 0.5 ML 30 GAUGE X 1/2"	2	
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"	2	
VANISHPOINT U-100 29X1/2 SYR 1 ML 29 GAUGE X 1/2"	2	
VERIFINE PEN NEEDLE 31G X 6MM 31 GAUGE X 1/4"	2	
VERIFINE PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	2	
VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	2	
VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16"	2	
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "	1	GC
V-GO 20 DEVICE	3	
V-GO 30 DEVICE	3	
V-GO 40 DEVICE	3	
<b>Enzyme Replacement/Modifiers</b>		
<b>Enzyme Replacement/Modifiers</b>		
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	5	NM; NDS
CERDELGA ORAL CAPSULE 84 MG	5	PA; NM; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	5	NM; NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	5	NM; NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	5	PA; NM; NDS
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NM; NDS; QL (14 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>javygtor oral tablet,soluble 100 mg</i>	5	NM; NDS
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	5	PA BvD; NM; NDS
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS
<i>miglustat oral capsule 100 mg</i>	5	PA; NM; NDS; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	5	NM; NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i>	5	PA; NM; NDS
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	5	PA; NM; NDS
ORFADIN ORAL CAPSULE 20 MG	5	PA; NM; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
REVCOVI INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; NM; NDS
<i>sapropterin oral tablet,soluble 100 mg</i>	5	NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; NM; LA; NDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	5	PA; NM; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT	3	
<b>Eye, Ear, Nose, Throat Agents</b>		
<b>Eye, Ear, Nose, Throat Agents, Miscellaneous</b>		
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	2	
<i>atropine ophthalmic (eye) drops 1 %</i>	4	
<i>azelastine nasal aerosol,spray 137 mcg (0.1 %)</i>	2	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i>	2	
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	PA; NM; NDS; QL (60 per 28 days)
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	2	QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	2	QL (15 per 10 days)
<i>levofloxacin ophthalmic (eye) drops 1.5 %</i>	4	
<i>olopatadine ophthalmic (eye) drops 0.1 %</i>	2	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i>	4	
<i>proparacaine ophthalmic (eye) drops 0.5 %</i>	2	
TEPEZZA INTRAVENOUS RECON SOLN 500 MG	5	PA; NM; NDS
<b>Eye, Ear, Nose, Throat Anti-Infectives Agents</b>		
<i>acetic acid otic (ear) solution 2 %</i>	2	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	4	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i>	2	
<i>bleph-10 ophthalmic (eye) drops 10 %</i>	2	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	2	
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>	3	QL (7.5 per 7 days)
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	QL (3.5 per 4 days)
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	2	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	1	GC
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	4	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i>	2	
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	2	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>	2	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	2	
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	4	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	2	
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	2	
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i>	2	
<i>ofloxacin otic (ear) drops 0.3 %</i>	2	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	2	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>	1	GC
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>	2	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	2	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	2	
<i>tobramycin ophthalmic (eye) drops 0.3 %</i>	2	
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	2	
<i>trifluridine ophthalmic (eye) drops 1 %</i>	3	
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
<b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>		
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	3	ST
BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %	3	
<i>cyclosporine ophthalmic (eye) dropperette 0.05 %</i>	2	QL (60 per 30 days)
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	2	
<i>difluprednate ophthalmic (eye) drops 0.05 %</i>	3	
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	QL (8.3 per 14 days)
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	QL (50 per 25 days)
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i>	4	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	2	
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i>	1	GC; QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	
<i>ketorolac ophthalmic (eye) drops 0.5 %</i>	2	QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	3	
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i>	4	
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i>	4	QL (34 per 30 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i>	4	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	3	
RESTASIS MULTIDOSE OPHTHALMIC (EYE) DROPS 0.05 %	3	QL (60 per 30 days)
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	2	QL (60 per 30 days)
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION	3	ST; QL (32 per 30 days)
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	3	QL (60 per 30 days)
<b>Gastrointestinal Agents</b>		
<b>Antilulcer Agents And Acid Suppressants</b>		
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 20 mg</i>	2	QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 40 mg</i>	2	QL (60 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i>	3	ST; QL (30 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i>	3	ST; QL (60 per 30 days)
<i>esomeprazole sodium intravenous recon soln 20 mg, 40 mg</i>	2	
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	1	GC
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	2	
<i>famotidine intravenous solution 10 mg/ml</i>	2	
<i>famotidine oral tablet 20 mg, 40 mg</i>	1	GC
<i>lansoprazole oral capsule, delayed release(dr/ec) 15 mg</i>	4	QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release(dr/ec) 30 mg</i>	4	QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i>	2	
<i>nizatidine oral capsule 150 mg, 300 mg</i>	2	
<i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>	1	GC
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i>	4	ST; QL (30 per 30 days)
<i>pantoprazole intravenous recon soln 40 mg</i>	2	
<i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg</i>	1	GC; QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (dr/ec) 40 mg</i>	1	GC; QL (60 per 30 days)
<i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i>	2	QL (30 per 30 days)
<i>sucralfate oral tablet 1 gram</i>	2	
<b>Gastrointestinal Agents, Other</b>		
<i>carglumic acid oral tablet, dispersible 200 mg</i>	5	NM; NDS
<i>constulose oral solution 10 gram/15 ml</i>	2	
<i>cromolyn oral concentrate 100 mg/5 ml</i>	4	
<i>dicyclomine oral capsule 10 mg</i>	2	
<i>dicyclomine oral solution 10 mg/5 ml</i>	4	
<i>dicyclomine oral tablet 20 mg</i>	2	
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i>	4	
<i>enulose oral solution 10 gram/15 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; NM; NDS
<i>generlac oral solution 10 gram/15 ml</i>	2	
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	2	
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i>	2	
<i>lactulose oral solution 10 gram/15 ml</i>	2	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM	3	QL (34 per 30 days)
LOKELMA ORAL POWDER IN PACKET 5 GRAM	3	QL (30 per 30 days)
<i>loperamide oral capsule 2 mg</i>	2	
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i>	3	QL (60 per 30 days)
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	4	
<i>metoclopramide hcl injection solution 5 mg/ml</i>	2	
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	2	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	2	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i>	1	GC
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NM; NDS
<i>sodium phenylbutyrate oral tablet 500 mg</i>	5	NM; NDS
<i>sodium polystyrene (sorb free) oral suspension 15 gram/60 ml</i>	2	
<i>sodium polystyrene sulfonate oral powder</i>	2	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	
<i>ursodiol oral capsule 300 mg</i>	2	
<i>ursodiol oral tablet 250 mg, 500 mg</i>	2	
XERMELO ORAL TABLET 250 MG	5	PA; NM; NDS; QL (90 per 30 days)
<b>Laxatives</b>		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	3	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	2	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>	2	
<i>gavilyte-n oral recon soln 420 gram</i>	2	
<i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>peg-electrolyte soln oral recon soln 420 gram</i>	2	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i>	3	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM	3	
SUTAB ORAL TABLET 1.479-0.188- 0.225 GRAM	3	
<i>trilyte with flavor packets oral recon soln 420 gram</i>	2	
<b>Phosphate Binders</b>		
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>	2	
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>	2	
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	4	
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i>	5	NM; NDS
<i>sevelamer carbonate oral tablet 800 mg</i>	4	
<i>sevelamer hcl oral tablet 400 mg</i>	3	
VELPHORO ORAL TABLET,CHEWABLE 500 MG	3	
<b>Genitourinary Agents</b>		
<b>Antispasmodics, Urinary</b>		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg</i>	2	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	2	
<i>oxybutynin chloride oral tablet 5 mg</i>	2	
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>	2	
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i>	2	
<i>tolterodine oral tablet 1 mg, 2 mg</i>	2	
<i>tropium oral tablet 20 mg</i>	4	
<b>Genitourinary Agents, Miscellaneous</b>		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i>	1	GC; QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>finasteride oral tablet 5 mg</i>	1	GC
<i>tamsulosin oral capsule 0.4 mg</i>	1	GC
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
THIOLA EC ORAL TABLET, DELAYED RELEASE (DR/EC) 100 MG, 300 MG	5	PA; NM; NDS
<i>tiopronin oral tablet 100 mg</i>	5	NM; NDS
<b>Heavy Metal Antagonists</b>		
<b>Heavy Metal Antagonists</b>		
<i>clovique oral capsule 250 mg</i>	5	PA; NM; NDS; QL (240 per 30 days)
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i>	5	PA; NM; NDS
<i>deferasirox oral tablet 180 mg, 360 mg</i>	5	PA; NM; NDS
<i>deferasirox oral tablet 90 mg</i>	3	PA
<i>deferasirox oral tablet, dispersible 125 mg</i>	2	PA
<i>deferasirox oral tablet, dispersible 250 mg, 500 mg</i>	5	PA; NM; NDS
<i>deferiprone oral tablet 1,000 mg, 500 mg</i>	5	PA; NM; NDS
<i>deferoxamine injection recon soln 2 gram, 500 mg</i>	2	PA
FERRIPROX 1,000 MG TAB(2X/DAY) 1,000 MG	5	PA; NM; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; NM; NDS
FERRIPROX ORAL TABLET 1,000 MG	5	PA; NM; NDS
<i>penicillamine oral capsule 250 mg</i>	5	PA; NM; NDS
<i>penicillamine oral tablet 250 mg</i>	5	PA; NM; NDS
<i>trientine oral capsule 250 mg</i>	5	PA; NM; NDS; QL (240 per 30 days)
<b>Hormonal Agents, Stimulant/Replacement/Modifying</b>		
<b>Androgens</b>		
ANADROL-50 ORAL TABLET 50 MG	5	PA; NM; NDS
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	3	
<i>oxandrolone oral tablet 10 mg</i>	2	
<i>oxandrolone oral tablet 2.5 mg</i>	4	
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml, 200 mg/ml (1 ml)</i>	2	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i>	3	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i>	2	PA; QL (150 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i>	4	PA; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i>	4	PA; QL (180 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	3	PA; QL (2 per 28 days)
<b>Estrogens And Antiestrogens</b>		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	2	
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	QL (8 per 28 days)
DUAVEE ORAL TABLET 0.45-20 MG	3	
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	GC
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	QL (8 per 28 days)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	QL (4 per 28 days)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i>	2	
<i>estradiol vaginal tablet 10 mcg</i>	2	QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i>	2	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i>	2	
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	2	
<i>jinteli oral tablet 1-5 mg-mcg</i>	2	
<i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	QL (8 per 28 days)
<i>mimvey oral tablet 1-0.5 mg</i>	2	
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	2	
PREMARIN INJECTION RECON SOLN 25 MG	3	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	3	
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45- 1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	
<i>raloxifene oral tablet 60 mg</i>	2	
<i>yuvafem vaginal tablet 10 mcg</i>	2	QL (18 per 28 days)
<b>Glucocorticoids/Mineralocorticoids</b>		
<i>a-hydrocort injection recon soln 100 mg</i>	2	
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i>	2	
<i>dexamethasone 0.5 mg/5 ml liq 0.5 mg/5 ml</i>	2	
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>	2	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	2	
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	GC
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	GC
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	5	PA; NM; NDS; QL (91 per 28 days)
EMFLAZA ORAL TABLET 18 MG	5	PA; NM; NDS; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	2	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i>	2	
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i>	2	
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	2	
<i>methylprednisolone oral tablets,dose pack 4 mg</i>	2	
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i>	2	
<i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i>	3	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	3	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD; GC
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 100 MG/2 ML	4	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i>	2	
<b>Pituitary</b>		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
BYNFEZIA SUBCUTANEOUS PEN INJECTOR 2,500 MCG/ML	5	NM; NDS
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
<i>desmopressin injection solution 4 mcg/ml</i>	4	
<i>desmopressin nasal spray with pump 10 mcg/spray (0.1 ml)</i>	4	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i>	2	
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NM; NDS
<i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i>	5	PA NSO; NM; NDS; QL (0.5 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	5	NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	5	NM; NDS
NORDITROPIN FLEXPPO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
<i>octreotide acetate injection solution 1,000 mcg/ml, 100 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>	3	
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NM; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 10 MG, 20 MG, 30 MG	5	NM; NDS
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NM; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	5	PA NSO; NM; NDS; QL (0.5 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	5	PA NSO; NM; NDS; QL (0.2 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	5	PA NSO; NM; NDS; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	5	NM; NDS; QL (1 per 360 days)
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	5	NM; NDS
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NM; NDS; QL (1 per 168 days)
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	5	PA; NM; NDS
<b>Progestins</b>		
<i>hydroxyprogesterone cap(ppres) intramuscular oil 250 mg/ml</i>	5	NM; NDS
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i>	2	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i>	2	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	GC
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	2	
<i>norethindrone acetate oral tablet 5 mg</i>	2	
<i>progesterone intramuscular oil 50 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>progesterone micronized oral capsule 100 mg, 200 mg</i>	2	
<b>Thyroid And Antithyroid Agents</b>		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i>	1	GC
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i>	2	
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	GC
<i>propylthiouracil oral tablet 50 mg</i>	2	
<b>Immunological Agents</b>		
<b>Immunological Agents</b>		
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	NM; NDS
<i>azathioprine oral tablet 50 mg</i>	2	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	5	PA; NM; NDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NM; NDS
<i>cyclosporine intravenous solution 250 mg/5 ml</i>	2	PA BvD
<i>cyclosporine modified oral capsule 100 mg, 25 mg, 50 mg</i>	2	PA BvD
<i>cyclosporine modified oral solution 100 mg/ml</i>	3	PA BvD
<i>cyclosporine oral capsule 100 mg, 25 mg</i>	3	PA BvD
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NM; NDS
<i>everolimus (immunosuppressive) oral tablet 0.25 mg</i>	4	PA BvD
<i>everolimus (immunosuppressive) oral tablet 0.5 mg, 0.75 mg, 1 mg</i>	5	PA BvD; NM; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML	5	PA; NM; NDS
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NM; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NM; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NM; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NM; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i>	2	PA BvD
<i>gengraf oral solution 100 mg/ml</i>	3	PA BvD
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	5	PA BvD; NM; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i>	2	
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i>	2	PA BvD
<i>mycophenolate mofetil oral capsule 250 mg</i>	2	PA BvD
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i>	5	PA BvD; NM; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i>	2	PA BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NM; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD; ST
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NM; NDS
RIDAURA ORAL CAPSULE 3 MG	5	NM; NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	5	PA; NM; NDS
<i>sirolimus oral solution 1 mg/ml</i>	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>sirolimus oral tablet 0.5 mg, 1 mg</i>	4	PA BvD
<i>sirolimus oral tablet 2 mg</i>	5	PA BvD; NM; NDS
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 360 MG/2.4 ML (150 MG/ML)	5	PA; NM; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg</i>	2	PA BvD
<i>tacrolimus oral capsule 5 mg</i>	3	PA BvD
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; NM; LA; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NM; NDS
<b>Vaccines</b>		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	3	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	3	
DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	3	QL (3 per 365 days)
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF-MCG-LF/0.5ML	3	
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	3	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	3	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF-48MCG-62DU -10 MCG/0.5ML	3	
PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	3	PA BvD
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4-4.2- 3.3CCID50/0.5ML	3	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 5 LF UNIT/0.5ML (58 UNT/ML)	3	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	3	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML	3	QL (0.75 per 365 days)
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	3	QL (1.5 per 365 days)
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)	3	

### Inflammatory Bowel Disease Agents

#### Inflammatory Bowel Disease Agents

<i>alosetron oral tablet 0.5 mg</i>	3	
<i>alosetron oral tablet 1 mg</i>	5	NM; NDS
<i>balsalazide oral capsule 750 mg</i>	2	
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	4	
DIPENTUM ORAL CAPSULE 250 MG	5	ST; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>hydrocortisone rectal enema 100 mg/60 ml</i>	4	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i>	4	
<i>mesalamine oral capsule,extended release 24hr 0.375 gram</i>	4	
<i>mesalamine oral tablet,delayed release (dr/ec) 1.2 gram, 800 mg</i>	4	
<i>mesalamine rectal suppository 1,000 mg</i>	3	
<i>sulfasalazine oral tablet 500 mg</i>	2	
<i>sulfasalazine oral tablet,delayed release (dr/ec) 500 mg</i>	4	
UCERIS RECTAL FOAM 2 MG/ACTUATION	3	
<b>Metabolic Bone Disease Agents</b>		
<b>Metabolic Bone Disease Agents</b>		
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>alendronate oral tablet 35 mg, 70 mg</i>	1	GC; QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray,non-aerosol 200 unit/actuation</i>	2	QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>	2	
<i>calcitriol oral solution 1 mcg/ml</i>	4	
<i>cinacalcet oral tablet 30 mg</i>	3	QL (60 per 30 days)
<i>cinacalcet oral tablet 60 mg</i>	5	NM; NDS; QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i>	5	NM; NDS; QL (120 per 30 days)
EVENITY SUBCUTANEOUS SYRINGE 105 MG/1.17 ML, 210MG/2.34ML ( 105MG/1.17MLX2)	5	PA; NM; NDS; QL (2.34 per 30 days)
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (600MCG/2.4ML)	3	PA; QL (2.4 per 28 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>	4	QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i>	4	QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i>	2	QL (1 per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NM; NDS; QL (2 per 28 days)
<i>paricalcitol oral capsule 1 mcg, 2 mcg, 4 mcg</i>	4	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i>	4	QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	4	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>risedronate oral tablet 35 mg, 35 mg (12 pack), 35 mg (4 pack)</i>	4	QL (4 per 28 days)
<i>risedronate oral tablet, delayed release (dr/ec) 35 mg</i>	4	QL (4 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	PA; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NM; NDS
<i>zoledronic acid intravenous recon soln 4 mg</i>	4	
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	4	
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i>	4	QL (100 per 300 days)
<b>Miscellaneous Therapeutic Agents</b>		
<b>Miscellaneous Therapeutic Agents</b>		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NM; NDS
<i>betaine oral powder 1 gram/scoop</i>	5	NM; NDS
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	
<i>diazoxide oral suspension 50 mg/ml</i>	2	
ELMIRON ORAL CAPSULE 100 MG	4	QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NM; NDS; QL (180 per 30 days)
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NM; NDS
EXONDYS-51 INTRAVENOUS SOLUTION 50 MG/ML	5	PA; NM; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	5	NM; NDS
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	2	
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i>	1	GC
KEVEYIS ORAL TABLET 50 MG	5	PA; NM; NDS; QL (120 per 30 days)
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i>	3	
<i>leucovorin calcium injection solution 10 mg/ml</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 5 mg</i>	2	
<i>leucovorin calcium oral tablet 25 mg</i>	3	
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i>	2	
<i>levocarnitine oral tablet 330 mg</i>	4	
<i>levoleucovorin calcium intravenous recon soln 50 mg</i>	5	NM; NDS
<i>mesna intravenous solution 100 mg/ml</i>	2	
MESNEX ORAL TABLET 400 MG	5	NM; NDS
OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML	5	PA; NM; NDS
<i>pyridostigmine bromide oral syrup 60 mg/5 ml</i>	4	
<i>pyridostigmine bromide oral tablet 30 mg</i>	4	
<i>pyridostigmine bromide oral tablet 60 mg</i>	2	
RECTIV RECTAL OINTMENT 0.4 % (W/W)	4	QL (30 per 30 days)
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TOTECT INTRAVENOUS RECON SOLN 500 MG	5	NM; NDS
TYBOST ORAL TABLET 150 MG	4	QL (30 per 30 days)
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	5	NM; NDS; QL (24 per 14 days)
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	5	PA; NM; NDS; QL (120 per 30 days)
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 0.6 MG/0.6 ML	3	
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	3	
<b>Ophthalmic Agents</b>		
<b>Antiglaucoma Agents</b>		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	2	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	GC
<i>brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 %</i>	3	
<i>carteolol ophthalmic (eye) drops 1 %</i>	2	
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	3	
<i>dorzolamide ophthalmic (eye) drops 2 %</i>	2	
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i>	2	
<i>latanoprost ophthalmic (eye) drops 0.005 %</i>	1	GC; QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	GC
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>	2	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	2	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	1	GC
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i>	4	
<i>travoprost ophthalmic (eye) drops 0.004 %</i>	4	QL (2.5 per 25 days)
<b>Replacement Preparations</b>		
<b>Replacement Preparations</b>		
<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>	2	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	4	
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	4	
ISOLYTE S IV SOLUTION-EXCEL SINGLE USE	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	2	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	2	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	2	
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>	2	
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>	2	PA BvD
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i>	2	PA BvD
<i>magnesium sulfate injection syringe 4 meq/ml</i>	2	PA BvD
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	4	
<i>potassium chloride intravenous solution 2 meq/ml</i>	1	PA BvD; GC
<i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i>	2	PA BvD
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	4	
<i>potassium chloride oral tablet extended release 10 meq, 20 meq, 8 meq</i>	2	
<i>potassium chloride oral tablet,er particles/crystals 10 meq, 15 meq, 20 meq</i>	2	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg), 15 meq, 5 meq (540 mg)</i>	2	
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>sodium chloride 0.9 % injection solution</i>	2	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2	
<i>sodium chloride 0.9% solution mini-bag, single use</i>	2	
<b>Respiratory Tract Agents</b>		
<b>Anti-Inflammatories, Inhaled Corticosteroids</b>		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE	2	QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	QL (12 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	3	QL (60 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i>	3	PA BvD; QL (120 per 30 days)
<i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i>	3	PA BvD; QL (60 per 30 days)
FLOVENT 100 MCG DISKUS 100 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	3	QL (12 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	3	QL (24 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	3	QL (21.2 per 30 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	3	QL (30.6 per 30 days)
<b>Antileukotrienes</b>		
<i>montelukast oral tablet 10 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i>	1	GC
<i>zafirlukast oral tablet 10 mg, 20 mg</i>	4	
<b>Bronchodilators</b>		
<i>albuterol 5 mg/ml solution 5 mg/ml</i>	2	PA BvD; QL (120 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i>	2	QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>	2	QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>	2	QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg/3 ml (0.083 %)</i>	2	PA BvD; QL (360 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml</i>	2	PA BvD; QL (120 per 30 days)
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	2	
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	2	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD; QL (312.5 per 30 days)
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	2	PA BvD; QL (540 per 30 days)
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	GC
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	3	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>terbutaline subcutaneous solution 1 mg/ml</i>	5	NM; NDS
<i>theophylline oral solution 80 mg/15 ml</i>	4	
<i>theophylline oral tablet extended release 12 hr 300 mg, 450 mg</i>	4	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG	3	QL (60 per 30 days)
<b>Respiratory Tract Agents, Other</b>		
<i>acetylcysteine intravenous solution 200 mg/ml (20 %)</i>	2	
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	2	PA BvD
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NM; NDS; QL (560 per 28 days)
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD
DALIRESP ORAL TABLET 250 MCG	3	QL (28 per 28 days)
DALIRESP ORAL TABLET 500 MCG	3	QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	5	PA; NM; NDS; QL (270 per 30 days)
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; NM; LA; NDS; QL (0.4 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG	5	PA; NM; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NM; NDS; QL (120 per 30 days)
<i>pirfenidone oral tablet 267 mg</i>	5	PA; NM; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 534 mg, 801 mg</i>	5	PA; NM; NDS; QL (90 per 30 days)
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,SUV 1,000 MG (+-)/20 ML	5	PA BvD; NM; NDS
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	PA BvD; NM; NDS
<i>roflumilast oral tablet 500 mcg</i>	2	QL (30 per 30 days)
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NM; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	5	PA; NM; NDS; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	5	PA; NM; NDS

### Skeletal Muscle Relaxants

#### Skeletal Muscle Relaxants

<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	2	
<i>chlorzoxazone oral tablet 250 mg</i>	5	NM; NDS; QL (120 per 30 days)
<i>chlorzoxazone oral tablet 500 mg</i>	2	
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	GC
<i>dantrolene oral capsule 100 mg, 25 mg, 50 mg</i>	2	
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	2	
<i>revonto intravenous recon soln 20 mg</i>	2	
<i>tizanidine oral tablet 2 mg, 4 mg</i>	2	

### Sleep Disorder Agents

#### Sleep Disorder Agents

<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i>	2	PA; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i>	4	QL (30 per 30 days)
HETLIOZ LQ ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS; QL (150 per 30 days)
HETLIOZ ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>modafinil oral tablet 100 mg</i>	2	PA; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg</i>	2	PA; QL (60 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG	4	PA; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
XYREM ORAL SOLUTION 500 MG/ML	5	PA; NM; LA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	4	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<b>Vasodilating Agents</b>		
<b>Vasodilating Agents</b>		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i>	3	PA; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i>	5	PA; NM; NDS; QL (30 per 30 days)
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg, 1.5 mg</i>	5	PA; NM; NDS
OPSUMIT ORAL TABLET 10 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml</i>	5	PA; NM; NDS; QL (37.5 per 1 day)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i>	2	PA; QL (90 per 30 days)
<i>sildenafil oral tablet 100 mg, 25 mg, 50 mg</i>	6	GC; EX; CB (6 EA per 30 days)
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i>	3	PA; QL (60 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG	5	PA; NM; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i>	5	PA; NM; NDS
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	5	PA; NM; NDS
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NM; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NM; NDS
<b>Vitamins And Minerals</b>		
<b>Vitamins And Minerals</b>		
<i>bal-care dha combo pack 27-1-430 mg</i>	2	
<i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>	2	
<i>calcium pnv oral capsule 28-1-250 mg</i>	2	
<i>c-nate dha softgel 28 mg iron-1 mg -200 mg</i>	2	
<i>completenate tablet chew 29 mg iron- 1 mg</i>	2	
<i>dothelle dha oral capsule 35-1-200 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>extra-virt plus dha oral capsule 29 mg iron-1.25 mg-55 mg</i>	2	
<i>folivane-ob capsule 85-1 mg</i>	2	
<i>hemenatal ob + dha oral combo pack 28 mg iron-6 mg iron-1 mg</i>	2	
<i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>	2	
<i>marnatal-f capsule 60 mg iron-1 mg</i>	2	
<i>m-natal plus tablet 27 mg iron- 1 mg</i>	2	
<i>mynatal advance oral tablet 90-1-50 mg</i>	2	
<i>mynatal capsule 65 mg iron- 1 mg</i>	2	
<i>mynatal oral tablet 90-1-50 mg</i>	2	
<i>mynatal plus captab 65 mg iron- 1 mg</i>	2	
<i>mynatal-z captab 65 mg iron- 1 mg</i>	2	
<i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i>	2	
<i>newgen tablet 32-1,000 mg-mcg</i>	2	
<i>niva-plus tablet 27 mg iron- 1 mg</i>	2	
<i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i>	2	
<i>o-cal prenatal tablet 15 mg iron- 1,000 mcg</i>	2	
<i>pnv 29-1 tablet (rx) 29 mg iron- 1 mg</i>	2	
<i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i>	2	
<i>pnv-ferrous fumarate-docu-fa oral tablet 29 mg iron- 1 mg-25 mg</i>	2	
<i>pnv-omega softgel 28-1-300 mg</i>	2	
<i>pnv-vp-u oral capsule 106.5-1 mg</i>	2	
<i>pr natal 400 combo pack 29-1-400 mg</i>	2	
<i>pr natal 400 ec combo pack 29-1-400 mg</i>	2	
<i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i>	2	
<i>pr natal 430 ec combo pack 29-1-430 mg</i>	2	
<i>prenal true combo pack 30 mg iron- 1.4 mg-300 mg</i>	2	
<i>prenaissance oral capsule 29-1.25-55-325 mg</i>	2	
<i>prenaissance plus oral capsule 28-1-50-250 mg</i>	2	
<i>prenatabs fa tablet 29-1 mg</i>	2	
<i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>	2	
<i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>	2	
<i>prenatal low iron tablet (rx) 27 mg iron- 1 mg</i>	2	
<i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>prenatal plus tablet (rx) 27 mg iron- 1 mg</i>	2	
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	2	
<i>prenatal-u capsule 106.5-1 mg</i>	2	
<i>preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg iron- 1 mg</i>	2	
<i>pretab 29 mg-1 mg tablet (rx) 29-1 mg</i>	2	
<i>purefe ob plus capsule 106 mg iron- 1 mg</i>	2	
<i>purefe plus capsule 106 mg iron- 1 mg</i>	2	
<i>r-natal ob softgel 20 mg iron- 1 mg-320 mg</i>	2	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	2	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	2	
<i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>	2	
<i>taron-c dha capsule 35-1-200 mg</i>	2	
<i>taron-prex prenatal-dha oral capsule 30 mg iron- 1.2 mg-55 mg-265 mg</i>	2	
<i>triveen-duo dha combo pack 29-1-400 mg</i>	2	
<i>triveen-prx rnf oral capsule 26-1.2-55-300 mg</i>	2	
<i>vena-bal dha oral combo pack,tablet and cap,dr 27-1-430 mg</i>	2	
<i>vinate care chewable tablet 40 mg iron- 1 mg</i>	2	
<i>vinate gt oral tablet 90-1-50 mg</i>	2	
<i>vinate ii oral tablet 29 mg iron- 1 mg</i>	2	
<i>vinate ultra oral tablet 90-1-50 mg</i>	2	
<i>virt-c dha softgel (rx) 35-1-200 mg</i>	2	
<i>virt-nate dha softgel 28 mg iron-1 mg -200 mg</i>	2	
<i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i>	2	
<i>virt-pn oral tablet 27-1 mg</i>	2	
<i>virt-pn plus softgel (rx) 28-1-300 mg</i>	2	
<i>vitafol gummies 3.33 mg iron- 0.33 mg</i>	2	
<i>vitafol nano tablet 18 mg iron- 1 mg</i>	2	
<i>vitafol-ob+dha combo pack 65-1-250 mg</i>	2	
<i>viva dha oral capsule 28 mg iron-1 mg -200 mg</i>	2	
<i>vol-nate oral tablet 28 mg iron- 1 mg</i>	2	
<i>vp-ch plus oral capsule 29 mg iron-1 mg -50 mg- 265 mg</i>	2	
<i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg- 260 mg</i>	2	
<i>vp-pnv-dha softgel (rx) 28 mg iron- 1 mg-200 mg</i>	2	
<i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>	2	
<i>zatean-pn plus softgel 28-1-300 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

药名	药类	要求/限制
<i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

## INDEX

### 1

1ST TIER UNIFINE PENTIPS ..... 71  
 1ST TIER UNIFINE PENTIPS PLUS ..... 71

### A

abacavir ..... 42, 43  
 abacavir-lamivudine ..... 43  
 abacavir-lamivudine-zidovudine ..... 43  
 ABELCET ..... 33  
 abiraterone ..... 12  
 ABOUTTIME PEN NEEDLE 71  
 ABRAXANE ..... 12  
 acamprosate ..... 6  
 acarbose ..... 30  
 accutane ..... 67  
 acebutolol ..... 54  
 acetaminophen-codeine ..... 3  
 acetazolamide ..... 122  
 acetazolamide sodium ..... 122  
 acetic acid ..... 102  
 acetylcysteine ..... 127  
 acitretin ..... 67  
 ACTHAR ..... 111  
 ACTHIB (PF) ..... 116  
 ACTIMMUNE ..... 121  
 acyclovir ..... 47, 67  
 acyclovir sodium ..... 47  
 ADACEL(TDAP ADOLESN/ADULT)(PF) 116  
 ADAKVEO ..... 49  
 adapalene ..... 70  
 ADCETRIS ..... 12  
 adefovir ..... 47  
 ADEMPAS ..... 129  
 adriamycin ..... 12

adrucil ..... 12  
 ADVAIR DISKUS ..... 125  
 ADVAIR HFA ..... 125  
 ADVOCATE PEN NEEDLE 72  
 ADVOCATE SYRINGES 71, 72  
 afirmelle ..... 61  
 a-hydrocort ..... 110  
 AIMOVIG AUTOINJECTOR 35  
 AJOVY AUTOINJECTOR ..... 35  
 AJOVY SYRINGE ..... 35  
 AKYNZEO (FOSNETUPITANT) ..... 36  
 AKYNZEO (NETUPITANT) 36  
 ala-cort ..... 69  
 albendazole ..... 37  
 albuterol sulfate ..... 126  
 alclometasone ..... 69  
 ALCOHOL PADS ..... 67  
 ALCOHOL PREP PADS ..... 68  
 ALCOHOL PREP SWABS ..... 67  
 ALCOHOL SWABS ..... 67  
 ALCOHOL WIPES ..... 68  
 ALDURAZYME ..... 100  
 ALECENSA ..... 12  
 alendronate ..... 120  
 alfuzosin ..... 107  
 ALIMTA ..... 12  
 ALIQOPA ..... 12  
 aliskiren ..... 58  
 allopurinol ..... 34  
 alosetron ..... 119  
 ALPHAGAN P ..... 123  
 alprazolam ..... 7  
 ALREX ..... 103  
 altavera (28) ..... 61  
 ALTRENO ..... 70  
 ALUNBRIG ..... 12

alyacen 1/35 (28) ..... 61  
 alyacen 7/7/7 (28) ..... 61  
 alymsys ..... 12  
 alyq ..... 129  
 amabelz ..... 109  
 amantadine hcl ..... 38  
 AMBISOME ..... 33  
 ambrisentan ..... 129  
 amethia ..... 61  
 amiloride ..... 56  
 amiloride-hydrochlorothiazide 56  
 AMINOSYN II 15 % ..... 50  
 AMINOSYN-PF 7 % (SULFITE-FREE) ..... 50  
 amiodarone ..... 53  
 amitriptyline ..... 28  
 amlodipine ..... 56  
 amlodipine-benazepril ..... 56  
 amlodipine-valsartan ..... 56  
 ammonium lactate ..... 67  
 amoxapine ..... 28  
 amoxicillin ..... 10  
 amoxicillin-pot clavulanate ..... 10  
 amphotericin b ..... 33  
 amphotericin b liposome ..... 33  
 ampicillin ..... 10  
 ampicillin sodium ..... 10  
 ampicillin-sulbactam ..... 11  
 ANADROL-50 ..... 108  
 anagrelide ..... 49  
 anastrozole ..... 12  
 ANORO ELLIPTA ..... 126  
 apomorphine ..... 38  
 apraclonidine ..... 101  
 aprepitant ..... 36  
 APRETUDE ..... 43  
 apri ..... 61

APTIOM.....	24	AYVAKIT.....	13	BD ULTRA-FINE MICRO PEN	
APTIVUS.....	43	azacitidine.....	13	NEEDLE.....	73
APTIVUS (WITH VITAMIN E)		azathioprine.....	113	BD ULTRA-FINE MINI PEN	
.....	43	azathioprine sodium.....	113	NEEDLE.....	73
aranelle (28).....	61	azelastine.....	101	BD ULTRA-FINE NANO PEN	
ARCALYST.....	113	azithromycin.....	10	NEEDLE.....	73
aripiprazole.....	39	AZOPT.....	123	BD ULTRA-FINE ORIG PEN	
ARISTADA.....	39	aztreonam.....	10	NEEDLE.....	73
ARISTADA INITIO.....	39	azurette (28).....	62	BD ULTRA-FINE SHORT PEN	
armodafinil.....	128	<b>B</b>		NEEDLE.....	73
ARNUITY ELLIPTA.....	125	bacitracin.....	102	BD VEO INSULIN SYR	
arsenic trioxide.....	13	bacitracin-polymyxin b.....	102	(HALF UNIT).....	74
asenapine maleate.....	39	baclofen.....	128	BD VEO INSULIN SYRINGE	
ashlyna.....	61	bal-care dha.....	129	UF.....	74
ASPARLAS.....	13	bal-care dha essential.....	129	bekyree (28).....	62
aspirin-dipyridamole.....	50	balsalazide.....	119	BELEODAQ.....	13
ASSURE ID DUO-SHIELD ..	72	BALVERSA.....	13	BELSOMRA.....	128
ASSURE ID INSULIN		balziva (28).....	62	benazepril.....	52
SAFETY.....	72	BAVENCIO.....	13	benazepril-hydrochlorothiazide	
ASSURE ID PEN NEEDLE ..	72	BAXDELA.....	11	.....	53
atazanavir.....	43	BCG VACCINE, LIVE (PF).....	116	BENDEKA.....	13
atenolol.....	54	BD ALCOHOL SWABS.....	67	BENLYSTA.....	113
atenolol-chlorthalidone.....	54	BD AUTOSHIELD DUO PEN		benztropine.....	38
atomoxetine.....	58, 59	NEEDLE.....	72	BESPONSIA.....	13
atorvastatin.....	57	BD ECLIPSE LUER-LOK.....	72	BESREMI.....	113
atovaquone.....	37	BD INSULIN SYRINGE ..	72, 73	betaine.....	121
atovaquone-proguanil.....	37	BD INSULIN SYRINGE		betamethasone acet,sod phos.....	110
atropine.....	101	(HALF UNIT).....	72	betamethasone dipropionate ..	69
ATROVENT HFA.....	126	BD INSULIN SYRINGE SLIP		betamethasone valerate.....	69
AUBAGIO.....	59	TIP.....	73	betamethasone, augmented.....	69
abra eq.....	61	BD INSULIN SYRINGE U-500		BETASERON.....	59
aurovela 1.5/30 (21).....	61	.....	72	betaxolol.....	54
aurovela 1/20 (21).....	61	BD INSULIN SYRINGE		bethanechol chloride.....	107
aurovela 24 fe.....	62	ULTRA-FINE.....	72	bexarotene.....	13
aurovela fe 1.5/30 (28).....	62	BD NANO 2ND GEN PEN		BEXSERO.....	117
aurovela fe 1-20 (28).....	62	NEEDLE.....	73	bicalutamide.....	13
AUSTEDO.....	59	BD SAFETYGLIDE INSULIN		BICILLIN L-A.....	11
AUVELITY.....	28	SYRINGE.....	73	BIKTARVY.....	43
AVASTIN.....	13	BD SAFETYGLIDE NEEDLE		bisoprolol fumarate.....	54
aviane.....	62	.....	73	bisoprolol-hydrochlorothiazide	
AVONEX.....	59	BD SAFETYGLIDE SYRINGE		.....	54
ayuna.....	62	.....	73	BLENREP.....	13

bleomycin.....	13	cefprozil.....	9
bleph-10.....	102	ceftazidime .....	9
BLINCYTO.....	13	ceftriaxone .....	9
blisovi 24 fe.....	62	cefuroxime axetil .....	9
blisovi fe 1.5/30 (28) .....	62	cefuroxime sodium .....	9
blisovi fe 1/20 (28) .....	62	celecoxib.....	4
BOOSTRIX TDAP .....	117	CELONTIN .....	24
BORDERED GAUZE.....	74	cephalexin.....	9
bortezomib.....	13	CERDELGA.....	100
BORTEZOMIB .....	13	CEREZYME.....	100
BOSULIF .....	13	CHANTIX CONTINUING	
BRAFTOVI.....	13	MONTH BOX .....	6
BREO ELLIPTA .....	125	chateal eq (28) .....	62
BREZTRI AEROSPHERE ..	126	chloramphenicol sod succinate.8	
brillyn .....	62	chlordiazepoxide hcl.....	7
BRILINTA .....	50	chlorhexidine gluconate.....	67
brimonidine .....	123	chloroquine phosphate.....	37
brimonidine-timolol .....	123	chlorothiazide sodium .....	56
BRIVIACT.....	24	chlorpromazine .....	39
bromocriptine .....	38	chlorthalidone .....	56
BROMSITE.....	103	chlorzoxazone.....	128
BRONCHITOL .....	127	cholestyramine (with sugar) ...	57
BRUKINSA .....	13	cholestyramine light .....	57
budesonide.....	119, 125	ciclopirox .....	33
bumetanide .....	56	cilostazol.....	50
buprenorphine hcl.....	3, 6	CIMDUO.....	43
buprenorphine-naloxone.....	6	cimetidine hcl .....	104
bupropion hcl.....	28	cinacalcet .....	120
bupropion hcl (smoking deter).6		CINQAIR .....	127
buspirona .....	121	CINRYZE.....	48
butalbital-acetaminophen-caff..3		ciprofloxacin.....	11
butalbital-aspirin-caffeine .....	3	ciprofloxacin hcl.....	11, 102
BYNFEZIA .....	111	ciprofloxacin in 5 % dextrose.11	
<b>C</b>		ciprofloxacin-dexamethasone	
CABENUVA.....	43	.....	102
cabergoline .....	38	citalopram .....	28
CABLIVI.....	50	clarithromycin.....	10
CABOMETYX.....	13	CLENPIQ .....	106
cabotegravir .....	43	CLICKFINE PEN NEEDLE ..	75
caffeine citrate .....	59	clindamycin hcl .....	8
calcipotriene .....	68	clindamycin in 5 % dextrose ....	8
calcitonin (salmon).....	120	clindamycin phosphate .8, 35, 68	
calcitriol.....	120		
calcium acetate(phosphat bind)			
.....	107		
calcium chloride .....	123		
calcium pnv .....	129		
CALQUENCE.....	13		
CALQUENCE			
(ACALABRUTINIB MAL)			
.....	13		
camila .....	62		
CAPLYTA.....	39		
CAPRELSA.....	14		
captopril.....	53		
carbamazepine .....	24		
carbidopa-levodopa .....	38		
carbidopa-levodopa-entacapone			
.....	38		
CAREFINE PEN NEEDLE ...	74		
CARETOUCH ALCOHOL			
PREP PAD .....	68		
CARETOUCH INSULIN			
SYRINGE.....	74, 75		
CARETOUCH PEN NEEDLE			
.....	74		
carglumic acid .....	105		
carteolol.....	123		
cartia xt.....	54		
carvedilol .....	54		
casprofungin .....	33		
CAYSTON .....	10		
caziant (28).....	62		
cefaclor .....	9		
cefadroxil.....	9		
cefazolin .....	9		
cefazolin in dextrose (iso-os) ...	9		
cefdinir.....	9		
cefepime .....	9		
cefixime .....	9		
cefotaxime .....	9		
cefoxitin.....	9		
cefoxitin in dextrose, iso-osm ..	9		
cefpodoxime .....	9		

CLINIMIX 5%/D15W SULFITE FREE .....	50	c-nate dha .....	129	CYCLOPHOSPHAMIDE .....	14
CLINIMIX 4.25%/D10W SULF FREE .....	50	COARTEM .....	37	cyclosporine.....	103, 113
CLINIMIX 4.25%/D5W SULFIT FREE.....	50	codeine sulfate.....	3	cyclosporine modified .....	113
CLINIMIX 5%- D20W(SULFITE-FREE) ...	50	colchicine.....	34	cyproheptadine .....	34
CLINIMIX 6%-D5W (SULFITE-FREE) .....	50	colesevelam .....	57	CYRAMZA .....	14
CLINIMIX 8%- D10W(SULFITE-FREE) ...	51	colestipol .....	57	cyred eq .....	62
CLINIMIX 8%- D14W(SULFITE-FREE) ...	51	colistin (colistimethate na) .....	8	CYSTARAN.....	102
CLINIMIX E 2.75%/D5W SULF FREE .....	51	COMBIGAN .....	123	<b>D</b>	
CLINIMIX E 4.25%/D10W SUL FREE.....	51	COMBIVENT RESPIMAT .	126	d5 % and 0.9 % sodium chloride .....	123
CLINIMIX E 4.25%/D5W SULF FREE .....	51	COMETRIQ .....	14	d5 %-0.45 % sodium chloride .....	123
CLINIMIX E 5%/D15W SULFIT FREE.....	51	COMFORT EZ INSULIN SYRINGE.....	75, 76	dalfampridine.....	59
CLINIMIX E 5%/D20W SULFIT FREE.....	51	COMFORT EZ PEN NEEDLES .....	75, 76	DALIRESP .....	127
CLINIMIX E 8%-D10W SULFITEFREE .....	51	COMFORT TOUCH PEN NEEDLE .....	76, 77	danazol.....	108
CLINIMIX E 8%-D14W SULFITEFREE .....	51	COMPLERA .....	43	dantrolene .....	128
clobazam.....	24	completenate.....	129	DANYELZA .....	14
clobetasol.....	69	compro.....	36	dapsone .....	36
clobetasol-emollient .....	69	constulose .....	105	DAPTACEL (DTAP PEDIATRIC) (PF).....	117
clofarabine .....	14	COPAXONE .....	59	daptomycin .....	8
clomipramine.....	28	COPIKTRA .....	14	DARZALEX.....	14
clonazepam.....	7	CORLANOR.....	55	DARZALEX FASPRO .....	14
clonidine .....	52	CORTROPHIN GEL.....	111	dasetta 1/35 (28) .....	62
clonidine hcl .....	52	COSENTYX.....	113	dasetta 7/7/7 (28) .....	62
clopidogrel.....	50	COSENTYX (2 SYRINGES) .....	113	DAURISMO.....	14
clorazepate dipotassium .....	7	COSENTYX PEN (2 PENS)	113	daysee .....	62
clotrimazole .....	33	COTELLIC.....	14	deblitane .....	62
clotrimazole-betamethasone ...	33	CREON .....	100	decitabine.....	14
clovique .....	108	CRIXIVAN .....	43	deferasirox .....	108
clozapine.....	39, 40	cromolyn.....	101, 105, 127	deferiprone.....	108
		cryselle (28).....	62	deferoxamine .....	108
		CURAD GAUZE PAD .....	77	DELSTRIGO.....	43
		CURITY ALCOHOL SWABS .....	68	DENGVAXIA (PF) .....	117
		CURITY GAUZE.....	77	denta 5000 plus.....	67
		cyclafem 1/35 (28).....	62	dentagel.....	67
		cyclafem 7/7/7 (28) .....	62	DERMACEA.....	77
		cyclobenzaprine.....	128	DERMACEA NON-WOVEN	77
		cyclopentolate.....	102	DESCOVY .....	43
		cyclophosphamide .....	14	desipramine.....	28
				desmopressin .....	111
				desog-e.estradiol/e.estradiol ...	62

desogestrel-ethinyl estradiol... 62	dofetilide.....53	EASY COMFORT INSULIN
desoximetasone ..... 69	donepezil .....27	SYRINGE.....79
desvenlafaxine succinate ..... 28	DOPTELET (10 TAB PACK)48	EASY COMFORT PEN
dexamethasone ..... 110	DOPTELET (15 TAB PACK)48	NEEDLES .....79
dexamethasone sodium phos	DOPTELET (30 TAB PACK)48	EASY GLIDE INSULIN
(pf)..... 110	dorzolamide..... 123	SYRINGE.....79
dexamethasone sodium	dorzolamide-timolol ..... 123	EASY GLIDE PEN NEEDLE79
phosphate..... 103, 110	dothelle dha ..... 129	EASY TOUCH.....80, 81
dexmethylphenidate ..... 59	dotti..... 109	EASY TOUCH ALCOHOL
dextroamphetamine sulfate .... 59	DOVATO .....43	PREP PADS .....68
dextroamphetamine-	doxazosin.....52	EASY TOUCH FLIPLOCK
amphetamine ..... 59	doxepin .....28	INSULIN .....80
dextrose 10 % in water (d10w)	doxorubicin..... 14	EASY TOUCH FLIPLOCK
.....51	doxorubicin, peg-liposomal.... 14	SYRINGE.....80
dextrose 5 % in water (d5w) ..51	doxy-100..... 12	EASY TOUCH INSULIN
DIACOMIT ..... 24	doxycycline hyclate..... 12	SAFETY SYR .....80
diazepam.....7, 24	doxycycline monohydrate ..... 12	EASY TOUCH INSULIN
diazepam intensol..... 7	DRIZALMA SPRINKLE..... 28	SYRINGE.....79, 80, 81
diazoxide ..... 121	dronabinol.....37	EASY TOUCH LUER LOCK
diclofenac epolamine..... 4	droperidol .....37	INSULIN .....80
diclofenac potassium ..... 5	DROPLET INSULIN	EASY TOUCH PEN NEEDLE
diclofenac sodium ..... 5, 104	SYR(HALF UNIT).....77	.....81
dicloxacillin..... 11	DROPLET INSULIN	EASY TOUCH SAFETY PEN
dicyclomine ..... 105	SYRINGE.....77, 78	NEEDLE.....81
didanosine..... 43	DROPLET MICRON PEN	EASY TOUCH
DIFICID ..... 10	NEEDLE .....78	SHEATHLOCK INSULIN 80
difluprednate..... 104	DROPLET PEN NEEDLE.....78	EASY TOUCH UNI-SLIP ....81
digitek.....55	DROPSAFE ALCOHOL PREP	econazole .....33
digox.....55	PADS.....68	EDARBI .....52
digoxin.....55	DROPSAFE PEN NEEDLE ..78	EDARBYCLOR.....52
dihydroergotamine .....35	drospirenone-ethinyl estradiol 62	EDURANT .....43
diltiazem hcl .....55	DROXIA .....50	efavirenz .....43
dilt-xr.....55	droxidopa.....52	efavirenz-emtricitabin-tenofov
dimenhydrinate.....36	DUAVEE..... 109	.....43
dimethyl fumarate .....59	duloxetine .....28	efavirenz-lamivu-tenofov disop
DIPENTUM ..... 119	DUPIXENT PEN ..... 113	.....43
diphenhydramine hcl .....34	DUPIXENT SYRINGE..... 113	EGRIFTA SV .....111
diphenoxylate-atropine..... 105	dutasteride ..... 107	ELAPRASE.....100
dipyridamole.....50	<b>E</b>	ELIGARD..... 14
disopyramide phosphate.....53	EASY COMFORT ALCOHOL	ELIGARD (3 MONTH) .....14
disulfiram ..... 6	PAD .....68	ELIGARD (4 MONTH) .....14
divalproex..... 24, 25		ELIGARD (6 MONTH) .....14

elinest .....	62	epitol.....	25	EXKIVITY .....	15
ELIQUIS .....	47	EPIVIR HBV.....	44	EXONDYS-51.....	121
ELIQUIS DVT-PE TREAT 30D START .....	47	eplerenone .....	58	extra-virt plus dha.....	130
ELITEK.....	100	epoprostenol (glycine).....	129	EYSUVIS .....	104
ELLA.....	62	EPRONTIA .....	25	ezetimibe.....	57
ELMIRON.....	121	ERBITUX.....	15	<b>F</b>	
eluryng.....	63	ergoloid.....	27	FABRAZYME .....	100
EMCYT .....	14	ERIVEDGE.....	15	falmina (28) .....	63
EMEND.....	37	ERLEADA .....	15	famciclovir.....	47
EMFLAZA.....	110	erlotinib .....	15	famotidine.....	105
EMGALITY PEN .....	35	errin .....	63	famotidine (pf).....	105
EMGALITY SYRINGE.....	35	ertapenem .....	10	famotidine (pf)-nacl (iso-os).....	105
emoquette .....	63	ery pads.....	68	FANAPT.....	40
EMPLICITI .....	15	erythromycin .....	10, 102	FARXIGA .....	30
EMSAM .....	28	erythromycin ethylsuccinate... ..	10	FARYDAK.....	15
emtricitabine.....	43	erythromycin with ethanol.....	68	FASENRA .....	127
emtricitabine-tenofovir (tdf)....	43	ESBRIET .....	127	FASENRA PEN .....	127
EMTRIVA.....	43	escitalopram oxalate .....	28, 29	febuxostat .....	34
enalapril maleate .....	53	esomeprazole magnesium.....	105	felbamate .....	25
enalaprilat.....	53	esomeprazole sodium .....	105	FEMRING .....	109
enalapril-hydrochlorothiazide	53	estarylla .....	63	femynor.....	63
ENBREL .....	114	estradiol .....	109	fenofibrate.....	57
ENBREL MINI .....	113	estradiol valerate.....	109	fenofibrate micronized.....	57
ENBREL SURECLICK .....	114	estradiol-norethindrone acet. ....	109	fenofibrate nanocrystallized ...	57
ENDARI.....	121	eszopiclone .....	128	fentanyl .....	3
endocet .....	3	ethambutol.....	36	fentanyl citrate .....	3
ENGERIX-B (PF) .....	117	ethosuximide .....	25	FERRIPROX .....	108
ENGERIX-B PEDIATRIC (PF) .....	117	ethynodiol diac-eth estradiol ..	63	FERRIPROX (2 TIMES A DAY) .....	108
ENHERTU .....	15	etodolac .....	5	fesoterodine .....	107
enoxaparin .....	47, 48	etonogestrel-ethinyl estradiol .	63	FETZIMA.....	29
enpresse .....	63	ETOPOPHOS.....	15	FIASP FLEXTOUCH U-100 INSULIN .....	31
enskyce.....	63	etoposide.....	15	FIASP PENFILL U-100 INSULIN .....	31
entacapone.....	38	etravirine.....	44	FIASP U-100 INSULIN.....	31
entecavir .....	47	EUCRISA .....	69	finasteride .....	108
ENTRESTO .....	52	EVENITY.....	120	FINTEPLA .....	25
enulose.....	105	everolimus (antineoplastic) ....	15	FIRVANQ .....	8
EPCLUSA .....	46	everolimus (immunosuppressive) .....	114	FLEBOGAMMA DIF .....	114
EPIDIOLEX.....	25	EVOTAZ.....	44	flecainide .....	53
epinastine.....	102	EVRYSDI.....	121	FLOVENT DISKUS .....	125
epinephrine.....	55	EXEL INSULIN.....	81		
		exemestane .....	15		

FLOVENT HFA.....	125	galantamine .....	27	guanfacine.....	52, 60
floxuridine .....	15	GAMIFANT .....	114	GVOKE .....	121
fluconazole .....	33, 34	GAMMAGARD LIQUID ....	114	GVOKE HYPOPEN 2-PACK	
fluconazole in nacl (iso-osm) .	33	GAMMAGARD S-D (IGA < 1		.....	121
flucytosine .....	34	MCG/ML) .....	114	GVOKE PFS 1-PACK	
fludrocortisone .....	110	GAMMAPLEX .....	114	SYRINGE.....	121
flumazenil.....	59	GAMMAPLEX (WITH		<b>H</b>	
flunisolide.....	104	SORBITOL) .....	114	HAEGARDA.....	48
fluocinolone.....	69	ganciclovir sodium .....	47	hailey .....	63
fluocinonide.....	69, 70	GARDASIL 9 (PF).....	117	hailey 24 fe .....	63
fluocinonide-e.....	70	GATTEX 30-VIAL .....	106	hailey fe 1.5/30 (28) .....	63
fluoride (sodium).....	67	GAUZE PAD .....	82	hailey fe 1/20 (28) .....	63
fluorometholone .....	104	gavilyte-c .....	106	halobetasol propionate.....	70
fluorouracil .....	15, 68	gavilyte-g.....	106	haloperidol.....	40
fluoxetine.....	29	gavilyte-n.....	106	haloperidol decanoate.....	40
fluphenazine decanoate .....	40	GAVRETO.....	15	haloperidol lactate .....	40
fluphenazine hcl .....	40	GAZYVA .....	15	HARVONI.....	46
flurbiprofen.....	5	gemfibrozil .....	57	HAVRIX (PF) .....	117
flurbiprofen sodium.....	104	generlac .....	106	HEALTHWISE INSULIN	
flutamide.....	15	gengraf.....	114	SYRINGE.....	82
fluticasone propionate ....	70, 104	gentak .....	102	HEALTHWISE PEN NEEDLE	
fluvoxamine.....	29	gentamicin .....	7, 69, 102	.....	82
folivane-ob .....	130	gentamicin sulfate (ped) (pf) ....	7	HEALTHY ACCENTS	
fomepizole.....	121	gentamicin sulfate (pf).....	7	UNIFINE PENTIP.....	83
fondaparinux.....	48	GENVOYA .....	44	heather .....	63
FORTEO .....	120	GILENYA .....	59	hemenatal ob + dha.....	130
fosamprenavir.....	44	GILOTRIF.....	15	heparin (porcine) .....	48
fosaprepitant.....	37	GIVLAARI.....	50	heparin, porcine (pf) .....	48
foscarnet .....	46	glatiramer.....	60	HEPATAMINE 8% .....	51
fosinopril .....	53	glatopa .....	60	HERCEPTIN .....	15
fosphenytoin.....	25	glimepiride.....	33	HERCEPTIN HYLECTA .....	15
FOTIVDA .....	15	glipizide .....	33	HERZUMA .....	15
FREESTYLE PRECISION ....	82	glipizide-metformin.....	33	HETLIOZ .....	128
FULPHILA.....	48	glyburide.....	33	HETLIOZ LQ.....	128
fulvestrant.....	15	glyburide micronized.....	33	HIBERIX (PF).....	117
furosemide .....	56	glyburide-metformin .....	33	HUMIRA .....	114
FUZEON .....	44	glycopyrrolate.....	106	HUMIRA PEN .....	114
fyavolv.....	109	glydo.....	5	HUMIRA PEN CROHNS-UC-	
FYCOMPA.....	25	GLYXAMBI .....	30	HS START .....	114
<b>G</b>		granisetron (pf) .....	37	HUMIRA PEN PSOR-UVEITS-	
gabapentin .....	25	granisetron hcl .....	37	ADOL HS .....	114
GALAFOLD .....	100	griseofulvin microsize .....	34	HUMIRA(CF) .....	115

HUMIRA(CF) PEDI CROHNS STARTER .....	114	imipenem-cilastatin .....	10	INVIRASE .....	44
HUMIRA(CF) PEN.....	115	imipramine hcl.....	29	IPOL .....	117
HUMIRA(CF) PEN CROHNS- UC-HS.....	114	imiquimod .....	68	ipratropium bromide.....	102, 126
HUMIRA(CF) PEN PEDIATRIC UC .....	115	IMLYGIC.....	16	ipratropium-albuterol.....	126
HUMIRA(CF) PEN PSOR-UV- ADOL HS.....	115	IMOVAX RABIES VACCINE (PF).....	117	irbesartan .....	52
HUMULIN R U-500 (CONC) INSULIN.....	31	IMPAVIDO.....	37	irbesartan-hydrochlorothiazide .....	52
HUMULIN R U-500 (CONC) KWIKPEN .....	31	INBRIJA.....	38	IRESSA .....	16
hydralazine .....	55, 56	incassia .....	63	ISENTRESS .....	44
hydrochlorothiazide.....	56	INCONTROL ALCOHOL PADS.....	68	ISENTRESS HD .....	44
hydrocodone-acetaminophen ...	3	INCONTROL PEN NEEDLE	83	isibloom .....	63
hydrocodone-ibuprofen .....	3	INCRELEX .....	111	ISOLYTE S PH 7.4 .....	124
hydrocortisone.....	70, 110, 120	indapamide .....	56	ISOLYTE-P IN 5 % DEXTROSE .....	124
hydromorphone .....	3	indomethacin .....	5	ISOLYTE-S.....	123
hydromorphone (pf) .....	3	INFANRIX (DTAP) (PF).....	117	isoniazid.....	36
hydroxychloroquine .....	37	INLYTA .....	16	isosorbide dinitrate .....	58
hydroxyprogesterone cap(ppres) .....	112	INPEN (FOR HUMALOG) BLUE.....	83	isosorbide mononitrate .....	58
hydroxyurea.....	16	INPEN (NOVOLOG OR FIASP) BLUE .....	83	isosorbide-hydralazine.....	58
hydroxyzine hcl.....	35	INQOVI.....	16	itraconazole.....	34
hydroxyzine pamoate .....	121	INREBIC.....	16	IV PREP WIPES .....	68
HYQVIA .....	115	INSULIN SYR/NDL U100 HALF MARK.....	83	ivermectin .....	37
<b>I</b>		INSULIN SYRINGE.....	73	IXEMPRA .....	16
ibandronate.....	120	INSULIN SYRINGE MICROFINE.....	73	IXIARO (PF).....	117
IBRANCE .....	16	INSULIN SYRINGE NEEDLELESS .....	73	<b>J</b>	
ibu.....	5	INSULIN SYRINGE-NEEDLE U-100... 73, 74, 81, 82, 83, 84, 89, 92		jaimiess.....	63
ibuprofen .....	5	INSUPEN .....	84	JAKAFI .....	16
icatibant .....	56	INTELENCE.....	44	jantoven .....	48
iclevia .....	63	INTRALIPID.....	51	JARDIANCE.....	30
ICLUSIG .....	16	INTRON A .....	46	jasmiel (28).....	63
IDHIFA .....	16	introvale.....	63	javygtor.....	101
ifosfamide.....	16	INVEGA HAFYERA.....	40	JEMPERLI .....	16
ILARIS (PF).....	115	INVEGA SUSTENNA.....	40	jencycla.....	63
ILEVRO .....	104	INVEGA TRINZA .....	41	JENTADUETO .....	30
imatinib.....	16	INVELTYS .....	104	JENTADUETO XR.....	30
IMBRUVICA.....	16			jinteli.....	109
IMFINZI.....	16			juleber .....	63
				JULUCA.....	44
				junel 1.5/30 (21) .....	63
				junel 1/20 (21) .....	63
				junel fe 1.5/30 (28) .....	63
				junel fe 1/20 (28) .....	63

junel fe 24.....	63	lidocaine .....	6
JUXTAPID.....	57	lidocaine (pf) .....	5, 53
JYNARQUE.....	56, 57	lidocaine hcl.....	5, 6
<b>K</b>		lidocaine viscous .....	6
kalliga.....	63	lidocaine-prilocaine .....	6
KALYDECO.....	127	lillow (28).....	64
KANJINTI.....	16	linezolid.....	8
KANUMA.....	101	linezolid in dextrose 5% .....	8
kariva (28).....	64	linezolid-0.9% sodium chloride	8
kelnor 1/35 (28).....	64	LINZESS .....	106
kelnor 1-50 (28).....	64	liothyronine.....	113
KERENDIA .....	58	LISCO.....	84
KESIMPTA PEN .....	60	lisinopril.....	53
ketoconazole.....	34	lisinopril-hydrochlorothiazide	53
ketorolac .....	5, 104	LITE TOUCH INSULIN PEN	
KEVEYIS.....	121	NEEDLES .....	84
KEYTRUDA.....	17	LITE TOUCH INSULIN	
KIMMTRAK.....	17	SYRINGE.....	84, 85
KINRIX (PF).....	117	lithium carbonate .....	60
kionex (with sorbitol).....	106	LIVALO .....	57
KISQALI.....	17	lojaimiess.....	64
KISQALI FEMARA CO-PACK		LOKELMA.....	106
.....	17	LONSURF.....	17
KLISYRI .....	68	loperamide .....	106
klor-con m10 .....	124	lopinavir-ritonavir.....	44
klor-con m15 .....	124	lorazepam .....	7
klor-con m20 .....	124	LORBRENA.....	17
KLOXXADO .....	6	loryna (28) .....	64
KORLYM.....	30	losartan .....	52
KOSELUGO .....	17	losartan-hydrochlorothiazide..	52
kosher prenatal plus iron .....	130	LOTEMAX.....	104
KRINTAFEL.....	37	LOTEMAX SM.....	104
KRYSTEXXA.....	101	loteprednol etabonate.....	104
kurvelo (28).....	64	lovastatin.....	57
KYNMOBI.....	38	low-ogestrel (28) .....	64
KYPROLIS .....	17	loxapine succinate .....	41
<b>L</b>		lo-zumandimine (28) .....	64
l norgest/e.estradiol-e.estrad... 64		lubiprostone .....	106
labetalol .....	54	LUCEMYRA.....	6
lacosamide.....	25	LUMAKRAS.....	17
lactulose.....	106	LUMIGAN .....	123
lagevrio (eua).....	47	LUMOXITI .....	18
lamivudine.....	44		
lamivudine-zidovudine.....	44		
lamotrigine.....	25		
lanreotide.....	111		
lansoprazole.....	105		
LANTUS SOLOSTAR U-100			
INSULIN .....	32		
LANTUS U-100 INSULIN ...	32		
lapatinib.....	17		
larin 1.5/30 (21).....	64		
larin 1/20 (21).....	64		
larin 24 fe.....	64		
larin fe 1.5/30 (28).....	64		
larin fe 1/20 (28).....	64		
larissia.....	64		
latanoprost .....	123		
LATUDA.....	41		
LAZANDA.....	3		
leflunomide.....	115		
lenalidomide .....	17		
LENVIMA.....	17		
lessina .....	64		
letrozole.....	17		
leucovorin calcium .....	121, 122		
LEUKERAN .....	17		
LEUKINE.....	49		
leuprolide.....	17		
levetiracetam .....	25		
levobunolol.....	123		
levocarnitine .....	122		
levocarnitine (with sugar)....	122		
levocetirizine .....	35		
levofloxacin.....	11, 102		
levofloxacin in d5w .....	11		
levoleucovorin calcium .....	122		
levonest (28).....	64		
levonorgestrel-ethinyl estrad ..	64		
levonorg-eth estrad triphasic ..	64		
levora-28.....	64		
levothyroxine.....	113		
LEXIVA .....	44		
LIBTAYO .....	17		

LUPRON DEPOT .....	111	metformin .....	30
LUPRON DEPOT (3 MONTH)		methadone.....	3, 4
.....	18, 111	methadose .....	4
LUPRON DEPOT (4 MONTH)		methenamine hippurate .....	8
.....	18	methimazole .....	113
LUPRON DEPOT (6 MONTH)		methocarbamol .....	128
.....	18	methotrexate sodium .....	18
LUPRON DEPOT-PED .....	111	methotrexate sodium (pf) .....	18
LUPRON DEPOT-PED (3		methoxsalen.....	68
MONTH).....	111	methscopolamine.....	106
lutera (28).....	64	methyl dopa .....	52
LYBALVI .....	41	methylphenidate hcl.....	60, 61
lyleq.....	64	methylprednisolone .....	110
lyllana.....	109	methylprednisolone acetate ..	110
LYNPARZA.....	18	methylprednisolone sodium succ	110
LYSODREN.....	18	.....	110
lyza .....	64	metipranolol.....	123
<b>M</b>		metoclopramide hcl .....	106
MAGELLAN INSULIN		metolazone.....	57
SAFETY SYRNG .....	85	metoprolol succinate.....	54
MAGELLAN SYRINGE .....	85	metoprolol ta-hydrochlorothiaz	54
magnesium sulfate.....	124	.....	54
magnesium sulfate in d5w....	124	metoprolol tartrate .....	54
magnesium sulfate in water..	124	metronidazole .....	8, 35, 69
malathion.....	70	metronidazole in nacl (iso-os) ..	8
maprotiline .....	29	metyrosine .....	56
maraviroc.....	44	mexiletine .....	53
MARGENZA .....	18	miconazole-3 .....	34
marlissa (28).....	64	<b>MICRODOT INSULIN PEN</b>	
marnatal-f.....	130	NEEDLE.....	86
MARPLAN .....	29	microgestin fe 1/20 (28) .....	64
MATULANE .....	18	midodrine.....	52
MAVENCLAD (10 TABLET		miglustat .....	101
PACK).....	60	mili.....	64
MAVENCLAD (4 TABLET		mimvey .....	109
PACK).....	60	<b>MINI ULTRA-THIN II .....</b>	86
MAVENCLAD (5 TABLET		minitran.....	58
PACK).....	60	minocycline .....	12
MAVENCLAD (6 TABLET		minoxidil.....	58
PACK).....	60	mirtazapine .....	29
MAVENCLAD (7 TABLET		misoprostol .....	105
PACK).....	60	<b>MITIGARE.....</b>	34
MAVENCLAD (8 TABLET			
PACK).....	60		
MAVENCLAD (9 TABLET			
PACK).....	60		
MAXICOMFORT II PEN			
NEEDLE .....	85		
MAXICOMFORT INSULIN			
SYRINGE.....	85		
MAXI-COMFORT INSULIN			
SYRINGE.....	85		
MAXI-COMFORT INSULIN			
SYRINGE.....	85		
MAXICOMFORT SAFETY			
PEN NEEDLE.....	85, 86		
MAYZENT .....	60		
MAYZENT STARTER(FOR			
1MG MAINT).....	60		
MAYZENT STARTER(FOR			
2MG MAINT).....	60		
meclizine .....	37		
medroxyprogesterone .....	112		
mefenamic acid.....	5		
mefloquine.....	37		
megestrol .....	18, 112		
MEKINIST .....	18		
MEKTOVI.....	18		
meloxicam .....	5		
memantine .....	27		
MENACTRA (PF) .....	118		
MENQUADFI (PF).....	118		
MENVEO A-C-Y-W-135-DIP			
(PF).....	118		
MEPSEVII.....	101		
mercaptapurine.....	18		
meropenem .....	10		
meropenem-0.9% sodium			
chloride.....	10		
merzee .....	64		
mesalamine.....	120		
mesna.....	122		
MESNEX.....	122		
metaproterenol.....	126		

mitoxantrone.....	18	naltrexone .....	6	nitrofurantoin monohyd/m-cryst	8
M-M-R II (PF).....	118	NAMZARIC.....	27, 28	nitroglycerin .....	58
m-natal plus .....	130	naproxen .....	5	NITYR.....	101
modafinil .....	128	NARCAN .....	6	niva-plus .....	130
molindone.....	41	NATACYN .....	102	NIVESTYM .....	49
mometasone.....	70, 104	NATPARA .....	120	nizatidine .....	105
mondoxylene nl.....	12	NAYZILAM.....	25	NORDITROPIN FLEXPEN	111
MONJUVI.....	18	nebivolol.....	54	norethindrone (contraceptive)	65
MONOJECT INSULIN		necon 0.5/35 (28).....	65	norethindrone acetate.....	112
SAFETY SYRINGE.....	87	nefazodone.....	29	norethindrone ac-eth estradiol	
MONOJECT INSULIN		neomycin .....	7	.....	65, 109
SYRINGE.....	86, 87	neomycin-bacitracin-poly-hc	102	norethindrone-e.estradiol-iron	65
MONOJECT SYRINGE .....	86	neomycin-bacitracin-polymyxin		norgestimate-ethinyl estradiol	65
MONOJECT ULTRA		.....	102	norlyda.....	65
COMFORT INSULIN.....	97	neomycin-polymyxin b gu.....	69	NORMOSOL-M IN 5 %	
mono-lynyah .....	64	neomycin-polymyxin b-		DEXTROSE .....	124
montelukast .....	125, 126	dexameth .....	102, 103	nortrel 0.5/35 (28).....	65
morphine.....	4	neomycin-polymyxin-		nortrel 1/35 (21).....	65
MORPHINE.....	4	gramicidin.....	103	nortrel 1/35 (28).....	65
morphine concentrate .....	4	neomycin-polymyxin-hc .....	103	nortrel 7/7/7 (28).....	65
MOVANTIK .....	106	neo-polycin.....	103	nortriptyline .....	29
moxifloxacin.....	11, 102	neo-polycin hc .....	103	NORVIR.....	44
MOZOBIL.....	49	NEPHRAMINE 5.4 % .....	51	NOVOFINE 30.....	87
MULPLETA.....	49	NERLYNX.....	18	NOVOFINE 32.....	87
MULTAQ.....	53	NEULASTA.....	49	NOVOFINE PLUS.....	87
mupirocin .....	69	NEULASTA ONPRO .....	49	NOVOLIN 70/30 U-100	
MVASI.....	18	NEUPRO.....	38	INSULIN .....	32
mycophenolate mofetil.....	115	nevirapine .....	44	NOVOLIN 70-30 FLEXPEN U-	
mycophenolate mofetil (hcl)	115	newgen.....	130	100 .....	32
MYLOTARG .....	18	NEXLETOL .....	57	NOVOLIN N FLEXPEN .....	32
mynatal .....	130	NEXLIZET.....	57	NOVOLIN N NPH U-100	
mynatal advance.....	130	niacin .....	57	INSULIN .....	32
mynatal plus .....	130	nicardipine.....	56	NOVOLIN R FLEXPEN.....	32
mynatal-z.....	130	NICOTROL.....	6	NOVOLIN R REGULAR U-	
mynate 90 plus .....	130	nifedipine.....	56	100 INSULN .....	32
MYRBETRIQ .....	107	nikki (28).....	65	NOVOLOG FLEXPEN U-100	
<b>N</b>		nilutamide.....	18	INSULIN .....	32
nabumetone .....	5	NINLARO .....	18	NOVOLOG MIX 70-30 U-100	
nafticillin.....	11	nitazoxanide.....	38	INSULN .....	32
nafticillin in dextrose iso-osm ..	11	nitisinone .....	101	NOVOLOG MIX 70-	
NAGLAZYME.....	101	nitrofurantoin macrocrystal .....	8	30FLEXPEN U-100 .....	32
naloxone .....	6				

NOVOLOG PENFILL U-100 INSULIN.....	32	OMNIPOD 5 G6 PODS (GEN 5).....	87	<b>P</b>	
NOVOLOG U-100 INSULIN ASPART.....	32	OMNIPOD CLASSIC PDM KIT(GEN 3).....	87	pacerone.....	53
NOVOTWIST.....	87	OMNIPOD CLASSIC PODS (GEN 3).....	87	paclitaxel protein-bound.....	19
NOXAFIL.....	34	OMNIPOD DASH INTRO KIT (GEN 4).....	87	PADCEV.....	19
NUBEQA.....	18	OMNIPOD DASH PDM KIT (GEN 4).....	87	paliperidone.....	41
NUCALA.....	127	OMNIPOD DASH PODS (GEN 4).....	87	PALYNZIQ.....	101
NULOJIX.....	115	ONCASPAR.....	19	PANRETIN.....	68
NUPLAZID.....	41	ondansetron.....	37	pantoprazole.....	105
NURTEC ODT.....	35	ondansetron hcl.....	37	paricalcitol.....	120
NUTRILIPID.....	51	ondansetron hcl (pf).....	37	paroex oral rinse.....	67
nyamyc.....	34	ONIVYDE.....	19	paromomycin.....	38
nylia 1/35 (28).....	65	ONTRUZANT.....	19	paroxetine hcl.....	29
nylia 7/7/7 (28).....	65	ONUREG.....	19	PAXLOVID (EUA).....	46
nymyo.....	65	OPDIVO.....	19	PEDIARIX (PF).....	118
nystatin.....	34	OPDUALAG.....	19	PEDVAX HIB (PF).....	118
nystop.....	34	OPSUMIT.....	129	peg 3350-electrolytes.....	106
NYVEPRIA.....	49	oralone.....	67	PEGASYS.....	47
<b>O</b>		ORFADIN.....	101	peg-electrolyte soln.....	107
obstetrix dha.....	130	ORGOVYX.....	112	PEGINTRON.....	47
o-cal prenatal.....	130	ORLISSA.....	112	PEMAZYRE.....	19
OICALIVA.....	106	ORKAMBI.....	127, 128	pemetrexed.....	19
OCREVUS.....	61	ORLADEYO.....	49	pemetrexed disodium.....	19
OCTAGAM.....	115	orsythia.....	65	PEN NEEDLE.....	82, 87, 88, 89
octreotide acetate.....	111	oseltamivir.....	46	PEN NEEDLE, DIABETIC ..	76,
ODEFSEY.....	44	OSMOLEX ER.....	38	86, 87, 88, 89	
ODOMZO.....	18	oxandrolone.....	108	PEN NEEDLE, DIABETIC, SAFETY.....	90
OFEV.....	127	oxcarbazepine.....	25, 26	penicillamine.....	108
ofloxacin.....	103	OXLUMO.....	122	penicillin g potassium.....	11
OGIVRI.....	19	OXTELLAR XR.....	26	penicillin g procaine.....	11
olanzapine.....	41	oxybutynin chloride.....	107	penicillin v potassium.....	11
olmesartan.....	52	oxycodone.....	4	PENTACEL (PF).....	118
olmesartan-hydrochlorothiazide .....	52	oxycodone-acetaminophen.....	4	pentamidine.....	38
olopatadine.....	102	oxycodone-aspirin.....	4	PENTIPS.....	88
omega-3 acid ethyl esters.....	57	OXYCONTIN.....	4	pentoxifylline.....	50
omeprazole.....	105	OZEMPIC.....	30	PEPAXTO.....	19
omeprazole-sodium bicarbonate .....	105			perindopril erbumine.....	53
OMNIPOD 5 G6 INTRO KIT (GEN 5).....	87			periogard.....	67

pfizerpen-g .....	11	potassium chloride-0.45 % nacl .....	124	PREVYMIS .....	46
phenelzine.....	29	potassium citrate.....	124	PREZCOBIX .....	44
phenobarbital.....	26	pr natal 400.....	130	PREZISTA .....	44
phenylephrine hcl .....	52	pr natal 400 ec .....	130	PRIFTIN .....	36
phenytoin.....	26	pr natal 430.....	130	PRIMAQUINE.....	38
phenytoin sodium .....	26	pr natal 430 ec .....	130	primidone.....	26
PHESGO .....	19	PRALUENT PEN.....	58	PRIORIX (PF) .....	118
philith .....	65	pramipexole.....	38	PRIVIGEN .....	115
PHOSLYRA.....	107	prasugrel .....	50	PRO COMFORT ALCOHOL PADS .....	68
PIFELTRO .....	44	pravastatin .....	58	PRO COMFORT INSULIN SYRINGE.....	88
pilocarpine hcl .....	67, 123	prazosin .....	52	PRO COMFORT PEN NEEDLE.....	88, 89
pimecrolimus.....	70	prednicarbate .....	70	probenecid .....	34
pimozide.....	41	prednisolone .....	110	probenecid-colchicine.....	34
pimtrex (28).....	65	prednisolone acetate .....	104	procainamide .....	53
pioglitazone .....	30	prednisolone sodium phosphate .....	104, 110, 111	PROCALAMINE 3% .....	51
PIP PEN NEEDLE.....	88	prednisone .....	111	prochlorperazine.....	37
piperacillin-tazobactam .....	11	pregabalin .....	26	prochlorperazine edisylate.....	37
PIQRAY .....	19	PREHEVBRIO (PF).....	118	prochlorperazine maleate.....	37
pirfenidone .....	128	PREMARIN .....	109	procto-med hc .....	70
pirmella.....	65	PREMPHASE .....	110	proctosol hc .....	70
PLASMA-LYTE 148 .....	124	PREMPRO .....	110	proctozone-hc .....	70
PLASMA-LYTE A .....	124	prenal true.....	130	PRODIGY INSULIN SYRINGE.....	89
PLEGRIDY .....	61	prenaissance.....	130	progesterone .....	112
pnv 29-1.....	130	prenaissance plus.....	130	progesterone micronized .....	113
pnv-dha + docusate .....	130	prenatabs fa.....	130	PROGRAF.....	115
pnv-ferrous fumarate-docu-fa .....	130	prenatal 19.....	130	PROLASTIN-C .....	128
pnv-omega.....	130	prenatal 19 (with docusate) ..	130	PROLENSA .....	104
pnv-vp-u .....	130	prenatal low iron.....	130	PROLEUKIN .....	20
podofilox .....	68	prenatal plus .....	130	PROLIA.....	120
POLIVY .....	19	prenatal plus (calcium carb) .	131	PROMACTA .....	49
polycin.....	103	prenatal vitamin plus low iron .....	131	promethazine .....	35, 37
polymyxin b sulfate.....	8	prenatal-u.....	131	promethegan .....	37
polymyxin b sulf-trimethoprim .....	103	preplus .....	131	propafenone .....	53
POMALYST .....	19	pretab .....	131	proparacaine .....	102
portia 28.....	65	PRETOMANID.....	36	propranolol .....	54
PORTRAZZA .....	19	prevalite.....	58	propranolol-hydrochlorothiazid .....	54
posaconazole .....	34	PREVENT DROPSAFE PEN NEEDLE .....	88	propylthiouracil .....	113
potassium chloride.....	124	previfem.....	65		

PROQUAD (PF) .....	118	repaglinide .....	30	ROZLYTREK .....	20
PROSOL 20 % .....	51	REPATHA PUSHTRONEX ..	58	RUBRACA .....	20
protamine .....	50	REPATHA SURECLICK .....	58	rufinamide .....	26
protriptyline .....	29	REPATHA SYRINGE .....	58	RUKOBIA .....	45
PULMOZYME .....	101	RESTASIS .....	104	RUXIENCE .....	20
PURE COMFORT ALCOHOL		RESTASIS MULTIDOSE ...	104	RYBELSUS .....	31
PADS .....	68	RETACRIT .....	49	RYBREVANT .....	20
PURE COMFORT PEN		RETEVMO .....	20	RYDAPT .....	20
NEEDLE .....	89	RETROVIR .....	45	<b>S</b>	
purefe ob plus .....	131	REVCovi .....	101	SAFESNAP INSULIN	
purefe plus .....	131	REVLIMID .....	20	SYRINGE .....	89, 90
PURIXAN .....	20	revonto .....	128	SAFETY PEN NEEDLE .....	90
pyrazinamide .....	36	REXULTI .....	41	sajazir .....	56
pyridostigmine bromide .....	122	REYATAZ .....	45	SANDOSTATIN LAR DEPOT	
pyrimethamine .....	38	REZUROCK .....	115	.....	112
<b>Q</b>		RHOPRESSA .....	123	SANTYL .....	68
QINLOCK .....	20	RIABNI .....	20	sapropterin .....	101
QUADRACEL (PF) .....	118	ribavirin .....	47	SARCLISA .....	20
quetiapine .....	41	RIDAURA .....	115	SAVELLA .....	61
quinapril .....	53	rifabutin .....	36	SCSEMBLIX .....	20
quinapril-hydrochlorothiazide	53	rifampin .....	36	scopolamine base .....	37
quinidine sulfate .....	53, 54	rilpivirine .....	45	SECUADO .....	42
quinine sulfate .....	38	riluzole .....	61	SECURESAFE PEN NEEDLE	
QULIPTA .....	35	rimantadine .....	46	.....	90
<b>R</b>		RINVOQ .....	115	select-ob .....	131
RABAVERT (PF) .....	118	risedronate .....	120, 121	select-ob (folic acid) .....	131
rabeprazole .....	105	RISPERDAL CONSTA .....	42	selegiline hcl .....	39
RADICAVA .....	61	risperidone .....	42	selenium sulfide .....	69
raloxifene .....	110	ritonavir .....	45	SELZENTRY .....	45
ramipril .....	53	RITUXAN .....	20	se-natal 19 chewable .....	131
ranolazine .....	56	RITUXAN HYCELA .....	20	SEREVENT DISKUS .....	126
rasagiline .....	39	rivastigmine .....	28	SEROSTIM .....	112
RASUVO (PF) .....	115	rivastigmine tartrate .....	28	sertraline .....	29
RAVICTI .....	106	rizatriptan .....	35	setlakin .....	65
RAYALDEE .....	120	r-natal ob .....	131	sevelamer carbonate .....	107
reclipsen (28) .....	65	ROCKLATAN .....	123	sevelamer hcl .....	107
RECOMBIVAX HB (PF) ....	118	roflumilast .....	128	sf 5000 plus .....	67
RECTIV .....	122	ropinirole .....	39	sharobel .....	65
RELENZA DISKHALER .....	46	rosadan .....	69	SHINGRIX (PF) .....	119
RELEUKO .....	49	rosuvastatin .....	58	SIGNIFOR .....	112
RELION NEEDLES .....	89	ROTARIX .....	118	SIKLOS .....	50
RELION PEN NEEDLES .....	89	ROTATEQ VACCINE .....	118	sildenafil .....	129

sildenafil (pulm.hypertension)	69	SURE-PREP ALCOHOL PREP	
.....	129	PADS.....	68
silver sulfadiazine.....	69	SUTAB.....	107
SIMBRINZA.....	123	syeda.....	66
simliya (28).....	65	SYLVANT.....	20
simpesse.....	65	SYMBICORT.....	125
simvastatin.....	58	SYMDEKO.....	128
sirolimus.....	115, 116	SYMLINPEN 120.....	31
SIRTURO.....	36	SYMLINPEN 60.....	31
SKY SAFETY PEN NEEDLE		SYMPAZAN.....	26
.....	90	SYMTUZA.....	45
SKYRIZI.....	116	SYNAGIS.....	46
sodium chloride 0.45 %.....	124	SYNAREL.....	112
sodium chloride 0.9 %.....	125	SYNERCID.....	8
sodium fluoride-pot nitrate.....	67	SYNJARDY.....	31
sodium phenylbutyrate.....	106	SYNJARDY XR.....	31
sodium polystyrene (sorb free)		SYNRIBO.....	21
.....	106	<b>T</b>	
sodium polystyrene sulfonate		TABLOID.....	21
.....	106	TABRECTA.....	21
sodium,potassium,mag sulfates		tacrolimus.....	70, 116
.....	107	tadalafil (pulm. hypertension)	
SOLQUA 100/33.....	32	.....	129
SOLTAMOX.....	20	TAFINLAR.....	21
SOLU-CORTEF ACT-O-VIAL		TAGRISSE.....	21
(PF).....	111	TAKHZYRO.....	122
SOMATULINE DEPOT.....	112	TALZENNA.....	21
SOMAVERT.....	112	tamoxifen.....	21
sorafenib.....	20	tamsulosin.....	108
sorine.....	54	tarina 24 fe.....	66
sotalol.....	54	tarina fe 1-20 eq (28).....	66
sotalol af.....	54	taron-c dha.....	131
SPIRIVA RESPIMAT.....	126	taron-prex prenatal-dha.....	131
SPIRIVA WITH		TASCENSO ODT.....	61
HANDIHALER.....	126	TASIGNA.....	21
spironolactone.....	57	TAVALISSE.....	50
SPRAVATO.....	29	tazarotene.....	70
sprintec (28).....	65	TAZORAC.....	70
SPRITAM.....	26	taztia xt.....	55
SPRYCEL.....	20	TAZVERIK.....	21
sps (with sorbitol).....	106	TDVAX.....	119
sronyx.....	65	TECENTRIQ.....	21
ssd.....	69		
stavudine.....	45		
STELARA.....	116		
STERILE PADS.....	90		
STIOLTO RESPIMAT.....	126		
STIVARGA.....	20		
STRENSIQ.....	101		
streptomycin.....	7		
STRIBILD.....	45		
STRIVERDI RESPIMAT.....	126		
SUBLOCADE.....	6		
subvenite.....	26		
sucralfate.....	105		
sulfacetamide sodium.....	103		
sulfacetamide sodium (acne).....	69		
sulfacetamide-prednisolone.....	103		
sulfadiazine.....	11		
sulfamethoxazole-trimethoprim			
.....	11, 12		
sulfasalazine.....	120		
sulindac.....	5		
sumatriptan.....	35		
sumatriptan succinate.....	36		
sunitinib.....	20		
SUNOSI.....	128		
SUPPRELIN LA.....	112		
SUPREP BOWEL PREP KIT			
.....	107		
SURE COMFORT ALCOHOL			
PREP PADS.....	68		
SURE COMFORT INS. SYR.			
U-100.....	90		
SURE COMFORT INSULIN			
SYRINGE.....	90, 91		
SURE COMFORT PEN			
NEEDLE.....	90, 91		
SURE COMFORT SAFETY			
PEN NEEDLE.....	90		
SURE-FINE PEN NEEDLES.....	91		
SURE-JECT INSULIN			
SYRINGE.....	91		

TECHLITE INSULIN		
SYRINGE.....	92	
TECHLITE INSULN		
SYR(HALF UNIT) .....	91, 92	
TECHLITE PEN NEEDLE....	92	
TEFLARO .....	9	
telmisartan .....	52	
temazepam.....	7	
TE MIXYS .....	45	
TEMODAR .....	21	
TENIVAC (PF) .....	119	
tenofovir disoproxil fumarate.	45	
TEPEZZA.....	102	
TEPMETKO.....	21	
terazosin .....	108	
terbinafine hcl.....	34	
terbutaline.....	126, 127	
terconazole .....	35	
TERUMO INSULIN SYRINGE		
.....	92, 93	
testosterone.....	108, 109	
testosterone cypionate .....	108	
testosterone enanthate .....	108	
TETANUS,DIPHThERIA TOX		
PED(PF) .....	119	
tetrabenazine.....	61	
tetracycline .....	12	
THALOMID.....	122	
theophylline.....	127	
THINPRO INSULIN SYRINGE		
.....	93	
THIOLA EC.....	108	
thioridazine.....	42	
thiotepa.....	21	
thiothixene.....	42	
tiadylt er.....	55	
tiagabine .....	26	
TIBSOVO.....	21	
TICE BCG.....	21	
TICOVAC .....	119	
tigecycline .....	12	
timolol maleate.....	54, 123	
tiopronin .....	108	
TIVDAK.....	21	
TIVICAY.....	45	
TIVICAY PD .....	45	
tizanidine .....	128	
TOBI PODHALER .....	7	
tobramycin.....	8, 103	
tobramycin in 0.225 % nacl.....	7	
tobramycin sulfate .....	8	
tobramycin-dexamethasone..	103	
tolterodine.....	107	
TOPCARE CLICKFINE.....	93	
TOPCARE ULTRA		
COMFORT.....	93	
topiramate .....	26	
toposar .....	21	
toremifene.....	21	
torsemide .....	57	
TOTECT.....	122	
TOUJEO MAX U-300		
SOLOSTAR .....	32	
TOUJEO SOLOSTAR U-300		
INSULIN .....	32	
TRACLEER .....	129	
TRADJENTA .....	31	
tramadol.....	4	
tramadol-acetaminophen .....	4	
trandolapril .....	53	
tranexamic acid.....	50	
tranylcypromine.....	29	
TRAVASOL 10 % .....	52	
travoprost.....	123	
TRAZIMERA.....	21	
trazodone .....	29	
TREANDA .....	21	
TRECTOR.....	36	
TRELEGY ELLIPTA.....	127	
TRELSTAR.....	21, 22	
TREMFYA .....	116	
treprostinil sodium.....	129	
tretinoin .....	70	
tretinoin (antineoplastic).....	22	
tri femynor.....	66	
triamcinolone acetonide...67, 70,		
111		
triamterene-hydrochlorothiazid		
.....	57	
trientine.....	108	
tri-estarylla.....	66	
trifluoperazine.....	42	
trifluridine.....	103	
trihexyphenidyl.....	39	
TRIJARDY XR .....	31	
TRIKAFTA .....	128	
tri-legest fe.....	66	
tri-linyah .....	66	
tri-lo-estarylla .....	66	
tri-lo-marzia .....	66	
tri-lo-mili .....	66	
tri-lo-sprintec .....	66	
trilyte with flavor packets.....	107	
trimethoprim .....	8	
tri-mili.....	66	
trimipramine .....	29	
TRINTELLIX.....	29	
tri-nymyo .....	66	
tri-previfem (28).....	66	
TRIPTODUR.....	112	
tri-sprintec (28).....	66	
TRIUMEQ .....	45	
TRIUMEQ PD.....	45	
triveen-duo dha.....	131	
triveen-prx rnf.....	131	
trivora (28).....	66	
tri-vylibra .....	66	
tri-vylibra lo.....	66	
TRIZIVIR .....	45	
TRODELVY.....	22	
TROGARZO .....	45	
TROPHAMINE 10 %.....	52	
trospium.....	107	
TRUE COMFORT ALCOHOL		
PADS .....	68	

TRUE COMFORT INSULIN SYRINGE.....	93	ULTILET INSULIN SYRINGE .....	83, 84, 96	valganciclovir .....	47
TRUE COMFORT PEN NEEDLE .....	93, 94	ULTILET PEN NEEDLE .....	96	valproate sodium .....	26
TRUE COMFORT PRO ALCOHOL PADS.....	68	ULTRA CMFT INS SYR (HALF UNIT) .....	82, 90, 95	valproic acid .....	26
TRUE COMFORT PRO INS SYRINGE.....	93, 94	ULTRA COMFORT INSULIN SYRINGE.....	78, 82, 96, 97	valproic acid (as sodium salt) .....	26
TRUEPLUS INSULIN.....	94, 95	ULTRA FLO INSUL SYR(HALF UNIT).....	97	valrubicin.....	22
TRUEPLUS PEN NEEDLE..	94	ULTRA FLO INSULIN SYRINGE.....	97	valsartan.....	52
TRULICITY.....	31	ULTRA FLO PEN NEEDLE .....	97	valsartan-hydrochlorothiazide .....	52
TRUMENBA .....	119	ULTRA THIN PEN NEEDLE .....	97	VALTOCO .....	27
TRUSELTIQ .....	22	ULTRACARE INSULIN SYRINGE.....	97, 98	vancomycin.....	8, 9
TRUXIMA .....	22	ULTRACARE PEN NEEDLE .....	98	VANISHPOINT INSULIN SYRINGE.....	100
TUKYSA.....	22	ULTRA-THIN II (SHORT) INS SYR .....	98	VANISHPOINT SYRINGE .....	100
tulana .....	66	ULTRA-THIN II (SHORT) PEN NDL .....	99	VAQTA (PF).....	119
TURALIO .....	22	ULTRA-THIN II INS PEN NEEDLES .....	98	varenciline .....	6, 7
TWINRIX (PF) .....	119	ULTRA-THIN II INSULIN SYRINGE.....	98	VARIVAX (PF).....	119
tyblume.....	66	UNIFINE PEN NEEDLE.....	99	VASCEPA .....	58
TYBOST .....	122	UNIFINE PENTIPS .....	87, 99	VEKLURY .....	47
TYMLOS .....	121	UNIFINE PENTIPS MAXFLOW .....	99	VELCADE .....	22
TYPHIM VI .....	119	UNIFINE PENTIPS PLUS .....	99	velivet triphasic regimen (28).....	66
TYSABRI.....	116	UNIFINE PENTIPS PLUS MAXFLOW .....	99	VELPHORO.....	107
TYVASO.....	129	UNIFINE SAFECONTROL .....	99	VEMLIDY.....	45
<b>U</b>		UNIFINE ULTRA PEN NEEDLE .....	99, 100	vena-bal dha.....	131
UBRELVY.....	36	UNITUXIN .....	22	VENCLEXTA .....	22
UCERIS.....	120	UPTRAVI.....	129	VENCLEXTA STARTING PACK .....	22
UDENYCA .....	49	ursodiol.....	106	venlafaxine .....	30
ULTICARE .....	95, 96	<b>V</b>		venlafaxine besylate .....	30
ULTICARE INSULIN SYRINGE.....	95	valacyclovir .....	47	verapamil .....	55
ULTICARE INSULN SYR(HALF UNIT) .....	95	VALCHLOR .....	68	VERIFINE PEN NEEDLE..	100
ULTICARE PEN NEEDLE .....	95			VERSACLOZ.....	42
ULTICARE SAFETY PEN NEEDLE .....	95			VERSALON.....	100
ULTIGUARD SAFEPACK-INSULIN SYR .....	96			VERZENIO .....	22
ULTIGUARD SAFEPACK-PEN NEEDLE.....	96			vestura (28).....	66
ULTILET ALCOHOL SWAB .....	68			V-GO 20 .....	100
				V-GO 30 .....	100
				V-GO 40 .....	100
				VICTOZA.....	31
				vienva .....	66
				vigabatrin.....	27
				vigadrone .....	27
				VIIBRYD .....	30
				vilazodone.....	30

VIMIZIM .....	101
VIMPAT.....	27
vinate care .....	131
vinate gt.....	131
vinate ii.....	131
vinate ultra.....	131
vinorelbine.....	22
viorele (28).....	66
VIRACEPT .....	45
VIREAD.....	45
virt-c dha .....	131
virt-nate dha.....	131
virt-pn.....	131
virt-pn dha .....	131
virt-pn plus .....	131
VISTOGARD.....	122
vitafol gummies.....	131
vitafol nano.....	131
vitafol-ob+dha .....	131
VITRAKVI.....	22
viva dha .....	131
VIZIMPRO.....	22
VOCABRIA .....	45
vol-nate.....	131
volnea (28).....	67
VONJO.....	22
voriconazole .....	34
VOSEVI .....	46
VOTRIENT.....	23
vp-ch plus .....	131
vp-ch-pnv .....	131
vp-pnv-dha .....	131
VPRIV.....	101
VRAYLAR.....	42
VUMERITY.....	61
vyfemla (28).....	67
vylibra.....	67
VYNDAMAX .....	56
VYNDAQEL.....	56
VYXEOS.....	23

<b>W</b>	
warfarin .....	48
WEBCOL .....	68
WELIREG.....	23
wera (28).....	67
<b>X</b>	
XADAGO.....	39
XALKORI.....	23
XARELTO .....	48
XARELTO DVT-PE TREAT 30D START .....	48
XATMEP.....	23
XCOPRI .....	27
XCOPRI MAINTENANCE PACK .....	27
XCOPRI TITRATION PACK	27
XELJANZ .....	116
XELJANZ XR.....	116
XERMELO.....	106
XGEVA .....	121
XHANCE .....	104
XIFAXAN.....	9
XIGDUO XR.....	31
XIIDRA .....	104
XOFLUZA .....	46
XOLAIR.....	128
XOSPATA.....	23
XPOVIO.....	23
XTAMPZA ER .....	4
XTANDI.....	23
xulane .....	67
XULTOPHY 100/3.6 .....	33
XURIDEN .....	122
XYOSTED .....	109
XYREM.....	129
<b>Y</b>	
YERVOY .....	23
YF-VAX (PF).....	119
YONDELIS .....	23
YONSA .....	23
yuvafem.....	110

<b>Z</b>	
zafemy .....	67
zafirlukast .....	126
zaleplon.....	129
zarah .....	67
ZARXIO .....	49
zatean-pn dha.....	131
zatean-pn plus.....	131
ZEGALOGUE AUTOINJECTOR .....	122
ZEGALOGUE SYRINGE....	122
ZEJULA .....	23
ZELBORAF .....	23
zenatane .....	68
ZENPEP .....	101
ZEPZELCA .....	23
zidovudine .....	45
zingiber.....	132
ziprasidone hcl.....	42
ziprasidone mesylate .....	42
ZIRABEV.....	24
ZIRGAN.....	103
ZOLADEX .....	24
zoledronic acid.....	121
zoledronic acid-mannitol-water .....	121
ZOLINZA.....	24
zolpidem .....	129
ZONISADE .....	27
zonisamide.....	27
ZORBTIVE .....	112
zovia 1-35 (28) .....	67
ZTALMY .....	27
ZTLIDO.....	6
ZULRESSO.....	30
zumandimine (28).....	67
ZYDELIG.....	24
ZYKADIA .....	24
ZYLET .....	103
ZYNLONTA .....	24
ZYPREXA RELPREVV .....	42

本处方集已于 12/01/2022. 更新。

如需更多最新資訊或有其他問題，請致電 Bright HealthCare，電話為 1-833-726-0667，聽障和語障人士可撥打 711，我們一週七天，每天 24 小時提供服務；或者造訪 [www.BrightHealthCare.com/Medicare](http://www.BrightHealthCare.com/Medicare)。