

2023 Individual & Family Plan \$0 Copay Drug List

Current as of January 1st, 2023

Preventative medications to help keep you healthy

Bright HealthCare, in compliance with the Affordable Care Act (ACA), offers certain preventative medications for a \$0 copay.

To receive these medications, you need to:

- Have a prescription from a licensed health provider, including for over the counter (OTC) medications
- Fill your prescription at an in-network pharmacy
- Qualify for the appropriate age, disease state

Note: This list may change based on ACA guidelines

Table key

- | | |
|---|--|
| <ul style="list-style-type: none">• Brand names: Example Brand Name Medication• Generic names: Example <i>Generic Name Medication</i>• OTC: Over the counter | <ul style="list-style-type: none">• QL: Quantity Limit• EA: Each dosage unit (tablet, capsule, or bottle) |
|---|--|

Aspirin

These products help prevent cardiovascular disease and colorectal cancer for high-risk adults.

| | |
|--|--|
| <i>aspirin adult low strength oral tablet enteric coated 81 mg</i> | OTC \$0 copay for members under age 51 QL (100 EA per 30 days) |
| <i>aspirin oral tablet chewable 81 mg</i> | OTC \$0 copay for members under age 51 QL (100 EA per 30 days) |
| <i>aspirin oral tablet 81mg</i> | OTC \$0 copay for members under age 51 QL (100 EA per 30 days) |

Bowel preparation

Medications for cleaning out bowel before colonoscopy. Colonoscopies are used to screen for colorectal cancer in adults age 45-75.

| | |
|--|--|
| <i>PEG-3350/electrolytes for oral solution</i> | \$0 copay for members age 45 through 75 Limit 2 fills in 365 days |
| Clenpiq for oral solution | \$0 copay for members age 45 through 75 Limit 2 fills in 365 days |
| Gavilyte-N for oral solution | \$0 copay for members age 45 through 75 Limit 2 fills in 365 days |
| Gavilyte-G for oral solution | \$0 copay for members age 45 through 75 Limit 2 fills in 365 days |
| Gavilyte-C for oral solution | \$0 copay for members age 45 through 75 Limit 2 fills in 365 days |
| Suprep for oral solution | \$0 copay for members age 45 through 75 Limit 2 fills in 365 days |
| Sutab oral tablet | \$0 copay for members age 45 through 75 Limit 2 fills in 365 days |

Folic acid

Supplements to prevent birth defects in women who are pregnant/may become pregnant.

| | |
|--|---|
| <i>folic acid oral tablet 400 mcg, 800 mcg</i> | OTC \$0 copay for members under age 51 QL (30 EA per 30 days) |
|--|---|

Statin-prevention

Medications to reduce the risk of heart attack and stroke by helping lower cholesterol levels in the blood for at-risk adults age 40-75.

Note: Applies to patients with no prior history of aspirin/dipyridamole, Brilinta, clopidogrel, dipyridamole, gonitro, nitro-bid, nitro-dur, nitroglycerin, nitromist, prasugrel, ticlopidine, or Zontivity.

| | |
|--|---|
| <i>atorvastatin oral tablet 5 mg, 10 mg, 20 mg, 40 mg, 80 mg</i> | \$0 copay for members age 40 through 75 |
| <i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i> | \$0 copay for members age 40 through 75 |
| <i>pravastatin sodium oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> | \$0 copay for members age 40 through 75 |
| <i>rosuvastatin calcium oral tablet 5 mg, 10 mg</i> | \$0 copay for members age 40 through 75 |
| <i>simvastatin oral tablet 5 mg, 10 mg, 20 mg, 40 mg</i> | \$0 copay for members age 40 through 75 |

Fluoride

Supplements for children age six years and younger, whose water supply is fluoride deficient, to prevent tooth decay/cavities.

| | |
|---|--------------------------------------|
| <i>sodium fluoride oral tablet chewable 0.55 mg (0.25 ppm F) mg, 1.1 mg (0.5 ppm F) mg, 2.2 mg (1ppm F)</i> | \$0 copay for 6 months-16 yrs of age |
| <i>fluoride oral tablet chewable 0.55 mg (0.25 ppm F) mg, 1.1 mg (0.5 ppm F) mg, 2.2 mg (1 ppm F)</i> | \$0 copay for 6 months-16 yrs of age |
| <i>sodium fluoride oral solution 0.5mg/ml</i> | \$0 copay for 6 months-16 yrs of age |

Human Immunodeficiency Virus (HIV) prevention

Medication for preexposure prevention of HIV in those at an increased risk.

| | |
|--|---|
| <i>emtricitabine-tenofovir 200/300 mg tablet</i> | QL (30 EA per 30 days) \$0 copay if utilizing for HIV prevention |
|--|---|

Breast cancer prevention

Treatments to help prevent breast cancer for those 35 years of age or older who are at increased risk.

| | |
|---|--|
| <i>tamoxifen citrate oral tablet 10 mg, 20 mg</i> | \$0 copay for those 35 years of age or older for the primary prevention of breast cancer |
| <i>raloxifene hcl oral tablet 60 mg</i> | \$0 copay for those 35 years of age or older for the primary prevention of breast cancer |

Smoking cessation

Treatments to help adults 18 years of age or older quit tobacco to prevent health problems associated with tobacco use.

| | |
|--|---|
| <i>bupropion Hcl 12 hour extended release (smoking deterrent) oral tablet 150 mg</i> | \$0 copay for 18 years of age or older Limit 180 day supply per year |
| <i>varenicline oral tablet 0.5 mg, 1 mg</i> | \$0 copay for 18 years of age or older Limit 180 day supply per year |
| <i>nicotine mouth/throat lozenge 2 mg, 4 mg</i> | \$0 copay for 18 years of age or older Limit 180 day supply per year |
| <i>nicotine mouth/throat gum 2 mg, 4 mg</i> | \$0 copay for 18 years of age or older Limit 180 day supply per year |
| <i>nicotine step 3 transdermal patch 24 hour 7 mg/24hr</i> | \$0 copay for 18 years of age or older Limit 180 day supply per year |
| <i>nicotine transdermal patch 24 hour 14 mg/24hr</i> | \$0 copay for 18 years of age or older Limit 180 day supply per year |
| <i>nicotine transdermal patch 24 hour 21 mg/24hr</i> | \$0 copay for 18 years of age or older Limit 180 day supply per year |
| <i>nicotine transdermal patch 24 hour 22 mg/24hr</i> | \$0 copay for 18 years of age or older Limit 180 day supply per year |
| NICOTROL inhaler 10 mg | \$0 copay for 18 years of age or older Limit 180 day supply per year |
| NICOTROL NS Nasal Solution 10 Mg/ML | \$0 copay for 18 years of age or older Limit 180 day supply per year |

Immunizations

Vaccines to help prevent certain diseases.

| Children | Adults |
|--|---|
| <ul style="list-style-type: none">• COVID-19• Haemophilus Influenzae Type B• Hepatitis B• Hepatitis A• Human Papillomavirus• Influenza• Measles, Mumps, and Rubella• Meningococcal• Pneumococcal• Poliovirus• Rotavirus• Tetanus, Diphtheria, Pertussis• Varicella | <ul style="list-style-type: none">• COVID-19• Hepatitis B• Hepatitis A• Herpes Zoster• Human Papillomavirus• Influenza• Measles, Mumps, and Rubella• Meningococcal• Pneumococcal• Tetanus, Diphtheria, Pertussis• Varicella |

Contraception products to prevent pregnancy

Oral contraceptives

| | | |
|--|--|--|
| <i>afirmelle oral tablet 0.1 mg/20 mcg</i> | <i>drospiren-eth estrad-levomefol oral tablet 3 mg/0.02</i> | <i>larin oral tablet 1 mg/20 mcg</i> |
| <i>altavera oral tablet 0.15 mg/30 mcg</i> | <i>drospirenone-ethinyl estradiol oral tablet 3 mg/0.03 mg</i> | <i>larin FE oral tablet 1 mg/20 mcg, 1.5mg/30mcg</i> |
| <i>alyacen 1/35 oral tablet 1 mg/35 mcg</i> | <i>elinest oral tablet 0.3 mg/0.03 mg</i> | <i>larissia oral tablet 0.1 mg/0.02 mg</i> |
| <i>amethyst oral tablet 90 mcg/20 mcg</i> | <i>emoquette oral tablet 0.15 mg/30 mcg</i> | <i>layolis Fe oral chewable tablet 0.8 mg/25 mcg</i> |
| <i>apri oral tablet 0/15 mg/30 mcg</i> | <i>enpresse-28 oral tablet</i> | <i>leena-28 oral tablet</i> |
| <i>aranelle oral tablet 0.5 mg/0.035 mg, 1 mg/0.035 mg</i> | <i>enskyce oral tablet 0.15 mg/30 mcg</i> | <i>lessina oral tablet 0.1 mg/0.02 mg</i> |
| <i>ashlyna oral tablet 0.15 mg/0.03 mg/0.01 mg</i> | <i>errin oral tablet 0.35 mg</i> | <i>levonest-28 oral tablet</i> |
| <i>aubra oral tablet 0.1 mg/ 0.02 mg</i> | <i>estarylla oral tablet 0.25 mg/0.035 mg</i> | <i>levonorgestrel-eth estradiol oral tablet 0.1 mg/ 0.02 mg, 0.15 mg/0.03 mcg, 90 mcg/20 mcg</i> |
| <i>aurovela oral tablet 1.5 mg/30 mcg, 1 mg/20 mcg</i> | <i>ethynodiol-ethinyl estradiol oral tablet 1 mg/35 mcg, 1 mg/50 mcg</i> | <i>levora oral tablet 0.15 mg/0.03 mg</i> |
| <i>aurovela FE oral tablet 1 mg/20 mcg, 1.5 mg/30 mcg</i> | <i>falmina oral tablet 0.1 mg/20 mcg</i> | <i>lillow oral tablet 0.15 mg/ 0.03 mg</i> |
| <i>aviane oral tablet 0.1 mg/20 mcg</i> | <i>femynor oral tablet 0.25 mg/ 0.035 mg</i> | <i>lo loestrin FE oral tablet 1mg/10 mcg & 10mcg</i> |
| <i>ayuna oral tablet 0.15 mg/0.03 mg</i> | <i>gemmily oral capsule 1 mg/20 mcg</i> | <i>lomedica 24 FE oral tablet 1 mg/20 mcg</i> |
| <i>azurette oral tablet 0.15 mg/0.02mg and 0.01 mg</i> | <i>gianvi oral tablet 3 mg/0.02 mg</i> | <i>loryna oral tablet 3 mg/0.02 mg</i> |
| <i>balcoltra oral tablet 0.1 mg/0.02 mg and 36.5 mg</i> | <i>gildagia oral tablet 0.4 mg/0.035 mg</i> | <i>low-ogestrel oral tablet 0.3 mg/ 0.03 mg</i> |
| <i>balziva oral tablet 0.4 mg/0.035 mg</i> | <i>hailey oral tablet 1.5 mg/30 mcg</i> | <i>lo-zumandimine oral tablet 3 mg/0.02 mg</i> |
| <i>blisovi FE oral tablet 1 mg/ 0.02 mg, 1.5 mg/0.03 mg</i> | <i>hailey FE oral tablet 1 mg/20 mcg, 1.5 mg/30 mcg</i> | <i>lutera- 28 oral tablet</i> |
| <i>briellyn oral tablet 0.4 mg/0.035 mg</i> | <i>heather oral tablet 0.35 mg</i> | <i>lyleq oral tablet 0.35 mg</i> |
| <i>camila oral tablet 0.35 mg</i> | <i>incassia oral tablet 0.35 mg</i> | <i>lyza oral tablet 0.35 mg</i> |
| <i>caziant oral tablet 0.15 mg/30 mcg</i> | <i>isibloom oral tablet 0.15 mg/0.03 mg</i> | <i>marlissa oral tablet 0.15 mg/0.03 mg</i> |
| <i>charlotte 24 FE oral chewable tablet 1 mg/20 mcg</i> | <i>asmiel oral tablet 3 mg/0.02 mg</i> | <i>melodetta 24 FE oral chewable tablet 1 mg/20 mcg</i> |
| <i>chateal oral tablet 0.15 mg/30 mcg</i> | <i>jencycla oral tablet 0.35 mg</i> | <i>merzee oral capsule 1 mg/20 mcg</i> |
| <i>cryselle oral tablet 0.3 mg/0.03 mg</i> | <i>jolivette oral tablet 0.35 mg</i> | <i>mibelas 24 FE oral tablet 1 mg/20 mcg</i> |
| <i>cyclafem 1/35 oral tablet 1 mg/35 mcg</i> | <i>juleber oral tablet 0.15 mg/0.03 mg</i> | <i>microgestin oral tablet 1 mg/20 mcg, 1.5 mg/30 mcg</i> |
| <i>cyclafem 7/7/7 oral tablet 0.5 mg/35 mcg, 0.75 mg/35 mcg, 1 mg/35 mcg</i> | <i>junal 1.5/30 oral tablet 1.5 mg/30 mcg</i> | <i>microgestin FE oral tablet 1 mg/20 mcg, 1.5 mg/30 mcg</i> |
| <i>cyred oral tablet 0.15 mg/0.03 mg</i> | <i>junal 1/20 oral tablet 1 mg/20 mcg</i> | <i>mili oral tablet 0.25 mg/0.035 mg</i> |
| <i>dasetta 1/35 oral tablet 1 mg/35 mcg</i> | <i>junal FE oral tablet 1.5 mg/30 mcg</i> | <i>mono-lynyah oral tablet 0.25 mg/0.035 mg</i> |
| <i>dasetta 7/7/7 oral tablet 0.5 mg/35 mcg, 0.75 mg/ 35 mcg, 1 mg/35 mcg</i> | <i>junal FE 1/20 oral tablet 1mg/20 mcg</i> | <i>natazia-28 oral tablet</i> |
| <i>deblitane oral tablet 0.35 mg</i> | <i>kaitlib FE oral chewable tablet 0.8 mg/0.025 mg</i> | <i>necon oral tablet 0.5 mg/35 mcg</i> |
| <i>desogestr-eth-estrad oral tablet 0.15 mg/0.03 mg</i> | <i>kalliga oral tablet 0.15 mg/0.03 mg</i> | <i>nextstellis oral tablet 3 mg/14.2 mg</i> |
| <i>dolishale oral tablet 90 mcg/20 mcg</i> | <i>kariva oral tablet 0.15 mg/0.02 mg & 0.01 mg</i> | <i>nikki oral tablet 3 mg/0.02 mg</i> |
| | <i>kelnor oral tablet 1 mg/50 mcg, 1 mg/25 mcg</i> | |
| | <i>kurvelo oral tablet 0.15 mg/30 mcg</i> | |
| | <i>larin 1.5/30 oral tablet 1.5 mg/30 mcg</i> | |

| | | |
|--|---|--|
| <p><i>nora-Be oral tablet 0.35 mg</i></p> <p><i>norethindrone-ethinyl-estradiol-iron oral tablet 1 mg/20 mcg, 1.5 mg/30mcg</i></p> <p><i>norethindrone-ethinyl-estradiol-iron oral capsule 1 mg/20 mcg</i></p> <p><i>norethindrone-ethinyl-estradiol-iron oral chewable tablet 1 mg/20 mcg</i></p> <p><i>norethindrone-ethinyl-estradiol- fe oral chewable tablet 0.8 mg/0.025 mg, 0.4 mg/0.035 mg</i></p> <p><i>norgestimate-eth estradiol oral tablet 0.25 mg/35 mcg</i></p> <p><i>norlyda oral tablet 0.35 mg</i></p> <p><i>nortrel 0.5/35 (28) oral tablet 0.5 mg/35 mcg</i></p> <p><i>nortrel 7/7/7 oral tablet 0.5 mg/35 mg, 0.75 mg/35 mcg, 1 mg/35 mcg</i></p> <p><i>nylia 7/7/7/ oral tablet 0.5 mg/0.035 mg, 0.75 mg/0.035 mg, 1 mg/0.035 mg</i></p> <p><i>nymyo oral tablet 0.25 mg/0.035 mg</i></p> <p><i>ocella oral tablet 3 mg/0.03 mg</i></p> <p><i>orsythia oral tablet 0.1 mg/0.02 mg</i></p> <p><i>philith oral tablet 0.4 mg/0.035 mg</i></p> <p><i>pimtreea oral tablet 0.15 mg/0.02 mg & 0.01 mg</i></p> <p><i>pirmella 1/35 oral tablet 1 mg/35 mcg</i></p> <p><i>pirmella 7/7/7 oral tablet 0.5 mg/35 mcg, 0.75 mg/35 mcg, 1 mg/35 mcg</i></p> <p><i>portia oral tablet 0.15 mg/0.03 mg</i></p> <p><i>previfem oral tablet 0.25 mg/0.035 mg</i></p> <p><i>reclipsen oral tablet 0.15 mg/0.03 mg</i></p> <p><i>sharobel oral tablet 0.35 mg</i></p> | <p><i>simliya oral tablet 0.15 mg/0.02 mg & 0.01 mg</i></p> <p><i>slynd oral tablet 4 mg</i></p> <p><i>sprintec oral tablet 0.25 mg/0.035 mg</i></p> <p><i>sronyx oral tablet 0.1 mg/0.02 mg</i></p> <p><i>syeda oral tablet 3 mg/0.03 mg</i></p> <p><i>tarina FE oral tablet 1mg/20 mcg</i></p> <p><i>tarina 24 FE oral tablet 1 mg/20 mcg</i></p> <p><i>tilia FE oral tablet 1 mg/0.02 mg, 1 mg/0.03 mg, 1 mg/0.035 mg</i></p> <p><i>tri femynor 7/7/7 oral tablet</i></p> <p><i>tri-estarylla oral tablet 0.18 mg/0.035 mg, 0.215 mg/0.035 mg, 0.25 mg/0.035 mg</i></p> <p><i>tri-legest FE oral tablet 1 mg/20 mcg, 1 mg/30 mcg, 1 mg/35 mcg</i></p> <p><i>Tri-Linyah oral tablet 0.18 mg/0.035mg, 0.215 mg/0.035 mg, 0.25 mg/0.035 mg</i></p> <p><i>tri-lo-estarylla oral tablet 0.18 mg/0.025 mg, 0.215 mg/0.025 mg & 0.25 mg/0.025 mg</i></p> <p><i>tri-lo-marzia oral tablet 0.180 mg/0.025 mg, 0.215 mg/0.025 mg & 0.250 mg/0.025 mg</i></p> <p><i>tri-lo-mili oral tablet 0.180 mg/0.025 mg, 0.215 mg/0.025 mg, 0.250 mg/0.025 mg</i></p> <p><i>tri-lo-sprintec oral tablet 0.18 mg/0.215 mg, 0.25 mg/25 mcg</i></p> <p><i>tri-mili oral tablet 0.180 mg/0.035 mg, 0.215 mg/0.035 mg, 0.250 mg/0.035 mg</i></p> <p><i>tri-nymyo oral tablet 0.18 mg/0.035 mg, 0.215 mg/0.035 mg, 0.25 mg/0.035 mg</i></p> <p><i>tri-previfem oral tablet 0.18 mg/0.035 mg, 0.215 mg/0.035 mg & 0.25 mg/0.035 mg</i></p> | <p><i>tri-sprintec oral tablet 0.18 mg/35 mcg, 0.215 mg/35 mcg, 0.25 mg/35 mcg</i></p> <p><i>trivora (28) oral tablet</i></p> <p><i>tri-vylibra oral tablet 0.180 mg/0.035 mg, 0.215 mg/0.035 mg, 0.250 mg/0.035 mg</i></p> <p><i>tri-vylibra Lo oral tablet 0.180 mg/0.025 mg, 0.215 mg/0.025 mg, 0.250 mg/0.025 mg</i></p> <p><i>tulana oral tablet 0.35 mg</i></p> <p><i>tyblume oral chewable tablet 0.1 mg/0.02 mg</i></p> <p><i>tydemy oral tablet 3 mg/0.03 mg</i></p> <p><i>velivet oral tablet 0.1 mg/0.025 mg, 0.125 mg/0.025 mg, 0.15 mg/0.025 mg</i></p> <p><i>vestura oral tablet 3 mg/0.02 mg</i></p> <p><i>vienva oral tablet 0.1 mg/0.02 mg</i></p> <p><i>viorele oral tablet 0.15 mg/0.02 mg & 0.01 mg</i></p> <p><i>volnea oral tablet 0.15 mg/0.02 mg & 0.01 mg</i></p> <p><i>vyfemla oral tablet 0.4 mg/0.035 mg</i></p> <p><i>vylibra oral tablet 0.25 mg/0.035 mg</i></p> <p><i>wera oral tablet 0.5 mg/0.035 mg</i></p> <p><i>wymzya FE oral tablet 0.4 mg/35 mcg</i></p> <p><i>zarah oral tablet 3 mg/0.03 mg</i></p> <p><i>zovia 1-35E oral tablet 1 mg/35 mcg</i></p> <p><i>zumandimine oral tablet 3 mg/0.03 mg</i></p> |
|--|---|--|

Implantable rod

Nexplanon subcutaneous implant 68 mg

Vaginal Rings

annovera vaginal ring 0.15 mg/0.013 mg (24 hr)

eluryng vaginal ring 0.12 mg/0.015 mg (24 hr)

etonogestrel-ethinyl estradiol vaginal ring 0.12 mg/0.015 mg (24 hr)

Extended-cycle oral contraceptives

amethia oral tablet 0.15 mg/30 mcg

ashlyna oral tablets 0.15 mg/0.03 mg & 0.01 mg

camrese oral tablet 0.15 mg/0.03 mg/0.01 mg

camrese Lo oral tablet 0.1 mg/0.02 mg & 0.01 mg

daysee oral tablet 0.15 mg/0.03 mg & 0.01mg

iclevia oral tablet 0.15 mg/0.03 mg

jaimiess oral tablet 0.15 mg/0.03 mg & 0.01 mg

jolessa oral tablet 0.15 mg/0.03 mg

levonorgest-eth estrad 91-day oral tablet 0.1 mg/0.02 mg & 0.01 mg

simpesse oral tablet 0.15 mg/0.03 mg & 0.01 mg

Transdermal patches

xulane transdermal patch weekly 150 mcg/35 mcg (24 hr)

zafemy transdermal patch weekly 150 mcg/35 mcg (24 hr)

Intrauterine Devices

ParaGard copper intrauterine device

QL (1 EA per 300)

Kyleena intrauterine device 19.5 mg

QL (1 EA per 300)

Liletta (52 mg) intrauterine device 19.5 mcg per day

QL (1 EA per 300)

Mirena (52 mg) intrauterine device 20 mcg per day

Skyla intrauterine device 13.5 mg

QL (1 EA per 300)

Injectables

Depo-Provera intramuscular suspension 150 mg/ml

QL (1 ML per 90 days)

Depo-SubQ Provera 104 syringe 104 mg/0.65ml

medroxyprogesterone acetate intramuscular suspension 150 mg/ml

QL (1 ML per 90 days)

| Emergency contraceptives | |
|--|--|
| <i>aftera oral tablet 1.5 mg</i> | |
| <i>econtra EZ oral tablet 1.5 mg</i> | |
| <i>econtra one-step oral tablet 1.5 mg</i> | |
| Ella oral tablet 30 mg | |
| <i>levonorgestrel oral tablet 1.5 mg</i> | |
| <i>my choice oral tablet 1.5 mg</i> | |
| <i>my way oral tablet 1.5 mg</i> | |
| <i>new day oral tablet 1.5 mg</i> | |
| <i>opcicon one-step oral tablet 1.5 mg</i> | |
| <i>option 2 oral tablet 1.5 mg</i> | |

| Barrier method | |
|--|--|
| Caya contoured diaphragm 65 mm-80 mm | |
| Femcap vaginal device 22 mm, 26 mm, 30 mm | |
| Wide Seal diaphragm 60 mm, 2% | |

| Spermicide | |
|--|-----|
| Options Gynol II vaginal gel 3% | OTC |
| <i>vaginal contraceptive film (VCF) 28 %</i> | OTC |
| <i>vaginal contraceptive gel (VCF) 4%</i> | OTC |

| Vaginal sponge | |
|-----------------------------|-----|
| Today Sponge 1000 mg | OTC |

| Female condom | |
|--------------------------|-------------------------------|
| FC2 female condom | OTC QL (30 EA per 30 days) |